Journal of The Chemical Society

A

Inorganic
Physical
Theoretical

Indexes

1966

THE CHEMICAL SOCIETY

Patron

Her Majesty the Queen

President

Sir Harry Melville, K.C.B., Ph.D., D.Sc., F.R.S.

Vice-Presidents
who have filled the office of President

H. J. Emeléus, C.B.E., M.A., D.Sc., F.R.S.
Sir Edmund Hirst, C.B.E., D.Sc., LL.D., F.R.S.
Sir Christopher Ingold, D.Sc., F.R.I.C., F.R.S.
Sir Ewart Jones, M.A., D.Sc., F.R.I.C., F.R.S.
J. Monteath Robertson, C.B.E., M.A., LL.D. F.R.S.
Lord Todd, M.A., D.Sc., F.R.S.

Vice-Presidents

C. E. H. Bawn, C.B.E., Ph.D., F.R.S.
A. W. Johnson, M.A., Ph.D., Sc.D., F.R.S.
E. A. Moelwyn-Hughes, D.Phil., D.Sc., Sc.D., F.R.I.C.
R. S. Nyholm, D.Sc., F.R.I.C., F.R.S.
R. A. Raphael, D.Sc., F.R.I.C., F.R.S.
K. W. Sykes, M.A., D.Phil.

Honorary Treasurer

J. W. Barrett, Ph.D., A.R.C.S., F.R.I.C.

Honorary Secretaries

C. Eaborn, Ph.D., D.Sc., F.R.I.C.
W. Klyne, M.A., D.Sc., F.R.I.C.
D. H. Whiffen, M.A., D.Phil., F.R.S.

Ordinary Members of Council

K. W. Bagnall, D.Sc., F.R.I.C.
R. J. S. Beer, M.A., D.Phil.
R. E. Bowman, Ph.D., D.Sc., A.R.I.C.
J. I. G. Cadogan, D.Sc., F.R.I.C., F.R.S.E.
N. B. Chapman, M.A., Ph.D., F.R.I.C.
P. C. Crofts, B.Sc., Ph.D.
D. W. J. Cruickshank, M.A., Sc.D.
P. B. D. de la Mare, Ph.D., D.Sc., F.R.I.C.
A. G. Evans, Ph.D., D.Sc., F.R.I.C.
N. N. Greenwood, Ph.D., Sc.D., F.R.I.C.
T. G. Halsall, M.A., M.Sc., Ph.D.
H. B. Henbest, Ph.D., D.Sc., F.R.I.C.
G. J. Hills, Ph.D., D.Sc., F.R.I.C.
J. Idris Jones, M.Sc., D.Sc., F.R.I.C.
A. S. Jones, B.Sc., Ph.D., D.Sc.
S. F. Mason, M.A., D.Phil.
W. D. Ollis, B.Sc., Ph.D., F.R.I.C.
J. S. Rowlinson, M.A., D.Phil., F.R.I.C.
H. N. Rydon, Ph.D., D.Sc., F.R.I.C.
A. F. Wells, M.A., Ph.D., Sc.D.

Ex Officio

F. Hartley, Ph.D., F.P.S., F.R.I.C. (Chairman of the Chemical Council)
B. C. L. Weedon, Ph.D., D.Sc., F.R.I.C. (Chairman of the Joint Library Committee)
Sir Ewart Jones, M.A., D.Sc., F.R.I.C., F.R.S. (Chairman of the Publications Board)

General Secretary

J. R. Ruck Keene, M.B.E., T.D., M.A.

Librarian

R. G. Griffin, F.L.A.

Editor

L. C. Cross, T.D., Ph.D., A.R.C.S., F.R.I.C.

©
Copyright 1966
by
The Chemical Society

INDEX OF AUTHORS, 1966

A

Abel, E. W., and **Crosse,** B. C. The formation of sulphur-bridged manganese and rhenium clusters *via* organotin intermediates, **1141**.

Cyclic hexameric mercaptides of nickel, **1377**.

Adams, D. M. See **Billing,** D. E., **902**.

Adams, T. J., **Sherwood,** J. N., and **Swinton,** F. L. Determination of surface areas of solids (*ca.* 1 cm.^{2}) by a manometric gas-adsorption method, **1195**.

Addison, C. C., **Boorman,** P. M., and **Logan,** N. Anhydrous aluminium nitrate, and the nitronium and alkylammonium tetranitratoaluminates, **1434**.

Addison, C. C., and **Halstead,** W. D. Phase diagrams and volumes of mixing in binary systems of molten bismuth(III) chloride with alkali-metal chlorides, **1236**

Addison, C. C., and **Kilner,** M. Pyridine and 2,2′-bipyridyl derivatives of nitratopentacarbonylmanganese(I), **1249**.

Addison, C. C., and **Raynor,** J. B. Liquid metals. Part XII. The surface tension of liquid bismuth in pure and impure hydrogen, in other gases, and *in vacuo*, **965**.

Addison, C. C., and **Simpson,** W. B. The adduct of tin(IV) chloride with dinitrogen tetroxide, **775**

Addison, C. C., and **Sutton,** D. Ultraviolet spectra of anhydrous metal nitrates, **1524**.

Addison, W. E., **Neal,** G. H., **Sharp,** J. H., and **White,** A. D Amphiboles. Part IV. Surface properties of amosite and crocidolite, **79**.

Adin, A., and **Sykes,** A. G. The kinetics of the oxidation of europium(II) with vanadium(III) and chromium(III) in aqueous perchloric acid solutions, **1230**.

The chromium(II)-catalysed dissociation of monochlorochromium(III), **1518**.

Affsprung, H. E. See **Johnson,** J. R., **77**, and **Ling,** C., **293**.

Aggett, J., and **Odell,** A. L. The reactivity of co-ordinated acetylacetone. Part I. Oxygen-18 exchange and aquation of trisacetylacetonatochromium(III), **1820**

Ahuja, I. S., **Brown,** D. H., **Nuttall,** R. H., and **Sharp,** D. W. A. The preparation and properties of some aniline complexes of metal(II) sulphates and nitrates, **938**.

Akhtar, M. See **Trotter,** J., **30**.

Allam, D. S., and **Lee,** W. H. Ultrasonic studies of electrolyte solutions. Part II. Compressibilities of electrolytes. Part III. The hydration numbers of some acids, alkalis, and tetra-alkylammonium salts, **5**, **426**.

Allan, J. R., **Brown,** D. H., **Nuttall,** R. H., and **Sharp,** D. W. A. Pyridine complexes of iron(II), copper(II), zinc(II), and cadmium(II) halides, **1031**.

Allred, A. L., and **Wendricks,** R. N. Proton magnetic resonance of 1 : 1 electrolyte–ammonia systems, **778**.

Amin, M. S. See **Nabi,** S. N., **1018**.

Anbar, M., **Meyerstein,** D., and **Neta,** P. Reactivities of aliphatic compounds toward bromine and hydrogen atoms in aqueous solution, **572**.

Andrews, T. D., and **Phillips,** C. S. G. Further studies on the silicon–germanium hydrides, **46**.

Anusiem, A. C., **Beetlestone,** J. G., and **Irvine,** D. H. Reactivity differences between hæmoglobins. Part VI. The reaction of human methæmoglobins A and C with azide ion, and the concept of "hæm-linked" groups, **357**.

Archer, D. W., and **Monk,** C. B. Dissociation constants of some ytterbium ion-pairs from cation-exchange resin studies, **1374**.

Armstrong, D. R., and **Perkins,** P. G. The electronic structure of the diphenylboron cation and the 9-borafluorenes, **1026**.

Ašperger, S., **Orhanović,** M., **Pribanić,** M., and **Reić,** V. Mechanism of octahedral substitutions in non-aqueous media. Part III. Rates of replacement reactions in *trans*-chloronitro- and dichlorobis(ethylenediamine)cobalt(III) ion in methanol and ethanol, **589**.

Atherton, N. M., **Gerson,** F., and **Ockwell,** J. N. Comments on the interpretation of the electron spin resonance spectra of the *trans*-stilbene and *trans*-azobenzene anion-radicals, **109**.

Aveston, J. Hydrolysis of scandium(III): ultracentrifugation and acidity measurements, **1599**.

Aynsley, E. E., **Greenwood,** N. N., **Hunter,** G., and **Sprague,** M. J. Selenocyanation reactions of organometallic compounds of lead, tin, and thallium, **1344**.

B

Bagnall, K. W., **Brown,** D., and **Jones,** P. J. Complexes of uranyl chloride and thorium and uranium tetrachlorides with dicarboxylic acid amides, **741**.

Methyl cyanide and *NN*-dimethylacetamide complexes of thorium and uranium tetrahalides, uranyl chloride, and uranyl bromide, **1763**.

Bagnall, K. W., **Brown,** D., **Jones,** P. J., and **Du Preez,** J. G. H. Complexes of uranium and thorium tetrahalides with oxygen-donor ligands, **737**.

Bagnall, K. W., and **Laidler,** J. B. Neptunium chlorocomplexes, **516**.

Baker, E. N., **Hall,** D., and **Waters,** T. N. The colour isomerism and structure of copper co-ordination compounds. Part X. The crystal structure of bis-salicylaldiminatocopper(II), **680**.

Baker, R. T. K., **Kerr,** J. A., and **Trotman-Dickenson,** A. F. The photolysis of carbon suboxide in the presence of olefins, **975**.

Bancroft, G. M., **Maddock,** A. G., **Ong,** W. K., and **Prince,** R. H. Spectra of chloroferrate(III) compounds, **723**.

Banford, L., and **Coates,** G. E. Beryllium borohydride: complexes with trimethylphosphine and some other bases, **274**.

Bannister, W. D., **Green,** M., and **Haszeldine,** R. N. Metal carbonyl chemistry. Part II. The reaction of phenyl- or methyl-manganese carbonyl with butadiene, **194**.

Barlow, C. G., and **Nixon,** J. F. The reaction between difluorotrichloromethylphosphine and secondary amines: a new synthesis of aminodifluorophosphines, **228**.

Barnes, J. C. Nephelauxetic parameters in the spectra of lanthanide(III) complexes, 667

Barnes, J. C., and **Pincott,** H. Electron transfer spectra of some solid lanthanide(III) complexes, 842.

Barnes, S. B., and **Symons,** M. C. R. Unstable intermediates. Part XXXV. Pairwise trapping of radicals in photolysed potassium persulphate, 66.

Barrer, R. M., and **Dicks,** L. W. R. Chemistry of soil minerals. Part III. Synthetic micas with substitutions of NH_4 for K, Ga for Al, and Ge for Si, 1379.

Bartlett, N. See **Trotter,** J., 30.

Bartlett, R. K., **Turner,** H. S., **Warne,** R. J., **Young,** M. A., and **Lawrenson,** I. J. The reaction of primary amines with boron halides. Part II. Arylamines. The effect of *ortho*-substitution: formation of di-*B*-halogenoborazoles, 479.

Bauge, K., and **Smith,** J. W. The dipole moments of some tri-n-butylammonium and triethylammonium salts in benzene solution, 616.

Baugh, P. J. See **Phillips,** G. O., 370, 377, 387.

Beattie, I. R., and **Parrett,** F. W. Cations containing silicon(IV) co-ordinated by oxygen or nitrogen donors, 1784.

Beetlestone, J. G. See **Anusiem,** A. C., 357.

Beezer, A. E., and **Mortimer,** C. T. Heats of formation and bond energies. Part XIV. Heat of combustion of arsenic. Part XV. Chlorotrimethylsilane and hexamethyldisilazane, 330, 514.

Bell, N. A. Some oxy-, amino-, and thio-beryllium complexes, 542.

Bell, N. A., and **Coates,** G. E. The addition of alkylberyllium hydrides to some unsaturated compounds, 1069.

Bell, N. A., **Coates,** G. E., and **Emsley,** J. W. Dimethylberyllium. Part IV. Spectroscopic properties of some methylberyllium compounds, 49.

The proton magnetic resonance spectra of some alkylberyllium hydrides. Evidence for *cis–trans* isomerism about the BeH_2Be bridge, 1360.

Bell, R. P., and **Pring,** M. Stability constants and absorption spectra of the ions Br_2Cl^- and $BrCl_2^-$, 1607.

Bennetto, H. P., **Feakins,** D., and **Turner,** D. J. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part V. The halogen acids in 10, 20, 40, and 60% (w/w) acetic acid–water mixtures at 25°, 1211.

Beveridge, A. D., **Harris,** G. S., and **Inglis,** F. The electrolytic conductance of halogen adducts of the triphenyl derivatives of Group VB elements, 520.

Beveridge, A. D., **Harris,** G. S., and **Payne,** D. S. The reaction of halogens with triphenylphosphine in moist methyl cyanide, 726.

Bickley, R. I., and **Gregg,** S. J. Nitridation of magnesium in the temperature range 400—650°, 1849.

Bien, P. B. See **Soldano,** B. A., 1825.

Billing, D. E., **Underhill,** A. E., **Adams,** D. M., and **Morris,** D. M. Transition-metal quinoxaline complexes. Part III. Copper(II) derivatives with substituted quinoxalines, 902.

Bishop, D. M., and **Dionne,** O. Electrophilic reactions in the anilinium cation (a correction), 1406.

Blake, A. R., and **Hodgson,** K. E. The γ-radiolysis of carbon suboxide, 533.

Boell, G. R. See **Ridge,** M. J., 1147.

Bonati, F., **Cenini,** S., **Motelli,** D., and **Ugo,** R. A new synthesis of compounds with cobalt-to-tin bonds, 1052.

Bond, B. D., and **Jacobs,** P. W. M. The thermal decomposition of sodium nitrate, 1265.

Boorman, P. M., and **Straughan,** B. P. Far-infrared spectra (20—450 $cm.^{-1}$) of some halide cluster compounds of niobium and tantalum, 1514.

Boorman, P. M. See also **Addison,** C. C., 1434.

Booth, B. L., and **Haszeldine,** R. N. Metal carbonyl chemistry. Part I. The reactions of phosphorus-containing ligands with hydridopentacarbonylmanganese, 157.

Booth, G., and **Chatt,** J. Carbonylation of platinum and palladium organo-complexes, 634.

Bosnich, B. The circular dichroism of complexes of palladium containing an optically active unidentate ligand, 1394.

Bosnich, B., **Ferguson,** J., and **Tobe,** M. L. Mechanism of octahedral substitution reactions in non-aqueous solutions. Part V. The chloride anation of *cis*- and *trans*-chloromethanolobis(ethylenediamine)cobalt(III) cations in methanol, 1636.

Bosnich, B., **Gillard,** R. D., **McKenzie,** E. D., and **Webb,** G. A. Steric constraints imposed on facultative ligands. Complexes of triethylenetetramine and a homologue, 1331.

Bott, H. L., **Bounsall,** E. J., and **Poë,** A. J. The *trans*-effect in octahedral complexes. Part I. Kinetic studies of some *trans*-dihalogenobisethylenediaminerhodium(III) complexes, 1275.

Bounsall, E. J., and **Poë,** A. J. The relative stabilities of halogeno-complexes. Part V. The *trans*-Rh $en_2Cl_2^+$—I^- and *trans*-Rh $en_2Br_2^+$—I^- systems, 286.

Bounsall, E. J. See also **Bott,** H. L., 1275.

Bowen, H. C., and **Linnett,** J. W. The hydrogen bond in water and FHF^-, 1675.

Bradley, D. C., and **Prevedorou-Demas,** C. Metal oxide trialkylsilyloxide polymers. Part III. Tantalum oxide trimethylsilyloxide polymers, 1139.

Bradley, R. V., **Greaves,** E. O., and **Staples,** P. J. The acid catalysed reactions of transition-metal complexes. Part IV. The acid-catalysed aquations of *cis*- and *trans*-ammine- and isothiocyanato-nitrobisethylenediaminecobalt(III) salts, 986.

Branton, G. R., and **Frey,** H. M. The thermal unimolecular isomerisations of 1,1-dicyclopropylethylene and 1-cyclopropylcyclopentene, 1342.

Broadbent, D., **Dollimore,** D., and **Dollimore,** J. The thermal decomposition of oxalates. Part V. The thermal decomposition of nickel oxalate dihydrate. Part VII. The effect of prior dehydration conditions upon the subsequent decomposition of cobalt oxalate, 278, 1491.

Broadhurst, J. G., and **Warhurst,** E. , The electron spin resonance spectrum of the diphenylacetylene free-radical anion, 351.

Brooks, E. H., and **Glockling,** F. Triphenylgermylpalladium complexes, 1241.

Brough, B. J., **Kerridge,** D. H., and **Mosley,** M. Indicators in fused salts, 1556.

Brown, C. J. The crystalline structure of the sugars. Part VI. A three-dimensional analysis of β-cellobiose, 927.

Brown, C. J., **Cox,** Sir G., and **Llewellyn,** F. J. The crystalline structure of the sugars. Part V. A three-dimensional analysis of methyl β-xyloside, 922.

Brown, D. Anhydrous hexachloro- and hexabromo-complexes of quadrivalent thorium, uranium, and neptunium, 766.

Brown, D., and **Easey,** J. F. Fluoro-complexes of quinquevalent protactinium, 254.

Brown, D., **Easey,** J. F., and **Du Preez,** J. G. H. Phosphine oxide complexes of protactinium, niobium, and tantalum pentachlorides, 258.

Brown, D., and **Jones,** P. J. Protactinium(v) bromides, 262.

Quinquevalent protactinium, niobium, and tantalum nitrates and nitrato-complexes, 733

Protactinium(v) chlorides, 874.

Brown, D. See also **Bagnall,** K. W., 737, 741, 1763.

Brown, D. A., and **Fitzpatrick,** N. J. Molecular-orbital theory of organometallic compounds. Part VII. A comparison of the 3*d* radial wave functions of the first transition series, 941.

Brown, D. A., and **Raju,** J. R. Molecular-orbital theory of organometallic compounds. Part VI. Substitution reactions of some tricarbonylarenechromiums, 40.

Infrared and proton magnetic resonance spectra of π-complexes of substituted condensed hydrocarbons, 1617.

Brown, D. H., **Dixon,** K. R., and **Sharp,** D. W. A. Trichlorotrifluoroplatinates(IV), 1244.

Brown, D. H., **Fraser,** G. W., and **Sharp,** D. W. A. The preparation of dialkylaminofluorophosphoranes by the thermal decomposition of dialkylamine–phosphorus pentafluoride adducts, 171.

Brown, D. H., **Nuttall,** R. H., **McAvoy,** J., and **Sharp,** D. W. A. Pyridine, γ-picoline, and quinoline complexes of transition metal perchlorates and tetrafluoroborates, 892.

Brown, D. H., **Russell,** D. R., and **Sharp,** D. W. A. Electronic spectra of some fluoride complexes of second- and third-row transition metals, 18.

Brown, D. H. See also **Ahuja,** I. S., 938, and **Allan,** J. R., 1031.

Brubaker, C. H., jun. See **McAuley,** A., 960.

Bruce, M. I., **Jolly,** P. W., and **Stone,** F. G. A. Chemistry of the metal carbonyls. Part XXXVII. Reactions of some carbonylmetal anions with 1,2-dichlorohexafluorocyclopentene and related compounds, 1602.

Bruce, M. I., and **Stone,** F. G. A. Chemistry of the metal carbonyls. Part XXXVIII. Reactions of dicarbonyl-π-cyclopentadienylferrate(—II) with polyfluoroaromatic compounds, 1837.

Brufani, M., **Casini,** G., **Fedell,** W., **Giacomello,** G., and **Vaciago,** A. The crystal and molecular structure of the disodium salt of 2,4,6,8-tetrahydroxypyrimido[5,4-*d*]-pyrimidine (2,6,8,10-tetrahydroxyhomopurine), 639.

Burbridge, C. D., **Cleare,** M. J., and **Goodgame,** D. M. L. The so-called *cis–trans* isomerism of the compound $Fepy_4(NCS)_2$, 1698.

Burch, G. M., and **Van Wazer,** J. R. Scrambling of fluoro-, methoxyl, dimethylamino-, and methyl groups with chlorine atoms and of methoxyl with dimethylamino-groups on germanium, 586.

Burgess, J., and **Prince,** R. H. Peroxydisulphate oxidation of iron(II) complexes of substituted 1,10-phenanthrolines and related compounds, 1772.

Bushnell, G. W., **Lalor,** G. C., and **Moelwyn-Hughes,** E. A. Kinetic studies on 4*d* and 5*d* transition metal complexes. Part I. The kinetics of the reactions of chloro-, bromo-, and iodo-pentamminerhodium(III) perchlorates with sodium hydroxide in aqueous solutions, 719.

C

Cabral, J. de O., **King,** H. C. A., **Nelson,** S. M., **Shepherd,** T. M., and **Koros,** E. The co-ordination number of transition-metal ions. Part V. The relative stabilities of some tetrahedral and octahedral cobalt(II) complexes of alkyl pyridines, and the effect of substituent position on metal–pyridine π-bonding, 1348.

Camilli, A. See **Ercolani,** C., 603, 606, 608.

Campbell-Ferguson, H. J., and **Ebsworth,** E. A. V. Adducts formed between some halogenosilanes and the organic bases pyridine, trimethylamine, and tetramethylethylenediamine. Part I. Stoicheiometry, 1508.

Carlin, R. L. See **Earnshaw,** A., 511.

Carmichael, W. M., **Edwards,** D. A., and **Walton,** R. A. 2,2′-Bipyridyl complexes of molybdenum, 97.

Carrick, A., and **Glockling,** F. Isopropylgermanes, 623.

Carroll, A. P., and **Shaw,** R. A. Phosphorus–nitrogen compounds. Part XXI. Alkylthio- and phenylthiocyclotriphosphazatrienes, 914.

Carter, O. L., **McPhail,** A. T., and **Sim,** G. A. Metal–carbonyl and metal–nitrosyl complexes. Part II. Crystal and molecular structure of the tricarbonylchromiumanisole–1,3,5-trinitrobenzene complex. Part III. The crystal and molecular structure of cyclopentadienyldinitrosylchromium chloride, 822, 1095.

Carty, A. J., and **Tuck,** D. G. Co-ordination compounds of indium. Part IV. Adducts of indium(III) chloride, bromide, and iodide with neutral donors, 1081.

Carty, P. See **Tuck,** D. G., 1077.

Casini, G. See **Brufani,** M., 639.

Catterall, R., and **Symons,** M. C. R. Unstable intermediates. Part XXXIV. Solvated electrons: a model for the spin-paired species in liquid ammonia, 13.

Catterall, R., **Symons,** M. C. R., and **Tipping,** J. W. Unstable intermediates. Part XL. Solvated electrons: electron–cation interactions in potassium–amine solutions, 1529.

Cenini, S. See **Bonati,** F., 1052.

Cercek, B., **Ebert,** M., and **Swallow,** A. J. Novel valence states of thallium as studied by pulse radiolysis, 612.

Chadwick, B. M., and **Sharpe,** A. G. The relative sizes of the Cr(III), Mn(III), Fe(III), and Co(III) ions in low-spin octahedral complexes, 1390.

Chan, S. C. Hydrolysis of some *trans*-dichlorobis(diamine)-cobalt(III) cations by base, 142.

Nucleophilic square-planar substitutions. Part I. Ionic-strength effects on the substitution of chloro- and bromo-diethylenetriamineplatinum(II) complexes by iodide ions, 1000.

Octahedral cobalt(III) complexes of the chloropentammine type. Part VI. Kinetic evidence for the ion-pair mechanism of base hydrolysis of cobalt(III) complexes in aqueous solution, 1124.

Deuterium isotope effect in octahedral substitutions. Part II. The basic hydrolysis of chlorohydroxo-, chloronitro-, and dichloro-bis(ethylenediamine)cobalt-(III) cations, 1310.

Chan, S. C., and **Lau,** O. W. The solvolytic aquation and base hydrolysis of *cis*- and *trans*-fluorohydroxobis(ethylenediamine)cobalt(III) cations, 1800.

Chan, S. C., and **Leh,** F. Octahedral cobalt(III) complexes of the chloropentammine type. Part I. The release of chloride ions from the *cis*-chlorohydroxylaminebis(ethylenediamine)cobalt(III) cation in neutral and in basic solu-

tions. Part II. The solvolytic aquation and hydrolysis by base of *cis*-chloromethylamine- and *cis*-chloroethylamine-bis(ethylenediamine)cobalt(III) cations. Part III. The solvolytic aquation and basic hydrolysis of *cis*-chloro-n-propylamine- and *cis*-chloroisopropylamine-bis(ethylenediamine)cobalt(III) cations. Part IV. The hydrolyses of *cis*-chloroallylamine- and *cis*-chloropropargylamine-bis(ethylenediamine)cobalt(III) cations. Part V. The preparation and properties of some co-ordination compounds of cobalt(III) containing halogen derivatives of primary aliphatic amines as ligands, **126**, **129**, **134**, **138**, **760**.

Chan, S. C., and **Poon,** C. K. Preparation, properties, and isomerisation of aquofluorobis(ethylenediamine)cobalt(III) cations, **146**.

Chantry, G. W., **Finch,** A., **Gates,** P. N., and **Steele,** D. Phosphorus halide–boron halide complexes. Part I. The infrared spectrum of PI_3,BI_3, **896**.

Chatt, J., **Garforth,** J. D., and **Rowe,** G. A. Alkyls and aryls of transition metals. Part VI. Rhenium, **1834**.

Chatt, J., and **Shaw,** B. L. Rhodium(I) and rhodium(III) carbonyl complexes containing tertiary phosphines or tertiary arsines and halogen formed by the decarbonylation of alcohols and by the direct use of carbon monoxide, **1437**.

Some nitrosylruthenium trichloride complexes containing phosphines, arsines, and stibines, **1811**.

Alkyls and aryls of transition metals. Part VII. Trimethyliridium derivatives, **1836**.

Chatt, J. See also **Booth,** G., **634**.

Chaudhari, M. A., and **Stone,** F. G. A. Pentafluorophenyl derivatives of transition metals. Part V. Bis-(π-cyclopentadienyl)bis-(σ-pentafluorophenyl)zirconium and related studies, **838**.

Cheeseman, T. P., **Hall,** D., and **Waters,** T. N. The colour isomerism and structure of copper co-ordination compounds. Part XI. The crystal structure of bis-(*N*-t-butylsalicylaldiminato)copper(II). Part XII. The crystal structure of *NN'*-(2,2'-biphenyl)bis(salicylaldiminato)copper(II), **685**, **1396**.

The absorption spectra of copper complexes of intermediate stereochemistry, **694**.

Chiswell, B., and **Venanzi,** L. M. Some manganese(I) complexes with multidentate substituted phosphine ligands, **417**.

A bidentate gold ligand, **901**.

Metal–sulphinate complexes. Part I. Benzenesulphinatopalladium(II) complexes, **1246**.

Christian, S. D. See **Johnson,** J. R., **77**, and **Ling,** C., **293**.

Clark, J. P., and **Wilkins,** C. J. Dimethyltin dihalide complexes and their infrared spectra, **871**.

Clark, R. J. H., **Errington,** W., **Lewis,** J., and **Nyholm,** R. S. Reactions of a bidentate arsine with quadrivalent halides of Group IVA. The separation of zirconium and hafnium, **989**.

Clarke, R. J. H., **Greenfield,** M. L., and **Nyholm,** R. S. Complexes of the early transition-metal halides with tritertiary arsines, **1254**.

Clark, R. J. H., **Nyholm,** R. S., and **Scaife,** D. E. Tetrahedral and octahedral complexes of vanadium(III), **1296**.

Clark, R. J. H., and **Williams,** C. S. Infrared and electronic spectral study of metal–ammonia complexes, **1425**.

Clarke, J. B., **Pilkington,** K. A., and **Staples,** P. J. Nucleophilic replacement at an octahedrally co-ordinated metal atom. Part IV. The basic hydrolyses of *cis*- and *trans*-dinitro-, -nitrohydroxo- and -nitroammine-bisethylenediaminecobalt(III) salts, **153**.

Cleare, M. J. See **Burbridge,** C. D., **1698**.

Coates, G. E., and **Heslop,** J. A. Some co-ordination complexes of dimethyl- and diphenyl-magnesium with ethers and amines, **26**.

Coates, G. E., and **Lauder,** A. Some alkoxy- and alkylthio-derivatives of methylcadmium, **264**.

Coates, G. E., and **Ridley,** D. Reactions between some organozinc compounds and 2-dimethylaminoethanol, acetoxime, phenyl isocyanate, and benzophenone. Some observations on the methylzinc methoxide tetramer, **1064**.

Coates, G. E. See also **Banford,** L., **274**, and **Bell,** N. A., **49**, **1069**, **1360**.

Cohen, B.. and **MacDiarmid,** A. G. Synthesis of methyliminosulphur difluoride and bis(methylimino)sulphur by the reaction of pentafluorosulphur chloride or sulphur tetrafluoride with methylamines, **1780**.

Cook, D. I., **Fields,** R., **Green,** M., **Haszeldine,** R. N., **Iles,** B. R., **Jones,** A., and **Newlands,** M. J. Organosilicon chemistry. Part I. A pentaco-ordinate complex of silicon, **887**.

Coombes, R. G., and **Johnson,** M. D. σ-Bonded organo-transition-metal ions. Part II. Kinetics and mechanism of the aerobic acidolysis of penta-aquo(pyridiomethyl)-chromium(III) ions. Part III. Displacement of chromium by mercury: five-co-ordinate chromium(III) as a leaving group, **177**, **1805**.

Cornish, D. C., **Das,** S. N., **Ives,** D. J. G., and **Pittman,** R. W. Anodic processes. Part VI. The photomicrographic method. Application to the mercury–aqueous hydrochloric acid system, **111**.

Cornish, D. C., **Ives,** D. J. G., and **Pittman,** R. W. Anodic processes. Part VII. The anodisation of mercury in aqueous potassium chloride solutions. Part VIII. The anodic generation of mercurous bromide. Observations on the discharge of iodide, sulphate, and carbonate ions at the mercury anode, **116**, **120**.

Costello, W. R., **McPhail,** A. T., and **Sim,** G. A. Complexes of mercury. Part II. *X*-Ray analysis of dichloro-(1,3,5-trithian)mercury(II), **1190**.

Cotton, J. D., and **Waddington,** T. C. Liquid hydrogen sulphide as an ionising solvent. Part I. Base analogues and their neutralisation with hydrogen halides. Part II. Reactions of Lewis acids of boron with base analogues. Part III. Reactions of compounds of Groups IV, V, and VI, **785**, **789**, **793**.

Cox, Sir G. See **Brown,** C. J., **922**.

Cragg, R. H., and **Lappert,** M. F. Amino-derivatives of metals and metalloids. Part IV. Aminosilylation and aminophosphination of some unsaturated substrates, **82**.

Creighton, J. A., **Green,** J. H. S., and **Kynaston,** W. The far-infrared spectra and thermodynamic properties of vanadium and titanium tetrachlorides, **208**.

Crosse, B. C. See **Abel,** E. W., **1141**, **1377**.

Cumper, C. W. N., **Melnikoff,** A., and **Vogel,** A. I. Physical properties and chemical constitution. Part XLVII. The ultraviolet spectra of some compounds with bonds between oxygen or sulphur atoms and the Group IV elements, C, Si, Ge, and Sn. Part XLVIII. The electric dipole moments of R_3XOMe, $(R_3X)_2O$, R_3XSMe, and $(R_3X)_2S$ where X is C, Si, Ge, or Sn. Part L. The electric dipole moments of alkoxy-, alkylthio-, and re-

lated compounds of carbon, silicon, and germanium, 242, 246, 323.
Cumper, C. W. N., **Read,** J. F., and **Vogel,** A. I. Physical properties and chemical constitution. Part XLVI. The ultraviolet spectra of some dialkyl and diaryl sulphides, disulphides, sulphoxides, and sulphones, 239.
Curtis, N. F., and **Curtis,** Y. M. Thiocyanate salts of three isomeric hexamethyltetra-azacyclotetradecadienenickel(II) cations, 1653.
Curtis, N. F., **Curtis,** Y. M., and **Powell,** H. K. J. Transition-metal complexes with aliphatic Schiff bases. Part VIII. Isomeric hexamethyl-1,4,8,11-tetra-azacyclotetradecadienenickel(II) complexes formed by reaction of trisdiaminoethanenickel(II) with acetone, 1015.
Curtis, N. F. See also **Whimp,** P. O., 867, 1827.
Curtis, Y. M. See **Curtis,** N. F., 1015, 1653.

D

Dagnall, R. M., **Smith,** R., and **West,** T. S. Spectrofluorescence of the magnesium complexes of some quadridentate azomethines, 1595.
Daly, J. J. The crystal and molecular structure of a triclinic form of phosphobenzene, $(PC_6H_5)_6$, referred to as B, 428.
The crystal and molecular structure of 1,2,3-triphenyl-1,2,3-triphosphaindane, 1020.
Daly, J. J., and **Wheatley,** P. J. Structure of triphenylphosphoranylideneketen, 1703.
Dalziel, J. A. W., and **Hewitt,** T. G. Addition compounds of 1,3,5-trithian with mercury(II) and silver(I) salts, 233.
Das, S. K., **Keat,** R., **Shaw,** R. A., and **Smith,** B. C. Phosphorus–nitrogen compounds. Part XXII. The reactions of hexachlorocyclotriphosphazatriene with isopropylamine, 1677.
Das, S. N. See **Cornish,** D. C., 111.
Datta, S. P., and **Grzybowski,** A. K. Stabilities of the silver complexes of imidazole and tri(hydroxymethyl)methylamine, 1059.
David, J. G., and **Hallam,** H. E. Infrared solvent shifts and molecular interactions. Part IX. P–H and P=O dipoles and the hydrogen-bonding ability of the P–H group, 1103.
Dawber, J. G. Determination of the first appearance of undissociated perchloric acid in aqueous solution from acidity-function data, 1056.
Day, J. P., and **Venanzi,** L. M. Some octahedral complexes of uranium(IV), 197.
Some six-co-ordinate complexes of uranium(VI), 1363.
Deacon, G. B., and **Taylor,** F. B. Tetraethylammonium tetrahalogenozincate(II) complexes with mixed halide ligands, 463.
Dell, D., **Fitzsimmons,** B. W., **Keat,** R., and **Shaw,** R. A. Phosphorus–nitrogen compounds. Part XXIII. Dimethylaminophenoxycyclotriphosphazatrienes, 1680.
De Luca, L. See **Ercolani,** C., 608.
Dennard, A. E., and **Williams,** R. J. P. The catalysis of the reaction between carbon dioxide and water, 812.
Dicks, L. W. R. See **Barrer,** R. M., 1379.
Dijkstra, A. J., **Kerr,** J. A., and **Trotman-Dickenson,** A. F. Reactions of difluoroamino-radicals. Part II. Addition to propene, *cis*-but-2-ene, and *trans*-but-2-ene, 582.
Dionne, O. See **Bishop,** D. M., 1406.
Dixon, K. R. See **Brown,** D. H., 1244.
Djordjević, C., **Nyholm,** R. S., **Pande,** C. S., and **Stiddard,** M. H. B. Reaction of iodine with Group VI hexacarbonyls: tri-iodides of molybdenum and tungsten and their derivatives, 16.
Dobbie, R. C. Bistrifluoromethylaminosulphur pentafluoride, 1555.
Dobbie, R. C., and **Emeléus,** H. J. Preparation and properties of bistrifluoromethylamino-mercurials and iodobistrifluoromethylamine, 367.
Preparation and properties of tristrifluoromethylhydrazyl compounds, 933.
Dobson, G. R. See **Houk,** L. W., 317.
Dogra, S. K. See **Jain,** D. V. S., 284.
Dollimore, D., and **Nicholson,** D. The thermal decomposition of oxalates. Part VI. The decomposition and surface properties of ferric oxalate, 281.
Dollimore, D. See also **Broadbent,** D., 278, 1491.
Dollimore, J. See **Broadbent,** D., 278, 1491.
Donaldson, J. D., and **Knifton,** J. F. Complex tin(II) acetates, 332.
Donaldson, J. D., and **Senior,** B. J. The Mössbauer effect in tin(II) compounds. Part I. An interpretation of the chemical shifts of normal tin(II) compounds. Part II. The spectra of complex tin(II) fluorides, 1796, 1798.
Draper, J. C. See **McWhinnie,** W. R., 1199.
Duncan, J. F., and **Mok,** K. F. A Mössbauer study of iron(II)–1,10-phenanthroline complexes, 1493.
Dunlop, J. H., **Evans,** D. F., **Gillard,** R. D., and **Wilkinson,** G. Optically active co-ordination compounds. Part VI. Stereoselective effects in alkaline tartrato-complexes of transition metals, 1260.
Dunlop, J. H., **Gillard,** R. D., and **Ugo,** R. Optically active co-ordination compounds. Part VII. Tris-complexes of (+)-hydroxymethylenecamphor, 1540.
Du Preez, J. G. H. See **Bagnall,** K. W., 737, and **Brown,** D., 258.
Dyer, G., **Goodall,** D. C., **Mais,** R. H. B., **Powell,** H. M., and **Venanzi,** L. M. Complexes of mercury(II) with multidentate phosphorus and arsenic ligands, and the *X*-ray structure of tris(*o*-diphenylarsinophenyl)arsinemercury(II) bromide, 1110.

E

Eaborn, C., **Simpson,** P., and **Varma,** I. D. Organogermanium compounds. Part VIII. The preparation of optically active asymmetric germanium compounds, 1133.
Earnshaw, A., **Figgis,** B. N., and **Lewis,** J. Chemistry of polynuclear compounds. Part VI. Magnetic properties of trimeric chromium and iron carboxylates, 1656.
Earnshaw, A., **Larkworthy,** L. F., and **Patel,** K. S. Chromium(II) chemistry. Part II. Chromofluorides, 363.
Earnshaw, A., **Larkworthy,** L. F., **Patel,** K. C., **Patel,** K. S., **Carlin,** R. L., and **Terezakis,** E. G. Chromium(II) chemistry. Part III. Magnetic properties of some complexes of 2,2′-bipyridyl and 1,10-phenanthroline, 511.
Easey, J. F. See **Brown,** D., 254, 258.
Ebert, M. See **Cercek,** B., 612.
Ebsworth, E. A. V. See **Campbell-Ferguson,** H. J., 1508.
Edwards, D. A., **Kerr,** J. A., **Lloyd,** A. C., and **Trotman-Dickenson,** A. F. Hydrogen-abstraction reactions by methyl radicals from nitrogen-containing compounds, 621.
Hydrogen-abstraction reactions by ethyl radicals from methylamines and hydrazine, 1500.

Edwards, D. A., and **Woolf,** A. A. The preparation of oxytetrachlorides of molybdenum, rhenium, and tungsten by the reaction of sulphuryl chloride with the metals, **91.**

Edwards, D. A. See also **Carmichael,** W. M., **97.**

Elliott, H., **Hathaway,** B. J., and **Slade,** R. C. The electronic properties of monohalogenobisbipyridyl copper(II) complexes, **1443.**

Elliott, T. A., and **Morgan,** M. Dynamic contact angles. Part III. Changes in liquid–solution–solid contact angles with time. Part IV. The influence of the solid phase on changes in liquid–solution–solid contact angles with time. Part V. The influence of added ions on changes in liquid–solution–solid contact angles with time. Part VI. The mechanism of spreading in a liquid–solution–solid system, **558, 563, 567, 570.**

Ellis, A. J. Partial molal volumes of alkali chlorides in aqueous solution to 200°, **1579.**

Ellis, R. J., and **Frey,** H. M. The thermal unimolecular-isomerisation of bicyclo[3,1,0]hex-2-ene and decomposition of cyclohexa-1,4-diene, **553.**

Emeléus, H. J., and **Onak,** T. Bistrifluoromethylamino-derivatives of phosphorus(v), **1291.**

Emeléus, H. J. See also **Dobbie,** R. C., **367, 933.**

Emsley, J. W. See **Bell,** N. A., **49, 1360.**

Ercolani, C., **Camilli,** A., **De Luca,** L., and **Sartori,** G. Aluminosiloxane compounds. Part III. Polyaluminium-organosiloxanes: synthesis, and investigation of structure, **608.**

Ercolani, C., **Camilli,** A., and **Sartori,** G. Aluminosiloxane compounds. Part I. Dichloro- and dibromo-trimethylsiloxyaluminium: structure, and reaction with sodium acetylacetonate. Part II. Compounds of formula $C_8H_{24}Al_3X_5O_6Si_4$ (X = Cl or Br): structure, and reaction with sodium acetylacetonate, **603, 606.**

Errington, W. See **Clark,** R. J. H., **989.**

Evans, D. F. See **Dunlop,** J. H., **1260.**

Eve, D. J., and **Fowles,** G. W. A. Oxalate complexes of tervalent titanium, **1183.**

F

Fairy, M. B., and **Irving,** R. J. Complexes of ruthenium nitrosyl trihalides, **475.**

Faithful, B. D., **Gillard,** R. D., **Tuck,** D. G., and **Ugo,** R. The hydrogen dinitrate ion, **1185.**

Farmer, V. C., and **Mortland,** M. M. An infrared study of the co-ordination of pyridine and water to exchangeable cations in montmorillonite and saponite, **344.**

Feakins, D., **Last,** W. A., **Nabi,** S. N., and **Shaw,** R. A. Structure and basicity. Part IV. Aminochlorocyclotriphosphazatrienes, **1831.**

Feakins, D., and **Lawrence,** K. G. The relative viscosities of solutions of sodium and potassium chlorides and bromides in *N*-methylformamide at 25, 35, and 45°, **212.**

Feakins, D., **Smith,** B. C., and **Thakur,** L. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part IV. Enthalpies of transfer of the alkali-metal halides from water to a 20% mixture of dioxan and water, **714.**

Feakins, D. See also **Bennetto,** H. P., **1211.**

Fedell, W. See **Brufani,** M., **639.**

Feeney, J., and **Walker,** S. M. A nuclear magnetic resonance study of hydrogen bonding in hydroxylic compounds, **1148.**

Ferguson, J., and **West,** B. O. The properties of transition-metal complexes of dipyrromethenes. Part I. The spectra and magnetic moments of some nickel(II) complexes. Part II. Dipyrromethenes as unidentate ligands, **1565, 1569.**

Ferguson, J. See also **Bosnich,** B., **1636.**

Fergusson, J. E., and **Harris,** G. M. A spectral study of bis-2,2′-bipyridyl complexes of iron, ruthenium, and osmium, **1293.**

Fetter, N. R. Preparation and pyrolysis of tetramethyltetrazene–beryllium dialkyl complexes, **711.**

Fielding, B. C., and **Roberts,** H. L. Oxidation of α-olefins by mercuric salts in acid solutions, **1627.**

Fields, R. See **Cook,** D. I., **887.**

Figgis, B. N., **Lewis,** J., **Mabbs,** F. E., and **Webb,** G. A. Magnetic properties of some iron(III) and ruthenium(III) low-spin complexes, **422.**

The magnetic behaviour of cubic field $^3T_{1g}$ terms, **1411.**

Figgis, B. N. See also **Earnshaw,** A., **1656.**

Finch, A., **Gardner,** P. J., and **Sen Gupta,** K. K. The thermochemistry of some phosphoryl halide–boron halide complexes, **1367.**

Finch, A. See also **Chantry,** G. W., **896.**

Fitzpatrick, N. J. See **Brown,** D. A., **941.**

Fitzsimmons, B. W. See **Dell,** D., **1680.**

Fleming, R. Frictional coefficients of aqueous solutions of choline chloride at 25°, **946.**

Flint, C. D., and **Goodgame,** M. Infrared spectra (400—135 cm.$^{-1}$) of some thiourea co-ordination complexes, **744.**

Flitcroft, N., **Harbourne,** D. A., **Paul,** I., **Tucker,** P. M., and **Stone,** F. G. A. Chemistry of the metal carbonyls. Part XXXV. Bis(dicarbonyl-π-cyclopentadienyliron)-bis(iodo)germane and related compounds, **1130.**

Flory, P. J. See **Semlyen,** J. A., **191.**

Forster, D., and **Goodgame,** D. M. L. Iodine adducts of co-ordinated isothiocyanate groups, **170.**

Foster, A. G., and **Place,** M. A. Sorption of vapours by ferric oxide gel and silica gel, **556.**

Fowles, G. W. A., and **Frost,** J. L. Oxypentahalogenotungstates(VI), **1631.**

Fowles, G. W. A. See also **Eve,** D. J., **1183.**

Fox, W. M., **Gross,** J. M., and **Symons,** M. C. R. Unstable intermediates. Part XXXVII. The electron spin resonance spectra of nitro-radical anions in fluid and rigid media, **448.**

Fox, W. M., and **Symons,** M. C. R. Unstable intermediates. Part XXXIX. The structure of iminoxy-radicals deduced from their electron spin resonance spectra in rigid media, **1503.**

Foxton, A. A., **Jeffery,** G. H., and **Vogel,** A. I. Physical properties and chemical constitution. Part XLIX. The refractivities, densities, and surface tensions of some organophosphorus compounds, **249.**

Fraser, G. W. See **Brown,** D. H., **171.**

Frazer, M. J., and **Goffer,** Z. Reactions of 8-quinolinol with covalent halides. Part I. Tin and titanium tetrachlorides, **544.**

Frey, H. M., and **Pope,** B. M. Thermal unimolecular isomerisation of *cis*-hexa-1,3-diene, **1701.**

Frey, H. M., and **Scaplehorn,** A. W. Thermal decomposition of the diazirines. Part II. 3,3-Tetramethylenediazirine, 3,3-pentamethylenediazirine, and 3,3-diethyldiazirine, **968.**

Frey, H. M. See also **Branton,** G. R., **1342,** and **Ellis,** R. J., **553.**

Frost, J. L. See **Fowles,** G. W. A., **1631.**

G

Galwey, A. K. The thermal decomposition of salts of mellitic acid. Part II. Ferric, cobalt, and nickel salts of mellitic acid, 87.

Garbett, K., and **Gillard,** R. D. Optically active co-ordination compounds. Part IV. Aquations of resolved halogeno-complexes. Part V. The method of less-soluble diastereoisomers and relative configurations, 204, 802.

Garbett, K., **Gillard,** R. D,, and **Staples,** P. J. Optically active co-ordination compounds. Part III. Acid-catalysed aquations of resolved complexes of cobalt(III), 201.

Garbett, K., **Gillard,** R. D., and **Ugo,** R. Adducts of co-ordination compounds. Part III. Nitric acid adducts of some ethylenediamine complexes of cobalt(III), 1137.

Gardner, P. J. See **Finch,** A., 1367.

Garforth, J. D. See **Chatt,** J., 1834.

Garner, C. D., and **Wallwork,** S. C. The crystal structures of anhydrous nitrates and their complexes. Part III. Titanium(IV) nitrate, 1496.

Gates, P. N. See **Chantry,** G. W., 896.

Gay, D. L., and **Lalor,** G. C. A kinetic study of the thiocyanatopentammine-chromium(III) and -cobalt(III) complex ions in acidic and basic solutions, 1179.

Gerloch, M. The five-co-ordinate stereochemistry of dichloro(pyridine-2-aldehyde 2-pyridylhydrazone)cobalt(II), 1317.

Gerson, F. See **Atherton,** N. M., 109.

Giacomello, G. See **Brufani,** M., 639.

Gibb, T. C., and **Greenwood,** N. N. Chemical applications of the Mössbauer effect. Part IV. Compounds containing tin–metal bonds, 43.

Gillard, R. D., **Irving,** H. M., **Parkins,** R. M., **Payne,** N. C., and **Pettit,** L. D. The isomers of complexes of α-amino-acids with copper(II), 1159.

Gillard, R. D., and **Ugo,** R. Adducts of co-ordination compounds. Part II. Compounds of nitric acid and *trans*-dihalogenotetrapyridine-metal(III) nitrates, 549.

Gillard, R. D. See also **Bosnich,** B., 1331, **Dunlop,** J. H., 1260, 1540, **Faithful,** B. D., 1185, and **Garbett,** K., 201, 204, 802, 1137.

Gillespie, R. J., and **Moss,** K. C. The hydrogen fluoride solvent system. Part I. Solutions of antimony pentafluoride and antimony tetrafluoride monofluorosulphate, 1170.

Glockling, F. See **Brooks,** E. H., 1241, and **Carrick,** A., 623.

Goffer, Z. See **Frazer,** M. J., 544.

Goggin, P. L., **McColm,** I. J., and **Shore,** R. The oxyhalides of indium, 1004.

Indium tricyanide and indium trithiocyanate, 1314.

Goh, S. H., **Heslop,** R. B., and **Lethbridge,** J. W. The hydrolysis of peroxophosphates, 1302.

Gomwalk, U. D., and **McAuley,** A. Reactions of metal complexes in solution. Part I. The acid-catalysed aquation of *trans*-dinitrotetramminecobalt(III) nitrate, 1692.

Gomwalk, U. D. See also **McAuley,** A., 1694.

Goodall, D. C. Metal complexes of 1,4-di-(*o*-aminothiophenoxy)but-*trans*-2-ene, 1562.

Goodall, D. C. See also **Dyer,** G., 1110.

Goodfellow, R. J., and **Venanzi,** L. M. Some anionic π-allyl derivatives of palladium(II), 784.

Goodgame, D. M. L., **Goodgame,** M., **Hitchman,** M. A., and **Weeks,** M. J. Orbital splittings of some tetragonal nickel(II) complexes with heterocyclic amine ligands, 1769.

Goodgame, D. M. L., and **Marsham,** D. F. Some antiferromagnetic, anionic cupric acetate complexes, 1167.

Goodgame, D. M. L. See also **Burbridge,** C. D., 1698, and **Forster,** D., 170.

Goodgame, M. Dipyridylamine complexes of cobalt(II), 63.

Goodgame, M., and **Haines,** L. I. B. Copper(II) complexes of benzimidazole, 174.

Goodgame, M., and **Haywood,** P. J. Infrared spectra (1650—400 cm.$^{-1}$) of γ-picoline metal co-ordination complexes, 632.

Goodgame, M., and **Weeks,** M. J. Complexes of nickel(II) with sterically hindered heterocyclic ligands, 1156.

Goodgame, M. See also **Flint,** C. D., 744, and **Goodgame,** D. M. L., 1769.

Goodman, B. A., **McNeil,** D. A. C., **Raynor,** J. B., and **Symons,** M. C. R. Structure and reactivity of transition-metal complexes with polyatomic ligands. Part IV. Electron spin resonance spectra of γ-irradiated sodium nitroprusside, 1547.

Goodman, B. A., **Raynor,** J. B., and **Symons,** M. C. R. Structure and reactivity of transition-metal complexes with polyatomic ligands. Part II. Electron spin resonance spectrum and structure of $[Cr(CN)_5NO]^{3-}$, 994.

Goto, M., **Molony,** B., and **Ridge,** M. J. The transformation of finely divided soluble anhydrite into orthorhombic anhydrite, 9.

Goto, M. See also **Molony,** B., 864.

Grace, A., and **Powell,** P. Borazoles. Part III. Some reactions of tri-*N*-alkylborazoles with Grignard reagents, 673.

Grant, J. A. See **Pettit,** L. D., 1045.

Gray, R. W. See **Ling,** C., 293.

Greaves, E. O. See **Bradley,** R. V., 986.

Green, J. H. S. See **Creighton,** J. A., 208.

Green, M., **Haszeldine,** R. N., and **Hopkins,** G. S. A. Organophosphorus chemistry. Part VIII. Four-membered phosphorus–nitrogen ring compounds, 1766.

Green, M. See also **Bannister,** W. D., 194, and **Cook,** D. I., 887.

Greenfield, M. L. See **Clark,** R. J. H., 1254.

Greenwood, N. N., and **Hooton,** K. A. The reactions between bis(trifluoromethyl)amine and the boron halides: bis(trifluoromethyl)aminoboron dihalides, 751.

Greenwood, N. N., **Hooton,** K. A., and **Walker,** J. The reactions between tris(primary amino)boranes and boron trifluoride: alkylaminoboron difluorides and primary amine–boron trifluoride adducts, 21.

Greenwood, N. N., and **McGinnety,** J. A. The reaction of decaborane with trimethylamine–alane to give a mixed boron–aluminium hydride derivative, 1090.

Greenwood, N. N., **Parish,** P. V., and **Thornton,** P. Dimeric vanadium(III) carboxylates, 320.

Greenwood, N. N., **Ross,** E. J. F., and **Storr,** A. Hydrogen elimination from secondary amine and phosphine adducts of gallium hydride, 706.

Greenwood, N. N., **Sarma,** A. C., and **Straughan,** B. P. Vibration spectra and structure of some pentafluorotellurate(IV) complexes, 1446.

Greenwood, N. N., and **Srivastava,** T. S. Relative acceptor strengths of the gallium trihalides towards pyridine and triethylamine as donors, 267.

Relative acceptor strength of gallium trihalides towards oxygen and sulphur donors, 270.

A nuclear magnetic resonance investigation of some gallium trihalide complexes, 703.

Greenwood, N. N., **Srivastava**, T. S., and **Straughan**, B. P. Far infrared spectra and structure of some complexes of the gallium trihalides, 699.
Greenwood, N. N., and **Straughan**, B. P. Metal–halogen vibrations of simple octahedral ions containing tin, selenium, and tellurium, 962.
Greenwood, N. N. See also **Aynsley**, E. E., 1344, and **Gibb**, T. C., 43.
Gregg, S. J. See **Bickley**, R. I., 1849.
Griffith, W. P. Infrared and Raman spectra of Group VII ammine complexes, 899.
Griffith, W. P., and **Wickins**, T. D. Raman studies on species in aqueous solutions. Part I. The vanadates, 1087.
Griffith, W. P. See also **Hewkin**, D. J., 472.
Gross, J. M., and **Symons**, M. C. R. Unstable intermediates. Part XXXVIII. Electron resonance spectra of aromatic nitro-anions: sigma–pi parameters for nitro–oxygen bonds, 451.
Gross, J. M. See also **Fox**, W. M., 448.
Grotewold, J., **Lissi**, E. A., and **Villa**, A. E. Reactions of co-ordinated boron compounds in the gas phase. Part I. Borine carbonyl and trimethylamine. Part II. Triethylamine as scavenger of borine, 1034, 1038.
Grove, D. E., and **Wilkinson**, G. Oxo-complexes of rhenium(v), 1224.
Grzybowski, A. K. See **Datta**, S. P., 1059.
Hadži, D., and **Kobilarov**, N. Hydrogen bonding in some adducts of oxygen bases with acids. Part II. Infrared spectra of liquid adducts of carboxylic acids with sulphoxides, phosphine oxides, and other bases, 439.

H

Haines, L. I. B. See **Goodgame**, M., 174.
Haines, R. J., **Nyholm**, R. S., and **Stiddard**, M. H. B. New cyclopentadienylcarbonyl derivatives of molybdenum, 1606.
Hall, D., **McKinnon**, A. J., and **Waters**, T. N. Deviations from planarity in the molecule of bis(ethyl acetoacetato)-copper(II), 615.
Hall, D., and **Moore**, F. H. The crystal structure of *NN*-disalicylidene-ethylenediaminezinc(II) monohydrate, 1822.
Hall, D., **Morgan**, H. J., and **Waters**, T. N. The colour isomerism and structure of copper co-ordination compounds. Part IX. The crystal structure of *NN'*-ethylenebis-(acetylacetoneiminato)copper(II) monohydrate, 677.
Hall, D. See also **Baker**, E. N., 680, and **Cheeseman**, T. P., 685, 694, 1396.
Hall, P. G., and **Tompkins**, F. C. Dielectric relaxation in water adsorbed on ionic crystals, 36.
Hallam, H. E. See **David**, J. G., 1103.
Halstead, W. D. See **Addison**, C. C., 1236.
Hanania, G. I. H., **Irvine**, D. H., and **Irvine**, M. V. The effect of co-ordination on ionisation. Part VI. The imidazole and histamine complexes of cobalamin factor B, 296.
Hand, D. W., and **Prout**, C. K. The unit-cell dimensions of the metal hydrazinium sulphates $(N_2H_5)_2M^{II}(SO_4)_2$, 168.
Hanks, R. See **Newns**, G. R., 954.
Harbourne, D. A. See **Flitcroft**, N., 1130.
Harris, G. M. See **Fergusson**, J. E., 1293.
Harris, G. S. See **Beveridge**, A. D., 520, 726.
Harrison, R. W., **Thompson**, R. C., and **Trotter**, J. The structure of potassium difluorophosphate, 1775.
Haszeldine, R. N. See **Bannister**, W. D., 194, **Booth**, B. L., 157, **Cook**, D. I., 887, and **Green**, M., 1766.
Hatfield, W. E., **McGuire**, H. M., **Paschal**, J. S., and **Whyman**, R. Magnetic properties of copper(II) salts of some carboxylic acids, 1194.
Hathaway, B. J., and **Slade**, R. C. The properties of trirubidium pentanitronickelate(II), 1485.
Hathaway, B. J. See also **Elliott**, H., 1443.
Hayward, P. J. See **Goodgame**, M., 632.
Hazeldean, G. S. F., **Nyholm**, R. S., and **Parish**, R. V. Octahedral ditertiary arsine complexes of quadrivalent iron, 162.
Hazell, A. C. The crystal structure of dimethylaminoboron difluoride, 1392.
Hazwell, I. F., and **Irving**, R. J. The thermal decomposition of iron(II), cobalt(II), and nickel(II) hydroxides, 669.
Headridge, J. B., and **Pletcher**, D. Polarography of inorganic compounds in acetic acid–acetic anhydride solution, 757.
Heatley, F., and **Todd**, S. M. Nuclear magnetic resonance spectra of some monosubstituted triphosphonitrilic chlorides, 1152.
Heaton, G. S., and **Riley**, P. N. K. Kinetics and mechanisms of solvolysis of amine–trichloroborane adducts. Part I. Pyridine and picoline adducts, 952.
Herberich, G. E., **Jackson**, R. H., and **Millen**, D. J. The microwave spectrum of dichlorine oxide. Molecular structure, centrifugal distortion coefficients, and force field, 336.
Heslop, J. A. See **Coates**, G. E., 26.
Heslop, R. B. See **Goh**, S. H., 1302.
Hewitt, T. G. See **Dalziel**, J. A. W., 233.
Hewkin, D. J., and **Griffith**, W. P. Infrared spectra of binuclear complexes, 472.
Hewlett, C., and **Shaw**, R. A. Phosphorus–nitrogen compounds. Part XIX. The ^1H nuclear magnetic resonance spectra of some geminal ethoxycyclotriphosphazatrienes: virtual coupling with two and three phosphorus atoms, 56.
Higginson, W. C. E. See **Tanner**, S. P., 59, 537, and **Wood**, P. B., 1645.
Hill, J. O., and **Irving**, R. J. The heat of formation of aluminium acetylacetonate, 971.
Hitchman, M. A. See **Goodgame**, D. M. L., 1769.
Hoard, L. G., and **Jacobson**, R. A. The structure of *N*-methyltrichlorophosphinimine dimer, 1203.
Hodgson, K. E. See **Blake**, A. R., 533.
Holmes, J. M., **Peacock**, R. D., and **Tatlow**, J. C. Some pentafluorophenyl tin compounds, 150.
Hooton, K. A. See **Greenwood**, N. N., 21, 751.
Hopkins, G. S. A. See **Green**, M., 1766.
Hopton, F. J., **Rest**, A. J., **Rosevear**, D. T., and **Stone**, F. G. A. Pentafluorophenyl derivatives of transition metals. Part VI. Nuclear magnetic resonance spectra of some nickel, palladium, and platinum complexes, 1326.
Houk, L. W., and **Dobson**, G. R. Mixed tri- and tetrasubstituted derivatives of hexacarbonylmolybdenum, 317.
Howard, P. B., and **Skinner**, H. A. Thermochemistry of some reactions of aqueous hydrazine with halogens, hydrogen halides, and *N*-halogenosuccinimides, 1536.

Hughes, S. R. C., and **White,** S. H. Conductimetric studies in ketonic solvents. Part IV. Various electrolyte parameters in wetted ketones, 1216.
Hugill, D., and **Peacock,** R. D. Some quinquevalent fluorotechnetates, 1339.
Hull, C. G., and **Stiddard,** M. H. B. 2,2′-Bipyridyl derivatives of molybdenum(IV), (V), and (VI) and tungsten(IV), (V), and (VI), 1633.
Hulme, R., and **Symons,** M. C. R. Unstable intermediates. Part XXXVI. The hexamethylbenzyl cation-radical, 446.
Hunter, G. See **Aynsley,** E. E., 1344.
Hutton, R. C., **Salam,** S. A., and **Stephen,** W. I. Organic reagents for the precipitation of nitrate ion. Part I. *N*-Substituted 1-naphthylmethylamines, 1573.

I

Iles, B. R. See **Cook,** D. I., 887.
Inglis, F. See **Beveridge,** A. D., 520.
Irvine, D. H. See **Anusiem,** A. C., 357, and **Hanania,** G. I. H., 296.
Irvine, M. V. See **Hanania,** G. I. H., 296.
Irving, H. M. See **Gillard,** R. D., 1159.
Irving, H. M. N. H., and **Miles,** M. G. Aryl derivatives of nitrilotriacetic acid, and the stability of their proton and metal complexes, 727.
Analogues of nitrilotriacetic acid, and the stabilities of their proton and metal complexes, 1268.
Irving, R. J., and **Laye,** P. G. Some derivatives of ruthenium nitrosyl di-iodide, 161.
Irving, R. J. See also **Fairy,** M. B., 475, **Hazell,** I. F., 669, and **Hill,** J. O., 971.
Ives, D. J. G. See **Cornish,** D. C., 111, 116, 120.

J

Jackson, R. H. See **Herberich,** G. E., 336.
Jacobs, P. W. M. See **Bond,** B. D., 1265.
Jacobson, R. A. See **Hoard,** L. G., 1203.
Jain, D. V. S., and **Dogra,** S. K. Studies of the polyanions by Glauber-salt cryoscopy. Part I. Polyanions of tungsten, 284.
James, B. D., **Nanda,** R. K., and **Wallbridge,** M. G. H. Spectroscopic studies of borohydride derivatives of zirconium and hafnium, 182.
Jardine, F. H. See **Osborn,** J. A., 1711.
Jefferson, R., **Lappert,** M. F., **Prokai,** B., and **Tilley,** B. P. Chloroboration and allied reactions of unsaturated compounds. Part IV. Boration of di-*p*-tolylcarbodi-imide, 1584.
Jeffery, G. H. See **Foxton,** A. A., 249.
Jenkins, J. M., **Lupin,** M. S., and **Shaw,** B. L. Nuclear magnetic resonance studies on metal complexes. Part III. Dimethylphenylphosphine complexes of ruthenium(II), 1787.
Jenkins, J. M., and **Shaw,** B. L. Nuclear magnetic resonance studies on metal complexes. Part I. Dimethylphenylphosphine complexes of platinum(II) and palladium(II). Part II. Dimethylphenylphosphine complexes of iridium(III), 770, 1407.
Johnson, D. A., and **Sharpe,** A. G. The preparation of cobalt(III) sulphate and its alums, and the magnetic, spectroscopic, and crystallographic properties of the $Co(H_2O)_6^{3+}$ ion, 798.
Johnson, J. R., **Christian,** S. D., and **Affsprung,** H. E. The molecular complexity of water in organic solvents. Part II., 77.
Johnson, M. D. See **Coombes,** R. G., 177, 1805.
Jolly, P. W. See **Bruce,** M. I., 1602.
Jones, A. See **Cook,** D. I., 887.
Jones, G. T., and **Murrell,** J. N. Nuclear magnetic resonance coupling constants in *p*-benzoquinones, 1421.
Jones, P. J. See **Bagnall,** K. W., 737, 741, 1763, and **Brown,** D., 262, 733, 874.
Jones, W. E., and **Thomas,** J. D. R. Base hydrolysis of carboxylatopenta-amminecobalt(III) nitrates, 1481.
Joshi, K. K. Cumulene complexes of transition metals. Part I. Hexacarbonyldi-iron complexes. Part II. A tetracarbonylbutatriene–iron complex, 594, 598.
Joyce, T. A. See **Parker,** C. A., 821.

K

Kamenar, B., **Prout,** C. K., and **Wright,** J. D. Molecular complexes. Part V. The crystal structure of the 1 :1 complex of bis-8-hydroxyquinolinatopalladium(II) and 1,2,4,5-tetracyanobenzene, 661.
Keat, R., and **Shaw,** R. A. Phosphorus–nitrogen compounds. Part XX. The reaction of piperidine with hexachlorocyclotriphosphazatriene; the replacement pattern and the structure of the products; the "*cis*-effect" 908.
Keat, R. See also **Das,** S. K., 1677, and **Dell,** D., 1680.
Kennerley, M., **Tyrrell,** H. J. V., and **Zaman,** M. Optical studies of the Soret effect. Part III. Entropies and heat capacities of transfer of norvaline, ε-aminocaproic acid, L-proline, DL-hydroxyproline, and glycylglycine in aqueous solution, 1041.
Kerr, J. A., **O'Grady,** B. V., and **Trotman-Dickenson,** A. F. The reaction of methylene with 1,1-difluoroethane, 1621.
Kerr, J. A., **Slater,** D. H., and **Young,** J. C. Hydrogen-abstraction reactions from silanes. Part I. The reactions of methyl radicals with trichlorosilane, methyldichlorosilane, and methyltrichlorosilane, 104.
Kerr, J. A. See also **Baker,** R. T. K., 975, **Dijkstra,** A. J., 582, and **Edwards,** D. A., 621, 1500.
Kerridge, D. H. See **Brough,** B. J., 1556.
Kettle, S. F. A. The bonding $M(CO)_n$ groups (where n = 1, 2, 3, and 4), 420.
The electronic structure of some polynuclear metal carbonyls, 1013.
A perturbation approach to chemical bonding. Part II. Some *s*-, *p*-, and *d*-orbital interactions, 1307.
Kilner, M. See **Addison,** C. C., 1249.
Kilty, P. A., and **Nicholls,** D. The preparation and spectral properties of complex oxochlorovanadates(IV), 1175.
King, H. C. A. See **Cabral,** J. de O., 1348.
Kite, K., **Smith,** J. A. S., and **Wilkins,** E. J. Nuclear magnetic resonance spectra and structure of some trimethylplatinum(IV) compounds, 1744.
Kite, K., and **Truter,** M. R. The preparation and structure of trimethyl-(8-quinolinolato)platinum(IV), 207.
Klasinc, L., **Maksić,** Z., and **Randić,** M. Bent bonds in cycloalkanes, 755.
Knifton, J. F. See **Donaldson,** J. D., 332.
Kobilarov, N. See **Hadži,** D., 439.

Kohl, F. J., **Lewis,** J., and **Whyman,** R. The actions of halogens on phosphine-substituted Group VI metal carbonyls. Part III. Spectral and magnetic properties of phosphine oxide adducts, 630.
Kollonitsch, J. New aspects of organocadmium chemistry. Part I. True reactivity of organocadmium compounds. Part II. Selective activation of organocadmium reactions: synthesis of 1,2-diketones and α-oxo-esters, 453, 456.
Koros, E. See **Cabral,** J. de O., 1348.
Kulasingam, G. C. See **McWhinnie,** W. R., 1199.
Kynaston, W. See **Creighton,** J. A., 208.

L

Lagowski, J. J. See **Powell,** H. B., 1282.
Laidler, J. B. Naptunium nitrates, 780.
Laidler, J. B. See also **Bagnall,** K. W., 516.
Lalor, G. C. The kinetics of aquation of nitropentamminecobalt perchlorate, 1.
Lalor, G. C. See also **Bushnell,** G. W., 719, and **Gay,** D. L., 1179.
Lappert, M. F., **Majumdar,** M. K., and **Tilley,** B. P. Cyclic boron compounds. Part VIII. Amino- and hydrazinoboranes and their cyclic dimers, 1590.
Lappert, M. F., and **Srivastava,** G. Metal halide complexes of hexamethylcyclotriphosphazatriene, 210.
Lappert, M. F. See also **Cragg,** R. H., 82, and **Jefferson,** R., 1584.
Larkworthy, L. F. See **Earnshaw,** A., 363, 511.
Larsen, E., and **Mason,** S. F. Optical rotatory power of co-ordination compounds. Part VII. The absolute configurations of tris-α-aminocarboxylato-cobalt(III) complexes, 313.
Larsson, R., **Mason,** S. F., and **Norman,** B. J. Optical rotary power of co-ordination compounds. Part V. The outer-sphere complexes of the tris-diamine-cobalt(III) complex ions, 301.
Last, W. A. See **Feakins,** D., 1831.
Lau, O. W. See **Chan,** S. C., 1800.
Lauder, A. See **Coates,** G. E., 264.
Lawrence, K. G. See **Feakins,** D., 212.
Lawrenson, I. J. See **Bartlett,** R. K., 479.
Lawson, D. N., **Mays,** M. J., and **Wilkinson,** G. Cyano- and cyanohydrido-complexes of rhodium, 52.
Lawson, D. N., **Osborn,** J. A., and **Wilkinson,** G. Interaction of tris(triphenylphosphine)chlororhodium(I) with iodomethane, methylallyl, and allyl chloride, 1733.
Laye, P. G. See **Irving,** R. J., 161.
Lee, W. H. See **Allam,** D. S., 5, 426.
Leh, F. See **Chan,** S. C., 126, 129, 134, 138, 760.
Lenton, M. V., and **Lewis,** B. Preparation and properties of some novel diaminotetra(fluoroalkoxy)triphosphonitriles, 665.
Lethbridge, J. W. See **Goh,** S. H., 1302.
Lever, A. B. P., and **Nelson,** S. M. An analysis of the electronic spectra of bis-amine cobalt halides: a novel effect of steric hindrance, 859.
Lewis, B. See **Lenton,** M. V., 665.
Lewis, J., **Manning,** A. R., and **Miller,** J. R. Chemistry of polynuclear compounds. Part V. The vibrational spectra of some phosphine derivatives of manganese carbonyl, 845.
Lewis, J., **Manning,** A. R., **Miller,** J. R., and **Wilson,** J. M. Chemistry of polynuclear compounds. Part VII. The mass spectra of some polynuclear metal carbonyl complexes, 1663.
Lewis, J., and **Walton,** R. A. Magnetic and spectral studies of some Schiff-base complexes derived from bis(salicylaldehydato)copper(II), 1559.
Lewis, J., and **Whyman,** R. Some molybdenum(VI) diperoxy-complexes, 211.
Lewis, J., and **Wild,** S. B. Chemistry of polynuclear compounds. Part IV. Some amine-substituted mercury halide–iron carbonyl compounds, 69.
Lewis, J. See also **Clark,** R. J. H., 989, **Earnshaw,** A., 1656, **Figgis,** B. N., 422, 1411, and **Kohl,** F. J., 630.
Liebig, D. M., **Robertson,** J. H., and **Truter,** M. R. The crystal structure of tetramethylenedinitramine(diaquo)-nickel(II), 879.
Lindley, P. F., and **Woodward,** P. An *X*-ray investigation of silver nitrate: a unique metal nitrate structure, 123.
Ling, C., **Christian,** S. D., **Affsprung,** H. E., and **Gray,** R. W. Vapour-phase hetero-association of trifluoroacetic acid with acetic acid, 293.
Linnett, J. W. See **Bowen,** H. C., 1675.
Lissi, E. A. See **Grotewold,** J., 1034, 1038.
Llewellyn, F. J. See **Brown,** C. J., 922.
Lloyd, A. C. See **Edwards,** D. A., 621, 1500.
Lockhart, J. C. Mechanism of substitution at a boron atom. Part II. Kinetics of reaction of *o*-nitrosamines, with boron halides, 809.
Vibrational spectrum and thermodynamic properties of phenylboron dichloride, 1552.
Lofroth, G. See **Phillips,** G. O., 377.
Logan, N. See **Addison,** C. C., 1434.
Longworth, W. R., and **Mason,** C. P. Ionisation and dissociation of trityl perchlorate in some non-aqueous solvents, 1164.
Lucken, E. A. C. The electron spin resonance spectra of the electrolytically generated radical-anions of the nitrothiophens, 991.
The electron spin resonance spectra of the free radicals arising from the action of Fenton's reagent on the methyl and ethyl esters of phosphoric and phosphonic acid, 1354.
The electron spin resonance spectra of species resulting from the action of hydroxyl radicals on trishydroxymethylphosphine and related compounds, 1357.
Lucken, E. A. C., and **Mazeline,** C. The electron spin resonance spectrum of a phosphorane radical-cation trapped in a crystalline matrix, 1074.
Ludman, C. J., and **Waddington,** T. C. The methoxide ion in anhydrous methanol as a Lewis base, 1816.
Lupin, M. S., **Powell,** J., and **Shaw,** B. L. The palladium–chlorine stretching frequencies of bridged chloro-π-allylic palladium(II) complexes, 1410.
Transition metal–carbon bonds. Part VII. The formation of π-allylic palladium complexes from allenes and palladium halides and the reversed reactions, 1687.
Lupin, M. S. See also **Jenkins,** J. M., 1787.

M

Mabbs, F. E. See **Figgis,** B. N., 422, 1411.
McAuley, A., and **Brubaker,** C. H., jun. The ceric ion oxidation of mandelic acid and α-hydroxybutyric acid, 960.

McAuley, A., and **Gomwalk, U. D.** Reactions of metal complexes in solution. Part II. The effect of chloride ion on the rate of the acid-catalysed aquation of *trans*-dinitrotetramminecobalt(III) nitrate, 1694.
McAuley, A. See also **Gomwalk, U. D.**, 1692.
McAvoy, J. See **Brown, D. H.**, 892.
McColm, I. J. See **Goggin, P. L.**, 1004, 1314.
MacDiarmid, A. G. See **Cohen, B.**, 1780.
McGinnety, J. A. See **Greenwood, N. N.**, 1090.
McGuire, H. M. See **Hatfield, W. E.**, 1194.
McKenzie, D., **O'Connor, C.**, and **Odell, A. L.** The reactivity of co-ordinated carbonate. Part I. Exchange of oxygen atoms between carbonatotetra-amminecobalt(III) and [^{18}O]water, 184.
McKenzie, E. D. See **Bosnich, B.**, 1331.
McKinnon, A. J. See **Hall, D.**, 615.
McLaughlin, E., and **Messer, C. E.** Compound formation and solubility of some aromatic hydrocarbon and fluorocarbon systems, 1106.
McNeil, D. A. C. See **Goodman, B. A.**, 1547.
McPhail, A. T. See **Carter, O. L.**, 822, 1095, and **Costello, W. R.**, 1190.
McWhinnie, W. R. The far-infrared spectra of some co-ordination compounds of the thallium(III) halides, 889.
McWhinnie, W. R., **Kulasingam, G. C.**, and **Draper, J. C.** Complexes of tri-(2-pyridyl)amine. Part I. Complexes with cobalt(II), nickel(II), and copper(II) perchlorates, 1199.
Maddock, A. G. See **Bancroft, G. M.**, 723.
Magee, J. T., and **Wilkinson, G.** Tris(triphenylarsine)- and tris(triphenylstibine)-chlororhodium(I) complexes and their reactions with hydrogen, olefins, and other reagents, 1736.
Maher, J. P. Determination of the relative signs of the $^{14}N^{1}H$ spin coupling constants in ethyl isonitrile by nuclear magnetic resonance double irradiation, 1855.
Mais, R. H. B. See **Dyer, G.**, 1110.
Majumdar, M. K. See **Lappert, M. F.**, 1590.
Maksić, Z. See **Klasinc, L.**, 755.
Manning, A. R., and **Miller, J. R.** The relative intensities of C–O stretching absorptions in the infrared spectra of some pentacarbonylmanganese(I) derivatives, 1521.
Manning, A. R. See also **Lewis, J.**, 845, 1663.
Marsham, D. F. See **Goodgame, D. M. L.**, 1167.
Mason, C. P. See **Longworth, W. R.**, 1164.
Mason, S. F., and **Norman, B. J.** Optical rotatory power of co-ordination compounds. Part VI. The effects of ion-association on the circular-dichroism spectra of tris-diamine complex metal ions, 307.
Mason, S. F. See also **Larsen, E.**, 313, and **Larsson, R.**, 301.
Mays, M. J. See **Lawson, D. N.**, 52.
Mazeline, C. See **Lucken, E. A. C.**, 1074.
Meatyard, R. See **Thomas, L. H.**, 92.
Melnikoff, A. See **Cumper, C. W. N.**, 242, 246, 323.
Meriwether, L. S., **Robinson, S. D.**, and **Wilkinson, G.** Electron spin resonance spectra of $[Cr(CN)_5(NO)]^{3-}$, $[Cr(NO)(NH_3)_5]^{3+}$, and $[Cr(NO)(H_2O)_5]^{3+}$, 1488.
Messer, C. E. See **McLaughlin, E.**, 1106.
Meyerstein, D. See **Anbar, M.**, 572.
Milburn, G. H. W., and **Truter, M. R.** The crystal structures of *cis*- and *trans*-dichlorodiammineplatinum(II), 1609.
Miles, M. G. See **Irving, H. M. N. H.**, 727, 1268.
Millen, D. J. See **Herberich, G. E.**, 386.
Miller, J. D., and **Prince, R. H.** The oxidation of some ruthenium(II) complexes of *o*-phenanthroline and bipyridyl by thallic ion in perchloric acid, 1048.
The oxidation of some ruthenium(II) complexes by ceric ion, 1370.
Miller, J. R. See **Lewis, J.**, 845, 1663, and **Manning, A. R.**, 1521.
Milligan, B. Vulcanisation accelerator–activator complexes. Part I. Amine complexes of zinc and cadmium benzothiazole-2-thiolate, 34.
Moelwyn-Hughes, E. A. See **Bushnell, G. W.**, 719.
Mok, K. F. See **Duncan, J. F.**, 1493.
Moles, A. See **Sacco, A.**, 1670.
Molony, B., **Ridge, M. J.**, and **Goto, M.** Adsorption of oxygen and nitrogen by calcium sulphate, 864.
Molony, B. See also **Goto, M.**, 9.
Monk, C. B. See **Archer, D. W.**, 1374, and **Walker, J. B.**, 1372.
Moore, F. H. See **Hall, D.**, 1822.
Morelli, D. See **Bonati, F.**, 1052.
Morgan, H. J. See **Hall, D.**, 677.
Morgan, M. See **Elliott, T. A.**, 558, 563, 567, 570.
Morpurgo, L., and **Williams, R. J. P.** The absorption spectra of copper(II) and nickel(II) complexes of substituted 8-hydroxyquinolines, 73.
Morris, D. M. See **Billing, D. E.**, 902.
Morris, J. H., and **Perkins, P. G.** Derivatives of cyclotetrazenoborane. Part I. Molecular-orbital calculations on derivatives of cyclotetrazenoborane. Part II. Preparation and properties of dimethyl- and methylphenylcyclotetrazenoborane, 576, 580.
Mortimer, C. T. See **Beezer, A. E.**, 330, 514.
Mortland, M. M. See **Farmer, V. C.**, 344.
Mosley, M. See **Brough, B. J.**, 1556.
Moss, J. R., and **Shaw, B. L.** Nuclear magnetic resonance studies on metal complexes. Part IV. Arylnickel(II)–dimethylphenylphosphine complexes, 1793.
Moss, K. C. See **Gillespie, R. J.**, 1170.
Murrell, J. N., **Stamper, J. G.**, and **Trinajstić, N.** Localised orbitals of water, 1624.
Murrell, J. N. See also **Jones, G. T.**, 1421.

N

Nabi, S. N., and **Amin, M. S.** Salt-like behaviour of sulphur dichloride in acetone solution. Part II, 1018.
Nabi, S. N. See also **Feakins, D.**, 1831.
Nanda, R. K., and **Tobe, M. L.** Mechanism of octahedral substitution reactions in non-aqueous solutions. Part VI. Kinetics of the displacement of chloride from the non-electrolyte *cis*-trichlorobis-(*o*-dimethylarsinophenyl)-methylarsinecobalt(III) by bromide and thiocyanate ions in mixed solvents, 1740.
Nanda, R. K. See also **James, B. D.**, 182.
Neal, G. H. See **Addison, W. E.**, 79.
Nelson, P. G., and **Sharpe, A. G.** The variations in the thermal stabilities of the trichlorides, tribromides, and tri-iodides of the metals of the first transition series at 25°, 501.
Nelson, S. M. See **Cabral, J. de O.**, 1348, and **Lever, A. B. P.**, 859.
Neta, P. See **Anbar, M.**, 572.
Newlands, M. J. See **Cook, D. I.**, 887.
Newns, G. R., and **Hanks, R.** Thermal behaviour of germanium dioxide, 954.

Nicholls, D., **Rowley**, M., and **Swindells**, R. Hydrazine complexes of cobalt(II) chloride, 950.
Nicholls, D. See also **Kilty**, P. A., 1175.
Nicholson, D. See **Dollimore**, D., 281.
Nicholson, J. K., and **Shaw**, B. L. Transition-metal–carbon bonds. Part VI. The formation of dichloro-(dodeca-2,6,10-triene-1,12-diyl)ruthenium(IV) from butadiene and ruthenium trichloride, 807.
Nixon, J. F. See **Barlow**, C. G., 228.
Norbury, A. H., and **Sinha**, A. I. P. A co-ordination compound of titanium(IV) chloride and nitromethane, 1814.
Norman, B. J. See **Larsson**, R., 301, and **Mason**, S. F., 307.
Nuttall, R. H. See **Ahuja**, I. S., 938, **Allan**, J. R., 1031, and **Brown**, D. H., 892.
Nuzzi, F. See **Paoletti**, P., 1385.
Nyholm, R. S. See **Clark**, R. J. H., 989, 1254, 1296, **Djordjević**, C., 16, **Haines**, R. J., 1606, and **Hazeldean**, G. S. F., 162.

O

Ockwell, J. N. See **Atherton**, N. M., 109.
O'Connor, C. See **McKenzie**, D., 184.
Odell, A. L. See **Aggett**, J., 1820, and **McKenzie**, D., 184.
O'Grady, B. V. See **Kerr**, J. A., 1621.
Onak, T. See **Emeléus**, H. J., 1291.
Ong, W. K., and **Prince**, R. H. The kinetics of formation of the mono(acetylacetonato)iron(III) complex, 458.
Ong, W. K. See also **Bancroft**, G. M., 723.
Orhanović, M. See **Ašperger**, S., 589.
Orville-Thomas, W. J. See **Wyn-Jones**, E., 101.
Osborn, J. A., **Jardine**, F. H., **Young**, J. F., and **Wilkinson**, G. The preparation and properties of tris(triphenylphosphine)halogenorhodium(I) and some reactions thereof including catalytic homogeneous hydrogenation of olefins and acetylenes and their derivatives, 1711.
Osborn, J. A. See also **Lawson**, D. N., 1733.
Osborne, A. G., and **Stone**, F. G. A. Chemistry of the metal carbonyls. Part XXXVI. Carbonyl(organothio)-manganese and -rhenium complexes, 1143.

P

Pande, C. S. See **Djordjević**, C., 16.
Paoletti, P., **Nuzzi**, F., and **Vacca**, A. Thermochemical studies. Part XVII. Heats and entropies of reaction of 3,3′-diaminodipropylamine with protons and bivalent transition-metal ions, 1385.
Parish, P. V. See **Greenwood**, N. N., 320, and **Hazeldean**, G. S. F., 162.
Park, M. V. Complex formation between iron(III) and some substituted salicylic acids, 816.
Parker, A. J. Solvation of ions. Part VI. Activity coefficients of anions in methanol relative to dimethylformamide, 220.
Parker, C. A., and **Joyce**, T. A. Artifacts and trivial effects in the measurement of delayed fluorescence, 821.
Parker, D. J., and **Stiddard**, M. H. B. Vibrational and electronic spectra of transition-metal carbonyl complexes. Part I. Infrared spectra of decacarbonyldimanganese and its derivatives, 695.
Parkins, R. M. See **Gillard**, R. D., 1159.
Parrett, F. W. See **Beattie**, I. R., 1784.
Paschal, J. S. See **Hatfield**, W. E., 1194.
Patel, K. C. See **Earnshaw**, A., 511.
Patel, K. S. See **Earnshaw**, A., 363, 511.
Paul, I. See **Flitcroft**, N., 1130.
Payne, D. S. See **Beveridge**, A. D., 726.
Payne, N. C. See **Gillard**, R. D., 1159.
Peacock, R. D. See **Holmes**, J. M., 150, and **Hugill**, D., 1339.
Pendred, T. L., **Pritchard**, A. M., and **Richards**, R. E. Spin–lattice relaxation times of protons in some organic compounds, 1009.
Perkins, P. G., and **Wall**, D. H. Self-consistent molecular-orbital calculations on borazines, 235.
Self-consistent molecular orbital calculations on aminoboranes, 1207.
Perkins, P. G. See also **Armstrong**, D. R., 1026, and **Morris**, J. H., 576, 580.
Peters, D. Localised molecular orbitals in self-consistent field wave functions. Part VIII. The role of the inner-shell electrons in molecule formation. Part IX. The ionic bond energy and dipole–dipole interaction energies. Part X. The nature of electronegativity, 644, 652, 656.
Pettit, L. D., and **Grant**, J. A. The formation of mixed-ion triplets in solution, 1045.
Pettit, L. D. See also **Gillard**, R. D., 1159.
Philips, M. C., and **Riddiford**, A. C. Estimation of the free surface energies of low energy solids from contact angle measurements, 978.
Phillips, C. S. G. See **Andrews**, T. D., 46.
Phillips, G. O., and **Baugh**, P. J. Energy transport in carbohydrates. Part I. Molecular aggregation effects. Part IV. Energy transfer in cyclohepta-amylose complexes, 370, 387.
Phillips, G. O., **Baugh**, P. J., and **Lofroth**, G. Energy transport in carbohydrates. Part II. Radiation decomposition of D-glucose, 377.
Phillips, G. O., and **Young**, M. Energy transport in carbohydrates. Part III. Chemical effects of γ-radiation on the cycloamyloses. Part V. Mechanism of intermolecular energy transfer in cycloamylose complexes, 383, 393.
Pidcock, A., **Richards**, R. E., and **Venanzi**, L. M. ^{195}Pt–^{31}P nuclear spin coupling constants and the nature of the *trans*-effect in platinum complexes, 1707.
Pilkington, K. A. See **Clarke**, J. B., 153.
Pincott, H. See **Barnes**, J. C., 842.
Pittman, R. W. See **Cornish**, D. C., 111, 116, 120.
Place, M. A. See **Foster**, A. G., 556.
Pletcher, D. See **Headridge**, J. B., 757.
Poë, A. J. See **Bott**, H. L., 1275, and **Boundsall**, E. J., 286.
Poller, R. C., and **Spillman**, J. A. The structure of some dithiolatotin compounds, 958.
Adducts of bis(dithiolato)tin compounds with Lewis bases, 1024.
Poon, C. K. See **Chan**, S. C., 146.
Pope, B. M. See **Frey**, H. M., 1701.
Powell, H. B., and **Lagowski**, J. J. Some co-ordination compounds of bis(fluoroalkyl)mercurials, 1282.
Powell, H. K. J. See **Curtis**, N. F., 1015.
Powell, H. M. See **Dyer**, G., 1110.
Powell, J. See **Lupin**, M. S., 1410, 1687.
Powell, P. See **Grace**, A., 673.
Pratt, G. L. The formation of nitrogen in the nitric oxide-inhibited pyrolysis of ethane, 1757.
Pratt, J. M., and **Thorp**, R. G. The chemistry of vitamin B_{12}. Part V. The class (*b*) character of the cobaltic ion, 187.

Prevedorou-Demas, C. See **Bradley**, D. C., 1139.
Pribarić, M. See **Ašperger**, S., 589.
Prince, R. H. See **Bancroft**, G. M., 723, **Burgess**, J., 1772, **Miller**, J. D., 1048, 1370, and **Ong**, W. K., 458.
Pring, M. See **Bell**, R. P., 1607.
Pritchard, A. M. See **Pendred**, T. L., 1009.
Prokai, B. See **Jefferson**, R., 1784.
Prout, C. K., and **Wheeler**, A. G. Molecular complexes. Part VI. The crystal and molecular structure of 8-hydroxyquinolinatopalladium(II), 1286.
Prout, C. K., **Williams**, R. J. P., and **Wright**, J. D. Electrical conductivity of π-complexes of metal 8-hydroxyquinolinates, 747.
Prout, C. K. See also **Hand**, D. W., 168, and **Kamenar**, B., 661.
Prue, J. E., and **Read**, A. J. Constant ionic media; activity coefficients for hydrogen chloride in aqueous sodium perchlorate, 1812.
Purcell, W. P., and **Singer**, J. A. Electric dipole moments of *N*-alkyl-nipecotamides from measurements in benzene solution, 1431.

R

Radwan, T. N., and **Turner**, D. W. Molecular photoelectron spectroscopy. Part V. Ozone, 85.
Rajn, J. R. See **Brown**, D. A., 40, 1617.
Randić, M. See **Klasinc**, L., 755.
Raynor, J. B. Structure and reactivity of transition-metal complexes with polyatomic ligands. Part III. Nitric oxide complexes of cobalt and other transition metals with ν(NO) 1195—1040 cm.$^{-1}$, 997.
Raynor, J. B. See also **Addison**, C. C., 965, and **Goodman**, B. A., 994, 1547.
Read, A. J. See **Prue**, J. E., 1812.
Read, J. F. See **Cumper**, C. W. N., 239.
Reić, V. See **Ašperger**, S., 589.
Rest, A. J. See **Hopton**, F. J., 1326.
Richards, R. E. See **Pendred**, T. L., 1009, and **Pidcock**, A., 1707.
Riddiford, A. C. See **Philips**, M. C., 978.
Ridge, M. J., and **Boell**, G. R. Some observations on ferromagnetic iron(III) oxide monohydroxide, 1147.
Ridge, M. J. See also **Goto**, M., 9, and **Molony**, B., 864.
Ridley, D. See **Coates**, G. E., 1064.
Riley, P. N. K. See **Heaton**, G. S., 952.
Roberts, H. L. See **Fielding**, B. C., 1627.
Robertson, A. J. B., and **Viney**, B. W. Mass spectrometric investigation of field ionisation with a sharp edge, 1843.
Robertson, J. H. See **Liebig**, D. M., 879.
Robinson, S. D., and **Wilkinson**, G. New diene and carbonyl complexes of ruthenium(II), 300.
Robinson, S. D. See also **Meriwether**, L. S., 1488.
Rosevear, D. T. See **Hopton**, F. J., 1326.
Ross, E. J. F. See **Greenwood**, N. N., 706.
Rouschias, G., and **Wilkinson**, G. Products from the reaction of *trans*-oxotrihalogenobis(triphenylphosphine)-rhenium(V) with carboxylic acids, and related compounds, 465.
Rowe, G. A. See **Chatt**, J., 1834.
Rowley, M. See **Nicholls**, D., 950.
Russell, D. R. See **Brown**, D. H., 18.

S

Sacco, A., **Ugo**, R., and **Moles**, A. Hydrido-complexes of transition metals. Part II. Hydrido-complexes of rhodium(III) with tetriary phosphines, 1670.
Salam, S. A. See **Hutton**, R. C., 1573.
Salmon, J. E., and **Whyman**, D. Orthophosphato-complexes of the vanadyl(IV) ion in aqueous acidic solution. Part I. Ion-exchange studies, 980.
Salthouse, J. A., and **Waddington**, T. C. The infrared spectra of the anions $HClNO_3^-$, $DClNO_3^-$, $DBrCl^-$, $DClI^-$, DCl_2^-, DBr_2^-, and DI_2^-, 28.
The liquid hydrogen chloride solvent system. Part VIII. Reactions of halide ions with halogens, 1188.
Sarma, A. C. See **Greenwood**, N. N., 1446.
Sartori, G. See **Ercolani**, C., 603, 606, 608.
Scaife, D. E. See **Clark**, R. J. H., 1296.
Scaplehorn, A. W. See **Frey**, H. M., 968.
Schaefer, J. P., and **Wheatley**, P. J. The crystal and molecular structure of tetra-acetylethane, 528.
Semlyen, J. A., and **Flory**, P. J. Pyrolysis of di(isobutylamino)phenylboron, 191.
Sen Gupta, K. K. See **Finch**, A., 1367.
Senior, B. J. See **Donaldson**, J. D., 1796.
Sharp, D. W. A. See **Ahuja**, I. S., 938, **Allan**, J. R., 1031, and **Brown**, D. H., 18, 171, 892, 1244.
Sharp, J. H. See **Addison**, W. E., 79.
Sharpe, A. G. See **Chadwick**, B. M., 1390, **Johnson**, D. A., 798, and **Nelson**, P. G., 501.
Shaw, B. L. See **Chatt**, J., 1437, 1811, 1836, **Jenkins**, J. M., 770, 1407, 1787, **Lupin**, M. S., 1410, 1687, **Moss**, J. R., 1793, and **Nicholson**, J. K., 807.
Shaw, R. A. See **Carroll**, A. P., 914, **Das**, S. K., 1677, **Dell**, D., 1680, **Feakins**, D., 1831, **Hewlett**, C., 56, and **Keat**, R., 908.
Shepherd, T. M. See **Cabral**, J. de O., 1348.
Sherman, W. V. Solute effects in the radiolysis of cyclohexane solutions. Part II. Electron scavenging by nitrous oxide and aromatic compounds, 599.
Sherwood, J. N. See **Adams**, T. J., 1195.
Shore, R. See **Goggin**, P. L., 1004, 1314.
Sim, G. A. See **Carter**, O. L., 822, 1095, and **Costello**, W. R. 1190.
Simons, J. P., and **Tatham**, P. E. R. Photochemical production of trapped electrons in solutions of polyhalogenomethanes in hydrocarbon glasses, 854.
Simpson, P. See **Eaborn**, C., 1133.
Simpson, W. B. See **Addison**, C. C., 775.
Singer, J. A. See **Purcell**, W. P., 1431.
Sinha, A. I. P. See **Norbury**, A. H., 1814.
Skinner, H. A. See **Howard**, P. B., 1536.
Slade, R. C. See **Elliott**, H., 1443, and **Hathaway**, B. J., 1485.
Salter, D. H. See **Kerr**, J. A., 104.
Smith, B. C. See **Das**, S. K., 1677, and **Feakins**, D., 714.
Smith, D. G. Ion-exchange equilibria with quaternary ammonium ions, 936.
Smith, J. A. S., and **Wilkins**, E. J. Nuclear magnetic resonance spectra of some β-diketone complexes of Group III and IV elements, 1749.
Smith, J. A. S. See also **Kite**, K., 1744.
Smith, J. W. See **Bauge**, K., 616.
Smith, P. W., and **Wedd**, A. G. Acetonitrile complexes of tervalent molybdenum, 231.
Smith, R. See **Dagnall**, R. M., 1595.

Smith, T. D. The reaction of *NN*-dimethylformamide with phosphorus trichloride, 841.
Snow, M. R., and **Stiddard,** M. H. B. A bipositive carbonyl complex of manganese(II): dicarbonylbis(1,2-bisdiphenylphosphinoethane)manganese(II) diperchlorate, 777.
Soldano, B. A., and **Bien,** P. B. Osmotic behaviour of aqueous salt solutions at elevated temperatures. Part IV, 1825.
Spillman, J. A. See **Poller,** R. C., 958, 1024.
Sprague, M. J. See **Aynsley,** E. E., 1344.
Srivastava, G. See **Lappert,** M. F., 210.
Srivastava, T. S. See **Greenwood,** N. N., 267, 270, 699, 703.
Stamper, J. G. See **Murrell,** J. N., 1624.
Staples, P. J. See **Bradley,** R. V., 986, **Clarke,** J. B., 153, and **Garbett,** K., 201.
Steele, D. See **Chantry,** G. W., 896.
Stephen, W. I., and **Townshend,** A. The reaction of silver(I) ions with organic compounds containing the HN–C=S grouping. Part II. Some thiourea derivatives, 166.
Stephen, W. I. See also **Hutton,** R. C., 1573.
Stiddard, M. H. B. See **Djordjević,** C., 16, **Haines,** R. J., 1606, **Hull,** C. G., 1633, **Parker,** D. J., 695, and **Snow,** M. R., 777.
Stone, F. G. A. See **Bruce,** M. I., 1602, 1837, **Chaudhari,** M. A., 838, **Flitcroft,** N., 1130, **Hopton,** F. J., 1326, and **Osborne,** A. G., 1143.
Storr, A. See **Greenwood,** N. N., 706.
Straughan, B. P. See **Boorman,** P. M., 1514, and **Greenwood,** N. N., 699, 962, 1446.
Sutton, D. See **Addison,** C. C., 1524.
Swallow, A. J. See **Cercek,** B., 612.
Swindells, R. See **Nicholls,** D., 950.
Swinton, F. L. See **Adams,** T. J., 1195.
Sykes, A. G. See **Adin,** A., 1230, 1518.
Symons, M. C. R. See **Barnes,** S. B., 66, **Catterall,** R., 13, 1529, **Fox,** W. M., 448, 1503, **Goodman,** B. A., 994, 1547, **Gross,** J. M., 541, and **Hulme,** R., 446.

T

Tanner, S. P., and **Higginson,** W. C. E. Equilibria and kinetics in the reaction of thallic ion with ethylenediaminetetra-acetatocobaltate(III) in solution, 59.
Equilibria and kinetics in aqueous solutions of hydroxyethylethylenediaminetriacetatocobalt(III), 537.
Tatham, P. E. R. See **Simons,** J. P., 854.
Tatlow, J. L. See **Holmes,** J. M., 150.
Taylor, F. B. See **Deacon,** G. B., 463.
Terezakis, E. G. See **Earnshaw,** A., 511.
Thakur, L. See **Feakins,** D., 714.
Thomas, J. D. R. See **Jones,** W. E., 1481.
Thomas, L. H., and **Meatyard,** R. Viscosity and molecular association. Part VI. Association of dihydric alcohols and phenols, 92.
Thompson, R. C. See **Harrison,** R. W., 1775.
Thonton, P. See **Greenwood,** N. N., 320.
Thorp, R. G. See **Pratt,** J. M., 187.
Thynne, J. C. J. The isotopic exchange of hydrogen in free alkyl radicals, 806.
Tilley, B. P. See **Jefferson,** R., 1584, and **Lappert,** M. F., 1590.
Tipping, J. W. See **Catterall,** R., 1529.
Tobe, M. L. See **Bosnich,** B., 1636, and **Nanda,** R. K., 1740.
Todd, S. M. See **Heatley,** F., 1152.
Tompkins, F. C. See **Hall,** P. G., 36.
Townshend, A. See **Stephen,** W. I., 166.
Trinajstić, N. See **Murrell,** J. N., 1624.
Trotman-Dickenson, A. F. See **Baker,** R. T. K., 975, **Dijkstra,** A. J., 582, **Edwards,** D. A., 621, 1500, and **Kerr,** J. A., 1621.
Trotter, J., **Akhtar,** M., and **Bartlett,** N. The crystal structure of germanium difluoride, 30.
Trotter, J., **Whitlow,** S. H., and **Zobel,** T. The crystal and molecular structure of *p*-chloroaniline, 353.
Trotter, J. See also **Harrison,** R. W., 1775.
Truter, M. R. See **Kite,** K., 207, **Liebig,** D. M., 879, and **Milburn,** G. H. W., 1609.
Tuck, D. G., **Woodhouse,** E. J., and **Carty,** P. Co-ordination compounds of indium. Part III. Indium(III) nitrate species, 1077.
Tuck, D. G. See also **Carty,** A. J., 1081, and **Faithful,** B. D., 1185.
Tucker, P. M. See **Flitcroft,** N., 1130.
Turner, D. J. See **Bennetto,** H. P., 1211.
Turner, D. W. See **Radwan,** T. N., 85.
Turner, H. S. See **Bartlett,** R. K., 479.
Turner, J. M. Synthesis and properties of linear polyborazoles. Part I. Condensation of *B*-dichloro-*N*-tri-(2,6-dimethylphenyl)borazole and aliphatic diamines. Part II. Condensation of *B*-dichloro-*N*-tri-(2,6-dimethylphenyl)borazole and aromatic and heterocyclic diamines. Part III. Transamination of *B*-bisdiethylamino- and *B*-amino-*N*-tri(2,6-dimethylphenyl)borazole by diamines, 401, 410, 415.
Tyrrell, H. J. V. See **Kennerley,** M., 1041.

U

Ugo, R. See **Bonati,** F., 1052, **Dunlop,** J. H., 1540, **Faithful,** B. D., 1185, **Garbett,** K., 1137, **Gillard,** R. D., 549, and **Sacco,** A., 1670.
Underhill, A. E. See **Billing,** D. E., 902.

V

Vacca, A. See **Paoletti,** P., 1385.
Vaciago, A. See **Brufani,** M., 639.
Van Wazer, J. R. See **Burch,** G. M., 586.
Varma, I. D. See **Eaborn,** C., 1133.
Venanzi, L. M. See **Chiswell,** B., 417, 901, 1246, **Day,** J. P., 197, 1363, **Dyer,** G., 1110, **Goodfellow,** R. J., 784, and **Pidcock,** A., 1707.
Villa, A. E. See **Grotewold,** J., 1034, 1038.
Viney, B. W. See **Robertson,** A. J. B., 1843.
Vogel, A. I. See **Cumper,** C. W. N., 239, 242, 246, 323, and **Foxton,** A. A., 249.
Vosper, A. J. Dinitrogen trioxide. Part V. A spectrophotometric study of liquid mixtures of nitrogen dioxide and nitric oxide: the stability of liquid dinitrogen trioxide, 1759.

W

Waddington, T. C. See **Cotton,** J. D., 785, 789, 793, **Ludman,** C. J., 1816, and **Salthouse,** J. A., 28, 1188.
Walker, J. See **Greenwood,** N. N., 21.

Walker, J. B., and **Monk**, C. B. The influence of electrolytic dissociation upon rates of reactions. Part IV. The aquation of chloropentamminechromium(III) in acidic salt solutions, 1372.
Walker, S. M. See **Feeney**, J., 1148.
Wall, D. H. See **Perkins**, P. G., 235, 1207.
Wallbridge, M. G. H. See **James**, B. D., 182.
Wallwork, S. C. See **Garner**, C. D., 1496.
Walton, R. A. Some metal halide complexes of 1,2,5-triphenylphosphole, 365.
Walton, R. A. See also **Carmichael**, W. M., 97, and **Lewis**, J., 1559.
Warhurst, E. See **Broadhurst**, J. G., 351.
Warne, R. J. See **Bartlett**, R. K., 479.
Waters, T. N. See **Baker**, E. N., 680, **Cheeseman**, T. P., 685, 694, 1396, and **Hall**, D., 615, 677.
Waters, W. A., and **Wilson**, I. R. Mechanism of the oxidation of hydroxylamine by ceric sulphate, 534.
Webb, G. A. See **Bosnich**, B., 1331, and **Figgis**, B. N., 422, 1411.
Wedd, A. G. See **Smith**, P. W., 231.
Weeks, M. J. See **Goodgame**, D. M. L., 1769, and **Goodgame**, M., 1156.
Wendricks, R. N. See **Allred**, A. L., 778.
West, B. O. See **Ferguson**, J., 1565, 1569.
West, T. S. See **Dagnall**, R. M., 1595.
Wheatley, P. J. See **Daly**, J. J., 1703, and **Schaefer**, J. P., 528.
Wheeler, A. G. See **Prout**, C. K., 1286.
Whimp, P. O., and **Curtis**, N. F. Some cyclic tetra-amines and their metal-ion complexes. Part II. Complexes of cobalt(III) with two isomeric hexamethyl-1,4,8,11-tetra-azacyclotetradecanes and monodentate ligands. Part III. Complexes of cobalt(III) with hexamethyl-1,4,8,11-tetra-azacyclotetra-decane and bidentate ligands, 867, 1827.
White, A. D. See **Addison**, W. E., 79.
White, S. H. See **Hughes**, S. R. C., 1216.
Whitlow, S. H. See **Trotter**, J., 353.
Whyman, R. See **Hatfield**, W. E., 1194, **Kohl**, F. J., 630, **Lewis**, J., 211, and **Salmon**, J. E., 980.
Wickins, T. D. See **Griffith**, W. P., 1087.
Wild, S. B. See **Lewis**, J., 69.
Wilkins, C. J. See **Clark**, J. P., 871.
Wilkins, E. J. See **Kite**, K., 1744, and **Smith**, J. A. S., 1749.
Wilkinson, G. See **Dunlop**, J. H., 1260, **Grove**, D. E., 1224, **Lawson**, D. N., 52, 1733, **Magué**, J. T., 1736, **Meriwether**, L. S., 1488, **Osborn**, J. A., 1711, **Robinson**, S. D., 300, and **Rouschias**, G., 465.
Williams, C. S. See **Clark**, R. J. H., 1425.
Williams, R. J. P. See **Dennard**, A. E., 812, **Morpurgo**, L., 73, and **Prout**, C. K., 747.
Wilson, I. R. See **Waters**, W. A., 534.
Wilson, J. M. See **Lewis**, J., 1663.
Wood, P. B., and **Higginson**, W. C. E. Kinetic studies of oxidation–reduction of cobalt–ethylenediaminetetra-acetic acid complexes. Part IV. The reduction of ethylenediaminetetra-acetatocobalt(III) and related complexes by chromous ion, 1645.
Woodhouse, E. J. See **Tuck**, D. G., 1077.
Woodward, P. See **Lindley**, P. F., 123.
Woolf, A. A. See **Edwards**, D. A., 91.
Wright, J. D. See **Kamenar**, B., 661, and **Prout**, C. K., 747.
Wyn-Jones, E., and **Orville-Thomas**, W. J. Spectroscopic studies. Part VII. Rotational isomerism in 2-chloro-, 2-bromo-, and 2-iodo-ethyl cyanide, 101.

Y

Young, J. C. See **Kerr**, J. A., 104.
Young, J. F. See **Osborne**, J. A., 1711.
Young, M. See **Phillips**, G. O., 383, 393.
Young, M. A. See **Bartlett**, R. K., 479.

Z

Zaman, M. See **Kennerley**, M., 1041.
Zobel, T. See **Trotter**, J., 353.

INDEX OF SUBJECTS, 1966

A

Acid, nitriloacetic, analogues of, and the stabilities of their proton and metal complexes, 1268.

perchloric. Determination of the first appearance of undissociated perchloric acid in aqueous solution from acidity-function data, 1056.

Acids. Hydrogen bonding in some adducts of oxygen bases with acids. Part II, infrared spectra of liquid adducts of carboxylic acids with sulphoxides, phosphine oxides, and other bases, 439.

Vapour-phase hetero-association of trifluoroacetic acid with acetic acid, 293.

amino-, optical studies of the Soret effect. Part III, entropies and heat capacities of transfer of norvaline, ε-aminocaproic acid, L-proline, DL-hydroxyproline, and glycylglycine in aqueous solution, 1041.

α-amino-, isomers of complexes with copper(II), 1159.

carboxylic. Products from the reaction of *trans*-oxotrihalogenobis(triphenylphosphine)rhenium(V) with carboxylic acids and related compounds, 465.

mandelic and α-hydroxybutyric, ceric ion oxidation of, 960.

Activity coefficients of anions in methanol relative to dimethylformamide. Solvation of ions. Part VI, 220.

Adsorption of oxygen and nitrogen by calcium sulphate, 864.

Amphiboles. Part IV, surface properties of amosite and crocidolite, 79.

Determination of surface areas of solids (*ca.* 1 cm.²) by a manometric gas-adsorption method, 1195.

Dielectric relaxation in water adsorbed on ionic crystals, 36.

Dynamic contact angles. Part III, changes in liquid–solution–solid contact angles with time, 558. Part IV, influence of the solid phase on changes in liquid–solution–solid contact angles with time, 563. Part V, influence of added ions on changes in liquid–solution–solid contact angles with time, 567. Part VI; mechanism of spreading in a liquid–solution–solid system, 570.

Infrared study of the co-ordination of pyridine and water to exchangeable cations in montmorillonite and saponite, 344.

Ion-exchange equilibria with quaternary ammonium ions, 936.

Sorption of vapours by ferric oxide gel and silica gel, 556.

Aliphatic compounds. Reactivities of aliphatic compounds toward bromine and hydrogen atoms in aqueous solution, 572.

Aluminium acetylacetonate, heat of formation of, 971.

chloride complexes, spectra and structure of. Part I, 1448.

nitrate, anhydrous, and the nitronium and alkylammonium tetranitratoaluminates, 1434.

Reaction of decaborane with trimethylamine–alane to give a mixed boron–aluminium hydride derivative, 1090.

Aluminosiloxane compounds. Part II, compounds of formula $C_8H_{24}Al_3X_5O_6Si_4$ (X = Cl or Br): structure and reaction with sodium acetylacetonate, 606. Part III, polyaluminium-organosiloxanes: synthesis, and investigation of structure, 608.

Amine complexes of zinc and cadmium benzothiazole-2-thiolate. Vulcanisation accelerator–activator complexes. Part I, 34.

Amines, primary: reaction with boron halides. Part II, arylamines: the effect of *ortho*-substitution: formation of di-β-halogenoborazoles, 479.

Adducts formed between some halogenosilanes and the organic bases pyridine, trimethylamine, and tetramethylethylenediamine. Part I, stoicheiometry, 1508.

Reactions between tris(primary amino)boranes and boron trifluoride: alkylaminoboron difluorides and primary amine–boron trifluoride adducts, 21.

secondary, reaction between difluorotrichloromethylphosphine and: new synthesis of aminodifluorophosphines, 228.

Hydrogen elimination from secondary amine and phosphine adducts of gallium hydride, 706.

Co-ordination complexes of dimethyl- and diphenylmagnesium with ethers and amines, 26.

Hydrogen-abstraction reactions by ethyl radicals from methylamines and hydrazine, 1500.

Preparation and properties of bistrifluoromethylaminomercurials and iodobistrifluoromethylamine, 367.

Some cyclic tetra-amines and their metal-ion complexes. Part II, complexes of cobalt(III) with two isomeric hexamethyl-1,4,8,11-tetra-azacyclotetradecanes and monodentate ligands, 867.

Anilinium cation, electrophilic reactions of (a correction), 1406.

Anions $HClNO_3^-$, $DClNO_3^-$, $DBrCl^-$, $DClI^-$, DCl_2^-, DBr_2^-, and DI_2^-, infrared spectra of, 28.

Antimony. Hydrogen fluoride solvent system. Part I, solutions of antimony pentafluoride and antimony tetrafluoride monofluorosulphate, 1170.

Aromatic compounds. Aryl derivatives of nitrilotriacetic acid, and the stability of their proton and metal complexes, 727.

Comments on the interpretation of the electron spin resonance spectra of the *trans*-stilbene and *trans*-azobenzene anion radicals, 109.

Compound formation and solubility of some aromatic hydrocarbon and fluorocarbon systems, 1106.

Crystal and molecular structure of *p*-chloroaniline, 353.

Electron spin resonance spectrum of the diphenylacetylene free-radical anion, 351.

Nuclear magnetic resonance coupling constants in *p*-benzoquinones, 1421.

Arsenic, heat of combustion of. Heats of formation and bond energies. Part XIV, 330.

Reactions of a bidentate arsine with quadrivalent halides of Group IVA: separation of zirconium and hafnium, 989.

Association constants. Formation of mixed-ion triplets in solution, 1045.

Association, ionic. Solvation of ions. Part VI, activity coefficients of anions in methanol relative to dimethylformamide, 220.

B

Beryllium borohydride: complexes with trimethylphosphine and some other bases, 274.

dimethyl-. Part IV, spectroscopic properties of some methylberyllium compounds, 49.

Addition of alkylberyllium hydrides to some unsaturated compounds, 1069.

Preparation and pyrolysis of tetramethyltetrazene–beryllium dialkyl complexes, 711.

Proton magnetic resonance of some alkylberyllium hydrides: evidence for *cis–trans*-isomerism about the BeH_2Be bridge, 1360.

Some oxy-, amino-, and thio-beryllium complexes, 542.

Bismuth. Phase diagrams and volumes of mixing in binary systems of molten bismuth(III) chloride with alkali-metal chlorides, 1236.

Bonding in $M(CO)_n$ groups (where $n = 1, 2, 3,$ and 4), 420.

Boron, cyclic compounds. Part VIII, amino- and hydrazino-boranes and their cyclic dimers, 1590.

halide–phosphorus halide complexes. Part I, infrared spectrum of PI_2BI_2, 896.

halides, reaction with primary amines. Part II, arylamines: the effect of *ortho*-substitution: formation of di-β-halogenoborazoles, 479.

Borazoles. Part III, some reactions of tri-*N*-alkylborazoles with Grignard reagents, 673. Part IV, proton magnetic resonance spectra of some alkyl- and aryl-substituted borazoles, 1468.

Chloroboration and allied reactions of unsaturated compounds. Part IV, boration of di-*p*-tolylcarbodi-imide, 1584.

Crystal structure of dimethylaminoboron difluoride, 1392.

Derivatives of cyclotetrazenoborane. Part I, molecular-orbital calculations on derivatives of cyclotetrazenoborane, 576. Part II, preparation and properties of dimethyl- and methylphenyl-cyclotetrazenoborane, 580.

Electronic structure of the diphenylboron cation and the 9-borafluorenes, 1026.

Kinetics and mechanism of solvolysis of amine–trichloroborane adducts. Part I, pyridine and picoline adducts, 952.

Liquid hydrogen sulphide as an ionising solvent. Part II, reactions of Lewis acids of boron with base analogues, 789.

Mechanism of substitution at a boron atom. Part II, kinetics of reaction of *o*-nitroamines with boron halides, 809.

Pyrolysis of di(isobutylamino)phenylboron, 191.

Reactions between bis(trifluoromethyl)amine and the boron halides: bis(trifluoromethyl)aminoboron dihalides, 751.

Reactions between tris(primary amino)boranes and boron trifluoride: alkylaminoboron difluorides and primary amine–boron trifluoride adducts, 21.

Reactions of co-ordinated boron compounds in the gas phase. Part I, borine carbonyl and trimethylamine, 1034. Part II, triethylamine as scavenger of borine, 1038.

Reaction of decaborane with trimethylamine–alane to give a mixed boron–aluminium hydride derivative, 1090.

Self-consistent molecular orbital calculations on aminoboranes, 1207.

Self-consistent molecular-orbital calculations on borazines, 235.

Spectroscopic studies of borohydride derivatives of zirconium and hafnium, 182.

Synthesis and properties of linear polyborazoles. Part I, condensation of *B*-dichloro-*N*-tri-(2,6-dimethylphenyl)-borazole and aliphatic diamines, 401. Part II, condensation of *B*-dichloro-*N*-tri-(2,6-dimethylphenyl)-borazole and aromatic and heterocyclic diamines, 410. Part III, transamination of *B*-bisdiethylamino- and *B*-diamino-*N*-tri-(2,6-dimethylphenyl)borazole by diamines, 415.

Thermochemistry of some phosphoryl halide–boron halide complexes, 1367.

Vibrational spectrum and thermodynamic properties of phenylboron dichloride, 1552.

C

Cadmium. New aspects of organocadmium chemistry. Part I, true reactivity of organocadmium compounds, 453. Part II, selective activation of organocadmium reactions: synthesis of 1,2-diketones and α-oxo-esters, 456.

Pyridine complexes of iron(II), copper(II), zinc(II), and cadmium(II) halides, 1031.

Some alkoxy- and alkylthio-derivatives of methylcadmium, 264.

Vulcanisation accelerator–activator complexes. Part I, amine complexes of zinc and cadmium benzothiazole-2-thiolate, 34.

Calcium sulphate, adsorption of oxygen and nitrogen by, 864.

Transformation of finely divided soluble anhydrite into orthorhombic anhydrite, 9.

Carbohydrates, energy transport in. Part I, molecular aggregation effects, 370. Part II, radiation decomposition of D-glucose, 377. Part III, chemical effects of γ-radiation on cycloamyloses, 383. Part IV, energy transfer in cyclohepta-amylose complexes, 387. Part V, mechanism of intermolecular energy transfer in cycloamylose complexes, 393.

Carbon suboxide, γ-radiolysis of, 533.

Photolysis of carbon suboxide in the presence of olefins, 975.

Catalysis of the reaction between carbon dioxide and water, 812.

Acid-catalysed reactions of transition-metal complexes. Part IV, acid-catalysed aquations of *cis-* and *trans*-ammine- and isothiocyanato-nitrobisethylenediaminecobalt(III) salts, 986.

Chromium(II)-catalysed dissociation of monochlorochromium(III), 1518.

Cellobiose, a three-dimensional analysis of. Crystalline structure of sugars. Part VI, 927.

Chromium. σ-Bonded organotransition-metal ions. Part II, kinetics and mechanism of the aerobic acidolysis of

Chromium (*contd.*)
penta-aquo(pyridiomethyl)chromium(III) ions, 177. Part III, displacement of chromium by mercury: five-co-ordinate chromium(III) as a leaving group, 1805.
Chemistry of polynuclear compounds. Part VI, magnetic properties of trimeric chromium and iron carboxylates, 1656.
Chromium(II) chemistry. Part II, chromofluorides, 363. Part III, magnetic properties of some complexes of 2,2′-bipyridyl and 1,10-phenanthroline, 511.
Electron spin resonance spectra of $[Cr(CN)_5(NO)]^{3-}$, $[Cr(NO)(NH_3)_5]^{2+}$, and $[Cr(NO)(H_2O)_5]^{2+}$, 1488.
Influence of electrolytic dissociation upon rates of reaction. Part IV, aquation of chloropentamminechromium(III) in acidic salt solutions, 1372.
Kinetics of the oxidation of europium(II) with vanadium(III) and chromium(III) in aqueous perchloric acid solutions, 1231.
Kinetic study of the thiocyanatopentammine-chromium(III) and -cobalt(III) complex ions in acidic and basic solutions, 1179.
Metal–carbonyl and metal–nitrosyl complexes. Part II, crystal and molecular structure of the tricarbonylchromiumanisole–1,3,5-trinitrobenzene complex, 822. Part III, crystal and molecular structure of cyclopentadienyldinitrosylchromium chloride, 1095.
Molecular-orbital theory of organometallic compounds. Part VI, substitution reactions of some tricarbonylarenechromiums, 40.
Relative sizes of the Cr^{III}, Mn^{III}, Fe^{III}, and Co^{III} ions in low-spin octahedral complexes, 1390.
Structure and reactivity of transition-metal complexes with polyatomic ligands. Part II, electron spin resonance spectrum and structure of $[Cr(CN)_5NO]^{3-}$, 994.

Cobalt. Acid-catalysed reactions of transition-metal complexes. Part IV, acid-catalysed aquations of *cis*- and *trans*-ammine- and isothiocyanato-nitrobisethylenediaminecobalt(III) salts, 986.
Adducts of co-ordination compounds. Part III, nitric acid adducts of some ethylenediamine complexes of cobalt(III), 1137.
Analysis of the electronic spectra of bis-amine cobalt halides: a novel effect of steric hindrance, 859.
Base hydrolysis of carboxylatopenta-amminecobalt(III) nitrates, 1481.
Chemistry of vitamin B_{12}. Part V, class (*b*) character of the cobaltic ion, 187.
Complexes of tri-(2-pyridyl)amine. Part I, complexes with cobalt(II), nickel(II), and copper(II) perchlorate, 1199.
Co-ordination number of transition-metal ions. Part V, relative stabilities of some tetrahedral and octahedral cobalt(II) complexes of alkylpyridines, and the effect of substituent position on metal–pyridine π-bonding, 1348.
Deuterium isotope effect in octahedral substitutions. Part II, basic hydrolysis of chlorohydroxo-, chloronitro-, and dichloro-bis(ethylenediamine)cobalt(III) cations, 1310.
Dipyridylamine complexes of cobalt(II), 63.
Effect of co-ordination on ionisation. Part VI, imidazole and histamine complexes of cobalamin Factor B, 296.
Equilibria and kinetics in aqueous solutions of hydroxyethylenediaminetriacetatocobalt(III), 537.
Equilibria and kinetics in the reaction of thallic ion with ethylenediaminetetra-acetatocobaltate(III) in solution, 59.
Five-co-ordinate stereochemistry of dichloro(pyridine-2-aldehyde 2-pyridylhydrazone)cobalt(II), 1317.
Hydrazine complexes of cobalt(II) chloride, 950.
Hydrolysis of some *trans*-dichlorobis(diamine)cobalt(III) cations by base, 142.
Kinetics of aquation of nitropentamminecobalt perchlorate, 1.
Kinetic studies of oxidation–reduction of cobalt–ethylenediaminetetra-acetic acid complexes. Part IV, reduction of ethylenediaminetetra-acetatocobaltate(III) and related complexes by chromous ion, 1645.
Kinetic study of the thiocyanatopentammine-chromium(III) and -cobalt(III) complex ions in acidic and basic solutions, 1179.
Mechanism of octahedral substitutions in non-aqueous media. Part III, rates of replacement reactions in *trans*-chloronitro- and dichlorobis(ethylenediamine)-cobalt(III) ion in methanol and ethanol, 589. Part V, chloride anation of *cis*- and *trans*-chloromethanolbis-(ethylenediamine)cobalt(III) cations in methanol, 1636. Part VI, kinetics of the displacement of chloride from the non-electrolyte *cis*-trichlorobis-(*o*-dimethylarsinophenyl)methylarsinecobalt(III) by bromide and thiocyanate ions in mixed solvents, 1740.
New synthesis of compounds with cobalt-to-tin bonds, 1052.
Nucleophilic replacement at an octahedrally co-ordinated metal atom. Part IV, basic hydrolyses of *cis*- and *trans*-dinitro-, -nitrohydroxo- and -nitroammine-bisethylenediaminecobalt(III) salts, 153.
Octahedral cobalt(III) complexes of the chloropentammine type. Part I, release of chloride ions from the *cis*-chlorohydroxylaminebis(ethylenediamine)cobalt(III) cation in neutral and in basic solutions, 126. Part II, solvolytic aquation and hydrolysis by base of *cis*-chloromethylamine- and *cis*-chloroethylamine-bis(ethylenediamine)cobalt(III) cations, 129. Part III, solvolytic aquation and basic hydrolysis of *cis*-chloro-n-propylamine- and *cis*-chloroisopropylamine-bis(ethylenediamine)cobalt(III) cations, 134. Part IV, hydrolyses of *cis*-chloroalkylamine- and *cis*-chloropropargylamine-bis(ethylenediamine)cobalt(III) cations, 138. Part V, preparation and properties of some co-ordination compounds of cobalt(III) containing halogen derivatives of primary aliphatic amine as ligands, 760. Part VI, kinetic evidence for the ion-pair mechanism of base hydrolysis of cobalt(III) complexes in aqueous solution, 1124.
Optical rotatory power of co-ordination compounds. Part V, outer-sphere complexes of the tris-diamine–cobalt(III) complex ions, 301. Part VI, effects of ion-association on the circular dichroism spectra of tris-diamine complex metal ions, 307. Part VII, absolute configurations of tris-α-amino-carboxylato-cobalt(III) complexes, 313.
Optically active co-ordination compounds. Part III, acid-catalysed aquations of resolved complexes of cobalt(III), 201. Part IV, aquations of resolved halogeno-complexes, 204.
Preparation of cobalt(III) sulphate and its alums, and the magnetic, spectroscopic, and crystallographic properties of the $Co(H_2O)_6^{3+}$ ion, 798.

Cobalt (*contd.*)
Preparation, properties, and isomerisation of aquofluorobis(ethylenediamine)cobalt(III) cations, 146.
Reactions of metal complexes in solution. Part I, acid-catalysed aquation of *trans*-dinitrotetramminecobalt(III) nitrate, 1692. Part II, effect of chloride ion on the rate of the acid-catalysed aquation of *trans*-dinitrotetramminecobalt(III) nitrate, 1694.
Reactivity of co-ordinated carbonate. Part I, exchange of oxygen atoms between carbonatotetra-amminecobalt(III) and [^{18}O]water, 184.
Relative sizes of the Cr^{III}, Mn^{III}, Fe^{III}, and Co^{III} ions in low-spin octahedral complexes, 1390.
Solvolytic aquation and base hydrolysis of *cis*- and *trans*-fluorohydroxobis(ethylenediamine)cobalt(III) cations, 1800.
Some cyclic tetra-amines and their metal-ion complexes. Part II, complexes of cobalt(III) with two isomeric hexamethyl-1,4,8,11-tetra-azacyclotetradecanes and monodentate ligands, 867. Part III, complexes of cobalt(III) with hexamethyl-1,4,8,111-tetra-azacyclotetradecane and bidentate ligands, 1827.
Structure and reactivity of transition-metal complexes with polyatomic ligands. Part III, nitric oxide complexes of cobalt and other transition metals with ν(NO) 1195—1040 cm.$^{-1}$, 997.
Thermal decomposition of iron(II), cobalt(II), and nickel(II) hydroxides, 669.
Thermal decomposition of salts of mellitic acid. Part II, ferric, cobalt, and nickel salts of mellitic acid, 87.
Complexes, acetonitrile, of tervalent molybdenum, 231.
aluminium chloride, spectra and structure of. Part I, 1448.
anhydrous hexachloro- and hexabromo-, of quadrivalent thorium, uranium, and neptunium, 766.
binuclear, infrared spectra of, 472.
2,2′-bipyridyl, of molybdenum, 97.
chloro-, of neptunium, 516.
co-ordination, of dimethyl- and diphenyl-magnesium with ethers and amines, 26.
copper(II), of benzimidazole, 174.
cumulene, of transition metals. Part I, hexacarbonyldiiron complexes, 594. Part II, a tetracarbonylbutatriene-iron complex, 598.
cyano- and cyanohydrido-, of rhodium, 52.
dimethyltin dihalide, and their infrared spectra, 871.
dipyridylamine, of cobalt(II), 63.
fluoro-, of quinquevalent protactinium, 254.
gallium trihalide, nuclear magnetic resonance investigation of, 703.
Group VIII ammine, infrared and Raman spectra of, 899.
halogeno-, relative stabilities of. Part V, *trans*-$Rhen_2Cl_2^+$–I^- and *trans*-$Rhen_2Br_2^+$–I^- systems, 286.
hydrazine, of cobalt(II) chloride, 950.
hydrido-, of transition metals. Part II, hydrido-complexes of rhodium(III) with tertiary phosphines, 1670.
inorganic, charge transfer phenomena in. Part III, ultraviolet spectra of transition-metal derivatives of iron group cyanide complex anions, 1471.
iron(II)–1,10-phenanthroline, Mössbauer study of, 1493.
manganese(I), with multidentate substituted phosphine ligands, 417.
metal–ammonia, infrared and electronic spectral study of, 1425.
metal–carbonyl and metal–nitrosyl. Part III, crystal and molecular structure of cyclopentadienyldinitrosylchromium chloride, 1095.
metal–β-diketone. Part II, carbon-bonded platinum(II) complexes of trifluoroacetylacetone and benzoylacetone, 1453. Part III, metal derivatives of some platinum–carbon bonded acetylacetone complexes, 1456.
metal halide, of 1,2,5-triphenylphosphole, 365.
metal halide, of hexamethylcyclotriphosphazatriene, 210.
metal, nuclear magnetic resonance studies on. Part I, dimethylphenylphosphine complexes of platinum(II) and palladium(II), 770. Part II, dimethylphenylphosphine complexes of iridium, 1407. Part III, dimethylphenylphosphine complexes of ruthenium(II), 1787. Part IV, arylnickel(II)–dimethylphenylphosphine complexes, 1793.
metal, of 1,4-di-(*o*-aminothiophenoxy)but-*trans*-2-ene, 1562.
metal, reactions in solution. Part I, acid-catalysed aquation of *trans*-dinitrotetramminecobalt(III) nitrate, 1692. Part II, effect of chloride ion on the rate of the acid-catalysed aquation of *trans*-dinitrotetramminecobalt(III) nitrate, 1694.
metal–sulphinate. Part I, benzenesulphinatopalladium(II) complexes, 1246.
methyl cyanide and *NN*-dimethylacetamide, of thorium and uranium tetrahalides, uranyl chloride, and uranyl bromide, 1763.
molecular. Part V, crystal structure of the 1 : 1 complex of bis-8-hydroxyquinolinatopalladium(II) and 1,2,4,5-tetracyanobenzene, 661. Part VI, crystal and molecular structure of 8-hydroxyquinolinatopalladium(II), 1286.
monohalogenobisbipyridylcopper(II), electronic properties of, 1443.
new diene and carbonyl, of ruthenium(I), 300.
nitrosylruthenium trichloride, containing tertiary phosphines, arsines, and stibines, 1811.
octahedral cobalt(III), of the chloropentammine type. Part I, release of chloride ions from the *cis*-chlorohydroxylaminebis(ethylenediamine)cobalt(III) cation in neutral and in basic solutions, 126. Part II, solvolytic aquation and hydrolysis by base of *cis*-chloromethylamine- and *cis*-chloroethylamine-bis(ethylenediamine)cobalt(III) cations, 129. Part III, solvolytic aquation and basic hydrolysis of *cis*-chloro-n-propylamine- and *cis*-chloroisopropylamine-bis(ethylenediamine)cobalt(III) cations, 134. Part IV, hydrolysis of *cis*-chloroallylamine- and *cis*-chloropropargylamine-bis(ethylenediamine)cobalt(III) cations, 138. Part VI, kinetic evidence for the ion-pair mechanism of base hydrolysis of cobalt(III) complexes in aqueous solution, 1124.
octahedral, *trans*-effect in. Part I, kinetic studies of some *trans*-dihalogenobisethylenediaminerhodium(III) complexes, 1275.
of mercury. Part II, *X*-ray analysis of dichloro-(1,3,5-trithian)mercury(II), 1190.
of mercury(II) with multidentate phosphorus and arsenic ligands, and the *X*-ray structure of tris-(*o*-diphenylarsinophenyl)arsinemercury(II) bromide, 1110.
of nickel(II) with sterically hindered heterocyclic ligands, 1156.
of ruthenium nitrosyl trihalides, 475.

Complexes (*contd.*)
of triethylenetetramine and a homologue: steric constraints imposed on facultative ligands, 1331.
of tri-(2-pyridyl)amine. Part I, complexes with cobalt(II), nickel(II), and copper(II) perchlorates, 1199.
of uranium and thorium tetrahalides with oxygen-donor ligands, 737.
of uranyl chloride and thorium and uranium tetrachlorides with dicarboxylic acid amides, 741.
orthophosphato-, of the vanadyl(IV) ion in aqueous acidic solution. Part I, ion-exchange studies, 980.
oxalate, of tervalent titanium, 1183.
oxo-, of rhenium(V), 1224.
pentafluorotellurate(IV), vibration spectra and structure of, 1446.
phosphorus halide–boron halide. Part I, infrared spectrum of $PI_3.BI_3$, 896.
pyridine, γ-picoline, and quinoline, of transition-metal perchlorates and tetrafluoroborates, 892.
pyridine, of iron(II), copper(II), zinc(II), and cadmium(II) halides, 1031.
rhodium(I) and rhodium(III) carbonyl, containing tertiary phosphines or tertiary arsines and halogen formed by the decarbonylation of alcohols and by the direct use of carbon monoxide, 1437.
six-co-ordinate, of uranium(VI), 1363.
some antiferromagnetic, anionic cupric acetate, 1167.
some molybdenum(VI) diperoxy-, 211.
some oxy-, amino-, and thio-beryllium, 542.
tetraethylammonium tetrahalogenozincate(II), with mixed halide ligands, 463.
tetrahedral and octahedral, of vanadium(III), 1296.
transition-metal carbonyl, vibrational and electronic spectra of. Part I, infrared spectra of decacarbonyldimanganese and its derivatives, 695.
transition-metal, of dipyrromethenes. Part I, spectra and magnetic moments of some nickel(II) complexes, 1565. Part II, dipyrromethenes as unidentate ligands, 1569.
transition-metal quinoxaline. Part III, copper(II) derivatives with substituted quinoxalines, 902.
transition-metal, with aliphatic Schiff bases. Part VIII, isomeric hexamethyl-1,4,8,11-tetra-azacyclotetradecadienenickel(II) complexes formed by reaction of tris-diaminoethanenickel(II) with acetone, 1015.
triphenylgermylpalladium, 1241.
vulcanisation accelerator–activator. Part I, amine complexes of zinc and cadmium benzothiazole-2-thiolate, 34.
A bidentate gold ligand, 901.
Absorption spectra of copper(II) and nickel(II) complexes of substituted 8-hydroxyquinolines, 73.
Absorption spectra of copper complexes of intermediate stereochemistry, 694.
Acid-catalysed reactions of transition-metal complexes. Part IV, acid-catalysed aquations of *cis*- and *trans*-ammine- and isothiocyanato-nitrobisethylenediaminecobalt(III) salts, 986.
Actions of halogens on phosphine-substituted Group VI metal carbonyls. Part III, spectral and magnetic properties of phosphine oxide adducts, 630.
Addition of alkylberyllium hydrides to some unsaturated compounds, 1069.
Adduct of tin(IV) chloride with dinitrogen tetroxide, 775.
Adducts of bis(dithiolato)tin compounds with Lewis bases, 1024.
Adducts of co-ordination compounds. Part II, compounds of nitric acid and *trans*-dihalogenotetrapyridinemetal(III) nitrates, 549. Part III, nitric acid adducts of some ethylenediamine complexes of cobalt(III), 1137.
Alkyls and aryls of transition metals. Part VI, rhenium, 1834. Part VII, trimethyliridium derivatives, 1836.
Analogues of nitrilotriacetic acid, and the stabilities of their proton and metal complexes, 1268.
Analysis of the electronic spectra of bis-amine cobalt halides: a novel effect of steric hindrance, 859.
Aryl derivatives of nitrilotriacetic acid, and the stability of their proton and metal complexes, 727.
Base hydrolysis of carboxylatopenta-aminecobalt(III) nitrates, 1481.
Beryllium borohydride: complexes with trimethylphosphine and some other bases, 274.
Bipositive carbonyl complex of manganese(II): dicarbonylbis-(1,2-bisdiphenylphosphinoethane)manganese(II) diperchlorate, 777.
2,2′-Bipyridyl derivatives of molybdenum-(IV), -(V), and -(VI) and tungsten -(IV), -(V), and -(VI), 1633.
σ-Bonded organotransition-metal ions. Part II, kinetics and mechanism of the aerobic acidolysis of penta-aquo-(pyridiomethyl)chromium(III) ions, 177. Part III, displacement of chromium by mercury: five co-ordinate chromium(III) as a leaving group, 1805.
Carbonylation of platinum and palladium organo-complexes, 634.
Cations containing silicon(IV) co-ordinated by oxygen or nitrogen donors, 1784.
Chemistry of polynuclear compounds. Part IV, some amine-substituted mercury halide–iron carbonyl compounds, 69. Part VI, magnetic properties of trimeric chromium and iron carboxylates, 1656. Part VII, mass spectra of some polynuclear metal carbonyl complexes, 1663.
Chemistry of the metal carbonyls. Part XXXV, bis(dicarbonyl-π-cyclopentadienyliron)bis(iodo)germane and related compounds, 1130. Part XXXVI, carbonyl-(organothio)-manganese and -rhenium complexes, 1143. Part XXXVII, reactions of some carbonylmetal anions with 1,2-dichlorohexafluorocyclopentene and related compounds, 1602. Part XXXVIII, reactions of dicarbonyl-π-cyclopentadienylferrate(−II) with polyfluoroaromatic compounds, 1837.
Chemistry of vitamin B_{12}. Part V, class (*b*) character of the cobaltic ion, 187.
Chromium(II) chemistry. Part II, chromofluorides, 363. Part III, magnetic properties of some complexes of 2,2′-bipyridyl and 1,10-phenanthroline, 511.
Circular dichroism of complexes of palladium containing an optically active unidentate ligand, 1394.
Colour isomerism and structure of copper co-ordination compounds. Part IX, crystal structure of *NN′*-ethylenebis(acetylacetoneiminato)copper(II) monohydrate, 677. Part X, crystal structure of bis-salicylaldiminatocopper(II), 680. Part XI, crystal structure of bis-(*N*-t-butylsalicylaldiminato)copper(II), 685. Part XII, crystal structure of *NN′*-(2,2′-biphenyl)bis(salicylaldiminato)copper(II), 1396.
Complex formation between iron(III) and some substituted salicylic acids, 816.
Complex tin(II) acetates, 332.

Complexes (*contd.*)

Co-ordination compound of titanium(IV) chloride and nitromethane, **1814**.

Co-ordination compounds of indium. Part III, indium(III) nitrate species, **1077**. Part IV, adducts of indium(III) chloride, bromide, and iodide with neutral donors, **1081**.

Co-ordination number of transition-metal ions. Part V, relative stabilities of some tetrahedral and octahedral cobalt(II) complexes of alkylpyridines, and the effect of substituent position on metal–pyridine π-bonding, **1348**.

Crystal structure of anhydrous nitrates and their complexes. Part III, titanium(IV) nitrate, **1496**.

Crystal structures of *cis*- and *trans*-dichlorodiammineplatinum(II), **1609**.

Crystal structure of *NN'*-disalicylidene-ethylenediaminezinc(II) monohydrate, **1822**.

Crystal structure of tetramethylenedinitramine(diaquo)-nickel(II), **879**.

Deuterium isotope effect in octahedral substitutions. Part II, basic hydrolysis of chlorohydroxo-, chloronitro-, and dichloro-bis(ethylenediamine)cobalt(III) cations, **1310**.

Deviations from planarity in the molecule of bis(ethyl acetoacetato)copper(II), **615**.

Effect of co-ordination on ionisation. Part VI, imidazole and histamine complexes of cobalamin Factor B, **296**.

Electrical conductivity of π-complexes of metal 8-hydroxyquinolinates, **747**.

Electronic spectra of some fluoride complexes of second- and third-row transition metals, **18**.

Electron spin resonance spectra of $[Cr(CN)_5(NO)]^{3-}$, $[Cr(NO)(NH_3)_5]^{2+}$, and $[Cr(NO)(H_2O_5]^{2+}$, **1488**.

Electron transfer spectra of some solid lanthanide(III) complexes, **842**.

Equilibria and kinetics in aqueous solutions of hydroxyethylethylenediaminetriacetatocobalt(III), **537**.

Equilibria and kinetics in the reaction of thallic ion with ethylenediaminetetra-acetatocobaltate(III) in solution, **59**.

Far-infrared spectra and structure of some complexes of the gallium trihalides, **699**.

Far-infrared spectra of some co-ordination compounds of the thallium(III) halides, **889**.

Far-infrared spectra (20—450 cm.$^{-1}$) of some halide cluster compounds of niobium and tantalum, **1514**.

Five-co-ordinate stereochemistry of dichloro(pyridine-2-aldehyde 2-pyridylhydrazone)cobalt(II), **1317**.

Hydrogen elimination from secondary amine and phosphine adducts of gallium hydride, **706**.

Hydrolysis of some *trans*-dichlorobis(diamine)cobalt(III) cations by base, **142**.

Identificaion of the stereochemistry of square planar bis-triethylphosphine complexes by infrared spectroscopy, **1462**.

Influence of electrolytic dissociation upon rates of reaction. Part IV, aquation of chloropentammine-chromium(III) in acidic salt solutions, **1372**.

Infrared and proton magnetic resonance spectra of π-complexes of substituted condensed hydrocarbons, **1617**.

Infrared spectra (1650—400 cm.$^{-1}$) of γ-picoline–metal co-ordination complexes, **632**.

Infrared spectra (400—135 cm.$^{-1}$) of some thiourea co-ordination complexes, **744**.

Infrared spectra of tetrahedral oxyanions of the transition metals, **1467**.

Interaction of tris(triphenylphosphine)chlororhodium(I) iodomethane, methylallyl, and allyl chloride, **1733**.

Iodine adducts of co-ordinated isothiocyanate groups, **170**.

Isomers of complexes of α-amino-acids with copper(II), **1159**.

Kinetics of aquation of nitropentamminecobalt perchlorate, **1**.

Kinetics of formation of the mono(acetylacetonato)iron(V) complex, **458**.

Kinetic studies of oxidation–reduction of cobalt–ethylenediaminetetra-acetic acid complexes. Part IV, reduction of ethylenediaminetetra-acetatocobaltate(III) and related complexes by chromous ion, **1645**.

Kinetic studies on 4*d* and 5*d* transition-metal complexes. Part I, kinetics of the reactions of chloro-, bromo-, and iodo-pentamminerhodium(III) perchlorates with sodium hydroxide in aqueous solutions, **719**.

Kinetic study of the thiocyanatopentammine-chromium(III) and -cobalt complex ions in acidic and basic solutions, **1179**.

Magnetic and spectral studies of some Schiff-base complexes derived from bis(salicylaldehydato)copper(II), **1559**.

Mechanism of octahedral substitutions in non-aqueous media. Part III, rates of replacement reactions in *trans*-chloronitro- and dichlorobis(ethylenediamine)cobalt(III) ion in methanol and ethanol, **589**. Part V, chloride anation of *cis*- and *trans*-chloromethanolbis(ethylenediamine)cobalt(III) cations in methanol, **1636**. Part VI, kinetics of the displacement of chloride from the non-electrolyte *cis*-trichlorobis-(*o*-dimethylarsinophenyl)-methylarsinecobalt(III) by bromide and thiocyanate ions in mixed solvents, **1740**.

Metal–carbonyl and metal–nitrosyl. Part II, crystal and molecular structure of the tricarbonylchromiumanisole–1,3,5-trinitrobenzene complex, **822**.

Metal carbonyl chemistry. Part I, reactions of phosphorus-containing ligands with hydridopentacarbonylmanganese, **157**. Part II, reaction of phenyl- or methyl-manganesecarbonyl with butadiene, **194**.

Metal–halogen vibrations of simple octahedral ions containing tin, selenium, and tellurium, **962**.

Mixed tri- and tetra-substituted derivatives of hexacarbonylmolybdenum, **317**.

Nephelauxetic parameters in the spectra of lanthanide(III) complexes, **667**.

Neptunium nitrates, **780**.

New cyclopentadienylcarbonyl derivatives of molybdenum, **1606**.

New synthesis of compounds with cobalt-to-tin bonds, **1052**.

Nuclear magnetic resonance spectra and structure of some trimethylplatinum(IV) compounds, **1744**.

Nuclear magnetic resonance spectra of some β-diketone complexes of Group III and IV elements, **1749**.

Nucleophilic replacement at an octahedrally co-ordinated metal atom. Part IV, basic hydrolyses of *cis*- and *trans*-dinitro-, -nitrohydroxo- and -nitroammine-bis-ethylenediaminecobalt(III) salts, **153**.

Nucleophilic square-planar substitutions. Part I, ionic-

Complexes (*contd.*)
strength effects on the substitution of chloro- and bromo-diethylenetriamineplatinum(II) complexes by iodide ions, 1000.
Octahedral cobalt(III), of the chloropentammine type. Part V, preparation and properties of some co-ordination compounds of cobalt(III) containing halogen derivatives of primary aliphatic amines as ligands, 760.
Octahedral ditertiary arsine, of quadrivalent iron, 162.
Optically active co-ordination compounds. Part III, acid-catalysed aquations of resolved complexes of cobalt(III), 201. Part IV, aquations of resolved halogeno-complexes, 204. Part V, method of the less-soluble diastereoisomers and relative configurations, 802. Part VI, stereoselective effects in alkaline tartrato-complexes of transition metals, 1260. Part VII. tris-complexes of (+)-hydroxymethylenecamphor, 1540.
Optical rotatory power of co-ordination compounds. Part V, outer-sphere complexes of the tris-diamine-cobalt(III) complex ions, 301. Part VI, effects of ion-association on the circular-dichroism spectra of tris-diamine complex metal atoms, 307. Part VII, absolute configurations of tris-α-amino-carboxylato-cobalt(III) complexes, 313.
Orbital splittings of some tetragonal nickel(II) complexes with heterocyclic amine ligands, 1769.
Organosilicon chemistry. Part I, a pentaco-ordinate complex of silicon, 887.
Oxidation of some ruthenium(II) complexes by ceric ion, 1370.
Oxidation of some ruthenium(II) complexes of *o*-phenanthroline and bipyridyl by thallic ion in perchloric acid, 1048.
Oxypentahalogenotungstates(VI), 1631.
Pentafluorophenyl derivatives of transition metals. Part V, bis-(π-cyclopentadienyl)bis-(σ-pentafluorophenyl)zirconium and related studies, 838. Part VI, nuclear magnetic resonance spectra of some nickel, palladium, and platinum complexes, 1326.
Peroxydisulphate oxidation of iron(II) complexes of substituted 1,10-phenanthrolines and related compounds, 1772.
Preparation and properties of some aniline complexes of metal(II) sulphates and nitrates, 938.
Preparation and properties of tris(triphenylphosphine)-halogenorhodium(I) and some reactions thereof including catalytic homogeneous hydrogenation of olefins and their derivatives, 1711.
Preparation and pyrolysis of tetramethyltetrazene–beryllium dialkyl complexes, 711.
Preparation and spectral properties of complex oxochlorovanadates(IV), 1175.
Preparation and structure of trimethyl-(8-quinolinolato)-platinum(IV), 207.
Preparation, properties, and isomerisation of aquofluorobis(ethylenediamine)cobalt(III) cations, 146.
Products from the reaction of *trans*-oxotrihalogenobis-(triphenylphosphine)rhenium(V) with carboxylic acids, and related compounds, 465.
Properties of trirubidium pentanitronickelate(II), 1485.
^{195}Pt–^{31}P nuclear spin coupling constants and the nature of the *trans*-effect in platinum complexes, 1707.
Pyridine and 2,2′bipyridyl derivatives of nitratopentacarbonylmanganese(I), 1249.
Quinquevalent protactinium, niobium, and tantalum nitrates and nitrato-complexes, 733.
Reactions of a bidentate arsine with quadrivalent halides of Group IVA: separation of zirconium and hafnium, 989.
Reactions of co-ordinated boron compounds in the gas phase. Part I, borine carbonyl and trimethylamine, 1034. Part II, triethylamine as scavenger of borine, 1038.
Reactions of 8-quinolinol with covalent halides. Part I, tin and titanium tetrachlorides, 544.
Reactivity differences between hæmoglobins. Part VI, reaction of human methæmoglobins A and C with azide ion, and the concept of " hæm-linked " groups, 357.
Reactivity of co-ordinated acetylacetone. Part I, oxygen-18 exchange and aquation of trisacetylacetonatochromium(III), 1820.
Reactivity of co-ordinated carbonate. Part I, exchange of oxygen atoms between carbonatotetra-amminecobalt(III) and [^{18}O]water, 184.
Relative acceptor strength of gallium trihalides towards oxygen and sulphur donors, 270.
Relative acceptor strengths of the gallium trihalides towards pyridine and triethylamine as donors, 267.
Relative sizes of the Cr^{III}, Mn^{III}, Fe^{III}, and Co^{III} ions in low-spin octahedral complexes, 1390.
Solvolytic aquation and base hydrolysis of *cis*- and *trans*-fluorohydroxobis(ethylenediamine)cobalt(III) cations, 1800.
Some anionic π-allyl derivatives of palladium(II), 784.
Some co-ordination compounds of bis(fluoroalkyl)mercurials, 1282.
Some cyclic tetra-amines and their metal-ion complexes. Part II, complexes of cobalt(III) with two isomeric hexamethyl-1,4,8,11-tetra-azacyclotetradecanes and monodentate ligands, 867. Part III, complexes of cobalt(III) with hexamethyl-1,4,8,11-tetra-azacyclotetradecane and bidentate ligands, 1827.
Some derivatives of ruthenium nitrosyl di-iodide, 161.
Some octahedral complexes of uranium(IV), 197.
Some quinquevalent fluorotechnetates, 1339.
Spectral study of bis-2,2′-bipyridyl complexes of iron, ruthenium, and osmium, 1293.
Spectra of chloroferrate(III) compounds, 723.
Spectrofluorescence of the magnesium complexes of some quadridentate azomethines, 1595.
Stabilities of the silver complexes of imidazole and tri-(hydroxymethyl)methylamine, 1059.
Structure and reactivity of transition-metal complexes with polyatomic ligands. Part II, electron-spin resonance spectrum and structure of $[Cr(CN)_5NO]^{3-}$. 994. Part III, nitric oxide complexes of cobalt and other transition metals with ν(NO) 1195—1040 cm.$^{-1}$, 997. Part IV, electron-spin resonance spectra of γ-irradiated sodium nitroprusside, 1547.
Thermochemical studies. Part XVII, heats and entropies of reaction of 3,3′-diaminodipropylamine with protons and bivalent transition-metal ions, 1385.
Thermochemistry of some phosphoryl halide–boron halide complexes, 1367.
Thiocyanate salts of three isomeric hexamethyltetra-azacyclotetradecadienenickel(II) cations, 1673.
Transition-metal–carbon bonds. Part VI, formation of dichloro(dodeca-2,6,10-triene-1,12-diyl)ruthenium(IV) from butadiene and ruthenium trichloride, 807. Part

Complexes (*contd.*)
VII, formation of π-allylic–palladium halides and the reversed reactions, **1687**.
Trichlorotrifluoroplatinates(IV), **1244**.
Tris(triphenylarsine)- and tris(triphenylstibine)-chlororhodium(I) complexes and their reactions with hydrogen, olefins, and other reagents, **1736**.
Copper. Copper(II) complexes of benzimidazole, **174**.
Copper(II) derivatives with substituted quinoxalines. Transition-metal quinoxaline complexes. Part III, **902**.
co-ordination compounds, colour isomerism and structure of. Part IV, crystal structure of *NN'*-ethylenebis(acetylacetoneiminato)copper(II) monohydrate, **677**. Part X, crystal structure of bis-salicylaldiminatocopper(II), **680**. Part XI, crystal structure of bis-(*N*-t-butylsalicylaldiminato)copper(II), **685**.
Absorption spectra of copper(II) and nickel(II) complexes of substituted 8-hydroxyquinolines, **73**.
Absorption spectra of copper complexes of intermediate stereochemistry, **694**.
Colour isomerism and structure of some copper co-ordination compounds. Part XII, crystal structure of *NN'*-(2,2'-biphenyl)bis(salicylaldiminato)copper(II), **1396**.
Complexes of tri-(2-pyridyl)amine. Part I, complexes with cobalt(II), nickel(II), and copper(II) perchlorates, **1199**.
Deviations from planarity in the molecule of bis(ethyl acetoacetato)copper(II), **615**.
Electronic properties of monohalogenobisbipyridyl copper(II) complexes, **1443**.
Isomers of complexes of α-amino-acids with copper(II), **1159**.
Magnetic and spectral studies of some Schiff-base complexes derived from bis(salicylaldehydato)copper(II), **1559**.
Optically active co-ordination compounds. Part VI, stereoselective effects in alkaline tartrato-complexes of transition metals, **1260**.
Pyridine complexes of iron(II), copper(II), zinc(II), and cadmium(II) halides, **1031**.
Some antiferromagnetic, anionic cupric acetate complexes, **1167**.
Cryoscopy. Studies of the polyanions by Glauber-salt cryoscopy. Part I, polyanions of tungsten, **284**.
Crystallography. An *X*-ray investigation of silver nitrate: a unique metal nitrate structure, **123**.
Chemistry of soil minerals. Part III, synthetic micas with substitutions of NH_4 for K, Ga for Al, and Ge for Si, **1379**.
Colour isomerism and structure of copper co-ordination compounds. Part IX, crystal structure of *NN'*-ethylenebis(acetylacetoneiminato)copper(II) monohydrate, **677**. Part X, crystal structure of bis-salicylaldiminatocopper(II), **680**. Part XI, crystal structure of bis-(*N*-t-butylsalicylaldiminato)copper(II), **685**. Part XII, crystal structure of *NN'*-(2,2'-biphenyl)bis(salicylaldiminato)copper(II), **1396**.
Complexes of mercury. Part II, *X*-ray analysis of dichloro-(1,3,5-trithian)mercury(II), **1190**.
Complexes of mercury(II) with multidentate phosphorus and arsenic ligands, and the *X*-ray structure of tris-(*o*-diphenylarsinophenyl)arsinemercury(II) bromide, **1110**.
Crystal and molecular structure of a triclinic form of phosphobenzene, $(PC_6H_5)_6$, referred to as B, **428**.
Crystal and molecular structure of *p*-chloroaniline, **353**.
Crystal and molecular structure of tetra-acetylethane, **528**.
Crystal and molecular structure of the disodium salt of 2,4,6,8-tetrahydroxypyrimido[5,4-*d*]pyrimidine (2,6,8,10-tetrahydroxyhomopurine), **639**.
Crystal and molecular structure of 1,2,3-triphenyl-1,2,3-triphosphaindane, **1020**.
Crystalline structure of sugars. Part V, a three-dimensional analysis of methyl β-xyloside, **922**. Part VI, a three-dimensional analysis of β-cellobiose, **927**.
Crystal structure of anhydrous nitrates and their complexes. Part III, titanium(IV) nitrate, **1496**.
Crystal structures of *cis*- and *trans*-dichlorodiammineplatinum(II), **1609**.
Crystal structure of dimethylaminoboron difluoride, **1392**.
Crystal structure of *NN'*-disalicylidene-ethylenediaminezinc(II) monohydrate, **1822**.
Crystal structure of germanium difluoride, **30**.
Crystal structure of tetramethylenedinitramine(diaquo)-nickel(II), **879**.
Deviations from planarity in the molecule of bis(ethyl acetoacetato)copper(II), **615**.
Five co-ordinate stereochemistry of dichloro(pyridine-2-aldehyde-2-pyridylhydrazone)cobalt(II), **1317**.
Indium tricyanide and indium trithiocyanate, **1314**.
Metal–carbonyl and metal–nitrosyl complexes. Part II, crystal and molecular structure of the tricarbonylchromiumanisole–1,3,5-trinitrobenzene complex, **822**. Part III, crystal and molecular structure of cyclopentadienyldinitrosylchromium chloride, **1095**.
Molecular complexes. Part V, crystal structure of the 1 : 1 complex of bis-8-hydroxyquinolinatopalladium(II) and 1,2,4,5-tetracyanobenzene, **661**. Part VI, crystal and molecular structure of 8-hydroxyquinolinatopalladium(II), **1286**.
Oxyhalides of indium, **1004**.
Preparation of cobalt(III) sulphate and its alums, and the magnetic, spectroscopic, and crystallographic properties of the $Co(H_2O)_6^{3+}$ ion, **798**.
Protactinium(V) bromides, **262**.
Structure of *N*-methyltrichlorophosphinimine dimer, **1203**.
Structure of potassium difluorophosphate, **1775**.
Structure of triphenylphosphoranylideneketen, **1703**.
Thermal behaviour of germanium dioxide, **954**.
Transformation of finely divided soluble anhydrite into orthorhombic anhydrite, **9**.
Unit-cell dimensions of the metal hydrazinium sulphates $(N_2H_5)_2M^{II}(SO_4)_2$, **168**.
Cycloalkanes, bent bonds in, **755**.
Cycloamyloses, chemical effects of γ-radiation on. Energy transport in carbohydrates. Part III, **383**. Part IV, energy transfer in cyclo-hepta-amylose complexes, **387**. Part V, mechanism of intermolecular energy transfer in cycloamylose complexes, **393**.

D

Diazirines, thermal decomposition of. Part II, 3,3-tetramethylenediazirine, 3,3-pentamethylenediazirine, and 3,3-diethyldiazirine, **968**.
Dipole moments of some tri-n-butylammonium and triethylammonium salts in benzene solution, **616**.

Dipole (*contd.*)
Magnetic properties of some iron(II) and ruthenium(III) low-spin complexes, 422.
electric, of alkoxy-, alkylthio-, and related compounds of carbon, silicon, and germanium. Physical properties and chemical constitution. Part L, 323.
of *N*-alkylnipecotamides from measurements in benzene solution, 1431.
of R_3XOMe, $(R_3X)_2O$, R_3XSMe, and $(R_3X)_2S$, where X is C, Si, Ge, or Sn. Physical properties and chemical constitution. Part XLVIII, 246.
Dissociation and ionisation of trityl perchlorate in some non-aqueous solvents, 1164.
Determination of the first appearance of undissociated perchloric acid in aqueous solution from acidity-function data, 1056.
Dissociation constants of some ytterbium ion-pairs from cation-exchange resin studies, 1374.

E

Electrochemistry. Anodic processes. Part VI, photomicrographic method: application to the mercury–aqueous hydrochloric acid system, 111. Part VII, anodisation of mercury in aqueous potassium chloride solutions, 116. Part VIII, anodic generation of mercurous bromide: observations on the discharge of iodide, sulphate, and carbonate ions at a mercury anode, 120.
Conductimetric studies in ketonic solvents. Part IV, various electrolyte parameters in wetted ketones, 1216.
Constant ionic media: activity coefficients for hydrogen chloride in aqueous sodium perchlorate, 1812.
Electrical conductivity of π-complexes of metal 8-hydroxy-quinolinates, 747.
Electrolyte conductance of halogen adducts of the triphenyl derivatives of Group VB elements, 520.
Hydrogen fluoride solvent system. Part I, solutions of antimony pentafluoride and antimony tetrafluoride monofluorosulphate, 1170.
Ionisation and dissociation of trityl perchlorate in some non-aqueous solvents, 1164.
Liquid hydrogen sulphide as an ionising solvent. Part I, base analogues and their neutralisation with hydrogen halides, 785. Part II, reactions of Lewis acids of boron with base analogues, 789. Part III, reactions of compounds of Groups IV, V, and VI, 793.
Methoxide ion in anhydrous methanol as a Lewis base, 1816.
Salt-like behaviour of sulphur dichloride in acetone solution. Part II, 1018.
Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part IV, enthalpies of transfer of the alkali-metal halides from water to a 20% mixture of dioxan and water, 714. Part V, halogen acids in 10, 20, 40, and 60% (w/w) acetic acid–water mixtures at 25°, 1211.
Ultrasonic studies in electrolyte solutions. Part III, hydration numbers of some acids, alkalis, and tetra-alkylammonium salts, 426.
Electrolyte solutions, ultrasonic studies of. Part II, compressibilities of electrolytes, 5.
Energy transport in carbohydrates. Part I, molecular aggregation effects, 370. Part II, radiation decomposition of D-glucose, 377. Part III, chemical effects of γ-radiation on the cycloamyloses, 383. Part IV, energy transfer in cyclohepta-amylose complexes, 387. Part V, mechanism of intermolecular energy transfer in cycloamylose complexes, 393.
Ethane, tetra-acetyl-, crystal and molecular structure of, 528.
Ethers. Co-ordination complexes of dimethyl- and diphenyl-magnesium with ethers and amines, 26.
Europium. Kinetics of the oxidation of europium(III) with vanadium(III) and chromium(III) in aqueous perchloric acid solutions, 1230.

G

Gallium trihalide complexes, far infrared spectra and structure of, 699.
nuclear magnetic resonance investigation of, 703.
Hydrogen elimination from secondary amine and phosphine adducts of gallium hydride, 706.
Relative acceptor strengths of the gallium trihalides towards pyridine and triethylamine as donors, 267.
Relative acceptor strength of gallium trihalides towards oxygen and sulphur donors, 270.
Gels. Sorption of vapours by ferric oxide gel and silica gel, 556.
Germanium difluoride, crystal structure of, 30.
dioxide, thermal behaviour of, 954.
organo-compounds. Part VIII, preparation of optically active asymmetric germanium compounds, 1133.
–silicon hydrides, further studies on, 46.
Chemistry of the metal carbonyls. Part XXXV, bis(dicarbonyl-π-cyclopentadienyliron)bis(iodo)germane and related compounds, 1130.
Isopropylgermanes, 623.
Scrambling of fluoro-, methoxyl-, dimethylamino-, and methyl groups with chlorine atoms and of methoxyl with dimethylamino-groups on germanium, 586.
Triphenylgermylpalladium complexes, 1241.
Gold. A bidentate gold ligand, 901.

K

Hæmoglobins, reactivity differences between. Part VI, reaction of human methæmoglobins A and C with azide ion, and the concept of " hæm-linked " groups, 357.
Hafnium. Reactions of a bidentate arsine with quadrivalent halides of Group IVA: separation of zirconium and hafnium, 989.
Spectroscopic studies of borohydride derivatives of zirconium and hafnium, 182.
Halogen acids in 10, 20, 40, and 60% (w/w) acetic acid–water mixtures at 25°. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures at 25°, 1211.
Halogens, reactions with triphenylphosphine in moist methyl cyanide, 726.
Liquid hydrogen chloride solvent system. Part VIII, reactions of halide ions with halogens, 1188.
Microwave spectrum of dichlorine oxide. Molecular structure, centrifugal distortion coefficients, and force field, 336.
Stability constants and absorption spectra of the ions Br_2Cl^- and $BrCl_2^-$, 1607.

Hydrazine complexes of cobalt(II) chloride, **950**.
Hydrogen-abstraction reactions by ethyl radicals from methylamines and hydrazine, **1500**.
Thermochemistry of some reactions of aqueous hydrazine with halogens, hydrogen halides, and *N*-halogenosuccinimides, **1536**.
Unit-cell dimensions of the metal hydrazinium sulphates $(N_2H_5)_2M^{II}(SO_4)_2$, **168**.
Hydrazines. Preparation and properties of tristrifluoromethylhydrazyl compounds, **933**.
Hydrogen bond in water and FHF^-, **1675**.
Hydrogen-bonding ability of the P–H group, and P–H and P=O dipoles. Infrared solvent shifts and molecular interations. Part IX, **1103**.
Hydrogen bonding in hydroxylic compounds, nuclear magnetic resonance study of, **1148**.
in some adducts of oxygen bases with acids. Part II, infrared spectra of liquid adducts of carboxylic acids with sulphoxides, phosphine oxide, and other bases, **439**.
Hydrogen chloride solvent system. Part VIII, reactions of halide ions with halogens, **1188**.
Hydrogen fluoride solvent system. Part I, solutions of antimony pentafluoride and antimony tetraflouride monofluorosulphate, **1170**.
Hydrolysis, base, and solvolytic aquation of *cis*- and *trans*-fluorohydroxobis(ethylenediamine)cobalt(III) cations, **1801**.
base, of carboxylatopenta-amminecobalt(III) nitrates **1481**.
of chlorohydroxo-, chloronitro-, and dichloro-bis-(ethylenediamine)cobalt(IV) cations. Deuterium isotope effect in octahedral substitutions, Part II, **1310**.
of peroxophosphates, **1302**.
of scandium(III): ultracentrifugation and acidity measurements, **1599**.
Hydroxylamine. Mechanism of the oxidation of hydroxylamine by ceric sulphate, **534**.

I

Indicators in fused salts, **1556**.
Indium, co-ordination compounds of. Part III, indium(III) nitrate species, **1077**. Part IV, adducts of indium(III) chloride, bromide, and iodide with neutral donors, **1081**.
oxyhalides, **1004**.
tricyanide and indium trithiocyanate, **1314**.
Iodine adducts of co-ordinated isothiocyanate groups, **170**.
Ion-exchange equilibria with quaternary ammonium ions, **936**.
studies. Orthophosphato-complexes of the vanadyl(IV) ion in aqueous acidic solution. Part I, **980**.
Dissociation constants of some ytterbium ion-pairs from cation-exchange resin studies, **1374**.
Ionisation and dissociation of trityl perchlorate in some non-aqueous solvents, **1165**.
effect of co-ordination on. Part VI, imidazole and histamine complexes of cobalamin Factor B, **296**.
Iridium(III), dimethylphenylphosphine complexes of. Nuclear magnetic resonance studies on metal complexes. Part II, **1407**.
Iridium, trimethyl-, derivatives. Alkyls and aryls of transition metals. Part VII, **1836**.
Iron, octahedral ditertiary arsine complexes of quadrivalent, **162**.
Charge transfer phenomena in some inorganic complexes. Part III, ultraviolet spectra of transition-metal derivatives of iron group cyanide complex anions, **1471**.
Chemistry of polynuclear compounds. Part IV, some amine-substituted mercury halide–iron carbonyl compounds, **69**. Part VI, magnetic properties of trimeric chromium and iron carboxylates, **1656**.
Chemistry of the metal carbonyls. Part XXXV, bis(dicarbonyl-π-cyclopentadienyl)bis(iodo)germane and related compounds, **1130**. Part XXXVIII, reactions of dicarbonyl-π-cyclopentadienylferrate(−II) with polyfluoroaromatic compounds, **1837**.
Complex formation between iron(III) and some substituted salicylic acids, **816**.
Cumulene complexes of transition metals. Part I. Hexacarbonyldi-iron complexes, **594**. Part II, a tetracarbonylbutatriene-iron complex, **598**.
Kinetics of formation of the mono(acetylacetonato)iron(III) complex, **458**.
Magnetic properties of some iron(III) and ruthenium(III) low-spin complexes, **422**.
Mössbauer study of iron(II)–1,10-phenanthroline complexes, **1493**.
Observations on ferromagnetic iron(III) oxide monohydroxide, **1147**.
Peroxydisulphate oxidation of iron(II) complexes of substituted 1,10-phenanthrolines and related compounds, **1772**.
Pyridine complexes of iron(II), copper(II), zinc(II), and cadmium(II) halides, **1031**.
Reactivity differences between hæmoglobins. Part VI, reaction of human methæmoglobins A and C with azide, and the concept of " hæm-linked " groups, **357**.
Relative sizes of the Cr^{III}, Mn^{III}, Fe^{III}, and Co^{III} ions in low-spin octahedral complexes, **1390**.
Spectral study of bis-2,2′-bipyridyl complexes of iron, ruthenium, and osmium, **1293**.
Spectra of chloroferrate(III) compounds, **723**.
Thermal decomposition of iron(II), cobalt(II), and nickel(II) hydroxides, **669**.
Thermal decomposition of salts of mellitic acid. Part II, ferric cobalt, and nickel salts of mellitic acid, **87**.
Thermal decomposition of oxalates. Part VI, decomposition and surface properties of ferric oxalate, **281**.
Isotopic exchange of hydrogen in free alkyl radicals, **806**.

K

Kinetic evidence for the ion-pair mechanism of base hydrolysis of cobalt(III) complexes in aqueous solution. Octahedral cobalt(III) complexes of the chloropentammine type. Part VI, **1124**.
Kinetics and equilibria in aqueous solutions of hydroxyethylethylenediaminetriacetatocobalt(III), **537**.
in the reaction of thallic ion with ethylenediaminetetraacetatocobaltate(III) in solution, **59**.
and mechanism of the aerobic acidolysis of penta-aquo-(pyridiomethyl)chromium(III) ions. σ-Bonded organotransition-metal ions. Part II, **177**.
of solvolysis of amine–trichloroborane adducts. Part I, pyridine and picoline adducts, **952**.
of aquation of nitropentamminecobalt perchlorate, **1**.

Kinetics (*contd.*)
of formation of the mono(acetylacetonato)iron(III) complex, **458**.
of some *trans*-dihalogenobisethylenediaminerhodium(II) complexes. *trans*-Effect in octahedral complexes. Part I, **1275**.
of the displacement of chloride from the non-electrolyte *cis*-trichlorobis-(*o*-dimethylarsinophenyl)methylarsinecobalt(III) by bromide and thiocyanate ions in mixed solvents. Mechanism of octahedral substitution reactions in non-aqueous solutions. Part VI, **1740**.
of the oxidation of europium(II) with vanadium(III) and chromium(III) in aqueous perchloric acid solutions, **1230**.
of the oxidation of some ruthenium(II) complexes by ceric ion, **1370**.
of oxidation–reduction of cobalt–ethylenediaminetetraacetic acid complexes. Part IV, reduction of ethylenediaminetetra-acetatocobalt(III) and related complexes by chromous ion, **1645**.
of the thiocyanatopentammine-chromium(III) and -cobalt(III) complex ions in acidic and basic solutions, **1179**.
Acid-catalysed reactions of transition-metal complexes. Part IV, acid-catalysed aquation of *cis*- and *trans*-ammine- and isothiocyanato-nitrobisethylenediaminecobalt(III) salts, **986**.
Base hydrolysis of carboxylatopenta-amminecobalt(III) nitrates, **1481**.
σ-Bonded organotransition-metal ions. Part III, displacement of chromium by mercury: five co-ordinate chromium(III) as a leaving group, **1805**.
Catalysis of the reaction between carbon dioxide and water, **812**.
Ceric ion oxidation of mandelic acid and α-hydroxybutyric acid, **960**.
Chloroboration of allied reactions of unsaturated compounds. Part IV, boration of di-*p*-tolylcarbodi-imide, **1584**.
Chromium(II)-catalysed dissociation of monochlorochromium(III), **1518**.
Deuterium isotope effect in octahedral substitutions. Part II, basic hydrolysis of chlorohydroxo-, chloronitro-, and dichloro-bis(ethylenediamine)cobalt(III) cations, **1310**.
Dynamic contact angles. Part III, changes in liquid–solution–solid contact angles with time, **558**. Part IV, influence of the solid phase on changes in liquid–solution–solid contact angles with time, **563**. Part V, influence of added ions on changes in liquid–solution–solid contact angles with time, **567**. Part VI, mechanism of spreading in a liquid–solution–solid system, **570**.
Formation of nitrogen in the nitric oxide-inhibited pyrolysis of ethane, **1757**.
Hydrogen-abstraction reactions by ethyl radicals from methylamines and hydrazine, **1500**.
Hydrogen-abstraction reactions by methyl radicals from nitrogen-containing compounds, **621**.
Hydrogen-abstraction reactions from silanes. Part I, reactions of methyl radicals with trichlorosilane, methyldichlorosilane, and methyltrichlorosilane, **104**.
Hydrolysis of peroxophosphates, **1302**.
Hydrolysis of some *trans*-dichlorobis(diamine)cobalt(III) cations by base, **142**.
Influence of electrolytic dissociation upon rates of reactions. Part IV, aquation of chloropentammine-chromium(III) in acidic salt solutions, **1372**.
Kinetic study on 4*d* and 5*d* transition-metal complexes. Part I, kinetics of the reactions of chloro-, bromo-, and iodo-pentamminerhodium(III) perchlorates with sodium hydroxide in aqueous solutions, **719**.
Mechanism of octahedral substitutions in non-aqueous media. Part III, rates of replacement reactions in *trans*-chloronitro- and dichlorobis(ethylenediamine)-cobalt(III) ion in methanol and ethanol, **589**. Part V, chloride anation of *cis*- and *trans*-chloromethanolbis-(ethylenediamine)cobalt(III) cations in methanol, **1636**.
Mechanism of the oxidation of hydroxylamine by ceric sulphate, **534**.
Mechanism of substitution at a boron atom. Part II, kinetics of reaction of *o*-nitroamines with boron halides, **809**.
Molecular-orbital theory of organometallic compounds. Part VI, substitution reactions of some tricarbonylarenechromiums, **40**.
Nitridation of magnesium in the temperature range 400—650°, **1849**.
Novel valence states of thallium as studied by pulse radiolysis, **612**.
Nucleophilic replacement at an octahedrally co-ordinated metal atom. Part IV, basic hydrolyses of *cis*- and *trans*-dinitro-, -nitrohydroxo-, and -nitroammine-bisethylenediaminecobalt(III) salts, **153**.
Nucleophilic square-planar substitutions. Part I, ionic-strength effects on the substitution of chloro- and bromo-diethylenetriamineplatinum(II) complexes by iodide ions, **1000**.
Detached cobalt(III) complexes of the chloropentammine type. Part I, release of chloride ions from the *cis*-chlorohydroxylaminebis(ethylenediamine)cobalt(III) cation in neutral and in basic solutions, **126**. Part II, solvolytic aquation and hydrolysis by base of *cis*-chloromethylamine- and *cis*-chloroethylamine-bis(ethylenediamine)cobalt(III) cations, **129**, Part III, Solvolytic aquation and basic hydrolysis of *cis*-chloro-n-propylamine- and *cis*-chloroisopropylamine-bis(ethlyenediamine)cobalt(III) cations, **134**. Part IV, hydrolysis of *cis*-chloroallylamine- and *cis*-chloropropargylamine-bis(ethylenediamine)cobalt(III) cations, **138**.
Optically active co-ordination compounds. Part III, acid-catalysed aquations of resolved complexes of cobalt(III), **201**. Part IV, aquations of resolved halogeno-compounds, **204**.
Oxidation of α-olefins by mercuric salts in acid solution, **1627**.
Oxidation of some ruthenium(II) complexes of *o*-phenanthroline and bipyridyl by thallic ion in perchloric acid, **1048**.
Peroxydisulphate oxidation of iron(II) complexes of substituted 1,10-phenanthrolines and related compounds, **1772**.
Photolysis of carbon suboxide in the presence of olefins, **975**.
Preparation and properties of tris(triphenylphosphine)-halogenorhodium(I) and some reactions thereof including catalytic homogeneous hydrogenation of olefins and acetylenes and their derivatives, **1711**.
Preparation, properties, and isomerisation of aquofluorobis(ethylenediamine)cobalt(III) cations, **146**.

Kinetics (*contd.*)
Reaction of methylene with 1,1-difluoroethane, 1621.
Reaction of primary amines with boron halides. Part II, arylamines: the effect of *ortho*-substitution: formation of di-*B*-halogenoborazoles, 479.
Reactions of co-ordinated boron compounds in the gas phase. Part I, borine tricarbonyl and trimethylamine, 1034. Part II, triethylamine as scavenger of borine, 1038.
Reactions of difluoroamino-radicals. Part II, addition to propene, *cis*-but-2-ene, and *trans*-but-2-ene, 582.
Reactions of metal complexes in solution. Part I, acid-catalysed aquation of *trans*-dinitrotetramminecobalt(III) nitrate, 1692. Part II, effect of chloride ion on the rate of the acid-catalysed aquation of *trans*-dinitrotetramminecobalt(III) nitrate, 1694.
Reactivities of aliphatic compounds toward bromine and hydrogen atoms in aqueous solution, 572.
Reactivity of co-ordinated acetylacetone. Part I, oxygen-18 exchange and aquation of trisacetylacetonatochromium(III), 1820.
Reactivity of co-ordinated carbonate. Part I, exchange of oxygen atoms between carbonatotetra-amminecobalt(III) and [^{18}O]water, 184.
Scrambling of fluoro-, methoxyl, dimethylamino-, and methyl groups with chlorine atoms and of methoxyl with dimethylamino-groups on germanium, 586,
Solute effects in the radiolysis of cyclohexane solutions. Part II, electron scavenging by nitrous oxide and aromatic compounds, 598.
Solvolytic aquation and base hydrolysis of *cis*- and *trans*-fluorohydroxobis(ethylenediamine)cobalt(III) cations, 1800.
Thermal decomposition of the diazirines. Part II, 3,3-tetramethylenediazirine, 3,3-pentamethylenediazirine, and 3,3-diethyldiazirine, 968.
Thermal decomposition of iron(II), cobalt(II), and nickel(II) hydroxides, 669.
Thermal decomposition of oxalates. Part V, thermal decomposition of nickel oxalate dihydrate, 278. Part VI, decomposition and surface properties of ferric oxalate, 281. Part VII, effect of prior dehydration conditions upon the subsequent decomposition of cobalt oxalate, 1491.
Thermal decomposition of salts of mellitic acid. Part II, ferric, cobalt, and nickel salts of mellitic acid, 87.
Thermal decomposition of sodium nitrate, 1265.
Thermal unimolecular isomerisation of bicyclo[3,1,0]hex-2-ene and decomposition of cyclohexa-1,4-diene, 553.
Thermal unimolecular isomerisation of *cis*-hexa-1,3-diene, 1701.
Thermal unimolecular isomerisations of 1,1-dicyclopropylethylene and 1-cyclopropylcyclopentene, 1342.

L

Lanthanum. Electron transfer spectra of some solid lanthanide(III) complexes, 842.
Nephelauxetic parameters in the spectra of lanthanide(III) complexes, 667.
Lead. Selenocyanation reactions of organometallic compounds of lead, tin, and thallium, 1344.

M

Magnesium complexes of some quadridentate azomethines, spectrofluorescence of, 1595.
nitridation of, in the temperature range 400—650°, 1849.
Co-ordination complexes of dimethyl- and diphenylmagnesium with ethers and amines, 26.
Magnetic behaviour of cubic field $^3T_{1g}$ terms, 1411.
properties of some complexes of 2,2′-bipyridyl and 1,10-phenanthroline. Chromium(II) chemistry. Part III, 511.
and spectral properties of phosphine oxide adducts. Actions of halogens on phosphine-substituted Group VI metal carbonyls. Part III, 630.
and spectral studies of some Schiff-base complexes derived from bis(salicylaldehydato)copper(II), 1559.
properties of some iron(III) and ruthenium(III) low-spin complexes, 422.
of trimeric chromium and iron carboxylates. Chemistry of polynuclear compounds. Part VI, 1656.
Chromium(II) chemistry. Part II, chromofluorides, 363.
Manganese. Bipositive carbonyl complex of manganese(II): dicarbonylbis-(1,2-bisdiphenylphosphinoethane)-manganese(II) diperchlorate, 777.
Chemistry of polynuclear compounds. Part V, vibrational spectra of some phosphine derivatives of manganese carbonyl, 845.
Chemistry of the metal carbonyls. Part XXXVI, carbonyl(organothio)-manganese and -rhenium complexes, 1143.
Formation of sulphur-bridged manganese and rhenium clusters *via* organotin intermediates, 1141.
Manganese(I) complexes with multidentate substituted phosphine ligands, 417.
Metal carbonyl chemistry. Part I, reactions of phosphorus-containing ligands with hydridopentacarbonylmanganese, 157. Part II, reaction of phenyl- or methyl-manganese carbonyl with butadiene, 194.
Pyridine and 2,2′-bipyridyl derivatives of nitratopentacarbonylmanganese(I), 1249.
Relative intensities of C–O stretching absorptions in the infrared spectra of some pentacarbonylmanganese(I) derivatives, 1521.
Relative sizes of the Cr^{III}, Mn^{III}, Fe^{III}, and Co^{III} ions in low-spin octahedral complexes, 1390.
Vibrational and electronic spectra of transition-metal carbonyl complexes. Part I, infrared spectra of decacarbonyldimanganese and its derivatives, 695.
Mercury, complexes of. Part II, *X*-ray analysis of dichloro-(1,3,5-trithian)mercury(II), 1190.
Addition compounds of 1,3,5-trithian with mercury(II) and silver(I) salts, 233.
Anodic processes. Part VI, photomicrographic method: application to the mercury–aqueous hydrochloric acid system, 111. Part VII, anodisation of mercury in aqueous potassium chloride solutions, 116. Part VIII, anodic generation of mercurous bromide: observations on the discharge of iodide, sulphate, and carbonate ions at a mercury anode, 120.
Chemistry of polynuclear compounds. Part IV, some amine-substituted mercury halide–iron carbonyl compounds, 69.
Complexes of mercury(II) with multidentate phosphorus

Mercury (*contd.*)
and arsenic ligands, and the *X*-ray structure of tris-(*o*-diphenylarsinophenyl)arsinemercury(II) bromide, 1110.
Preparation and properties of bistrifluoromethylaminomercurials and iodobistrifluoromethylamine, 367.
Some co-ordination compounds of bis(fluoroalkyl)mercurials, 1282.
Molecular association and viscosity. Part VI, association of dihydric alcohols and phenols, 92.
Dimeric vanadium(III) carboxylates, 320.
Vapour-phase hetero-association of trifluoracetic acid with acetic acid, 293.
Molecular conformations. Steric constraints imposed on facultative ligands: complexes of triethylenetetramine and a homologue, 1331.
Molecular-orbital calculations on derivatives of cyclotetrazenoborane. Derivatives of cyclotetrazenoborane. Part 1, 576.
self-consistent, calculations on aminoboranes, 1207.
calculations on borazines, 235.
theory of organometallic compounds. Part VI, substitution reactions of some tricarbonylarenechromiums, 40. Part VII, a comparison of the 3*d* radial wave functions of the first transition series, 941.
Molecular orbitals, localised, in self-consistent wave functions. Part VIII, role of the inner-shell electrons in molecule formation, 644. Part IX, ionic bond energy and dipole–dipole interaction energies, 653. Part X, nature of electronegativity, 656.
Bent bonds in cycloalkanes, 755.
Bonding in $M(CO)_n$ groups (where $n = 1$, 2, 3, and 4), 420.
Electronic structure of some polynuclear metal carbonyls, 1013.
Electronic structure of the diphenylboron cation and the 9-borafluorenes, 1026.
Hydrogen bond in water and FHF^-, 1675.
Localised orbitals of water, 1624.
Magnetic behaviour of cubic field $^3T_{1g}$ terms, 1411.
Perturbation approach to chemical bonding. Part II, some *s*-, *p*-, and *d*-orbital interactions, 1307.
Molecular polarisability. Dipole moments of some tri-n-butylammonium and triethylammonium salts in benzene solution, 616.
Electric dipole moments of *N*-alkylnipecotamides from measurements in benzene solution, 1431.
Localised molecular orbitals in self-consistent-field wave functions. Part IX, ionic bond energy and dipole–dipole interaction energies, 652.
Molybdenum, 2,2′-bipyridyl complexes of, 97.
new cyclopentadienyl derivatives of, 1606.
phthalocyanine, 1476.
tervalent, acetonitrile complexes of, 231.
2,2′-Bipyridyl derivatives of molybdenum-(IV), -(V), and -(IV) and tungsten-(IV), -(V), and -(VI), 1633.
Mixed tri- and tetra-substituted derivatives of hexacarbonylmolybdenum, 317.
Preparation of oxytetrachlorides of molybdenum, rhenium, and tungsten by the reaction of sulphuryl chloride with the metals, 91.
Reaction of iodine with Group VI hexacarbonyls: triiodides of molybdenum and tungsten and their derivatives, 16.
Some molybdenum(VI) diperoxy-complexes, 211.

N

Neptunium chloro-complexes, 516.
nitrates, 780.
Anhydrous hexachloro- and hexabromo-complexes of quadrivalent thorium, uranium, and neptunium, 766.
Nickel. Absorption spectra of copper(II) and nickel(II) complexes of substituted 8-hydroxyquinolines, 73.
Complexes of nickel(II) with sterically hindered heterocyclic ligands, 1156.
Complexes of tri-(2-pyridyl)amine. Part I, complexes with cobalt(II), nickel(II), and copper(II) perchlorates, 1199.
Crystal structure of tetramethylenedinitramine(diaquo)-nickel(II), 879.
Cyclic hexameric mercaptides of nickel, 1377.
Nuclear magnetic resonance studies on metal complexes. Part IV, arylnickel(II)–dimethylphenylphosphine complexes, 1793.
Orbital splittings of some tetragonal nickel(II) complexes with heterocyclic amine ligands, 1769.
Pentafluorophenyl derivatives of transition metals. Part VI, nuclear magnetic resonance spectra of some nickel, palladium, and platinum complexes, 1326.
Properties of transition-metal complexes of dipyrromethenes. Part I, spectra and magnetic moments of some nickel(II) complexes, 1565.
Properties of trirubidium pentanitronickelate(II), 1485.
Thermal decomposition of iron(II), cobalt(II), and nickel(II) hydroxides, 669.
Thermal decomposition of oxalates. Part V, thermal decomposition of nickel oxalate dihydrate, 278.
Thermal decomposition of salts of mellitic acid. Part II, ferric, cobalt, and nickel salts of mellitic acid, 87.
Thiocyanate salts of three isomeric hexamethyltetraazacyclotetradecadienenickel(II) cations, 1653.
Transition-metal complexes with aliphatic Schiff bases. Part VIII, isomeric hexamethyl-1,4,8,11-tetra-azacyclotetradecadienenickel(II) complexes formed by reaction of trisdiaminoethanenickel(II) with acetone, 1015.
Niobium, quinquevalent, protactinium, and tantalum nitrates and nitrato-complexes, 733.
Far-infrared spectra (20—450 $cm.^{-1}$) of some halide cluster compounds of niobium and tantalum, 1514.
Phosphine oxide complexes of protactinium, niobium, and tantalum pentachlorides, 258.
Nitrogen–phosphorus compounds. Part XIX, ^1H nuclear magnetic resonance spectra of some geminal ethoxycyclotriphosphazatrienes: virtual coupling with two and three phosphorus atoms, 56. Part XX, reaction of piperidine with hexachlorocyclotriphosphazatriene: the replacement pattern and the structure of the products: the "*cis*-effect", 908. Part XXI, alkylthio- and phenylthio-cyclotriphosphazatrienes, 914. Part XXII, reactions of hexachlorocyclotriphosphazatriene with isopropylamine, 1677. Part XXIII, dimethylaminophenoxycyclotriphosphazatrienes, 1680.
Adduct of tin(IV) chloride with dinitrogen tetroxide, 775.
Adducts of co-ordination compounds. Part II, compounds of nitric acid and *trans*-dihalogenotetrapyridinemetal(III) nitrates, 549.
Crystal structure of anhydrous nitrates and their complexes. Part III, titanium(IV) nitrate, 1496.
Dinitrogen trioxide. Part V, spectrophotometric study

Nitrogen (*contd.*)
of liquid mixtures of nitrogen dioxide and nitric oxide: stability of liquid dinitrogen trioxide, 1759.
Dipole moments of some tri-n-butylammonium and triethylammonium salts in benzene solution, 616.
Metal halide complexes of hexamethylcyclotriphosphazatriene, 210.
Organic reagents for the precipitation of nitrate ion. Part I, *N*-substituted 1-naphthylmethylamines, 1573.
Organophosphorus chemistry. Part VIII, four-membered phosphorus–nitrogen ring compounds, 1766.
X-Ray investigation of silver nitrate: a unique metal nitrate structure, 123.
Reaction of *NN*-dimethylformamide with phosphorus trichloride, 841.
Tne hydrogen dinitrate ion, 1185.
Ultraviolet spectra of anhydrous metal nitrates, 1524.

O

Olefins, cyclic. Thermal unimolecular isomerisation of bicyclo[3,1,0]hex-2-ene and decomposition of cyclohexa-1,4-diene, 553.
Oxidation of α-olefins by mercuric salts in acid solution, 1627.
Reactions of difluoroamino-radicals. Part II, addition to propene, *cis*-but-2-ene, and *trans*-but-2-ene, 582.
Thermal unimolecular isomerisation of *cis*-hexa-1,3-diene, 1701.
Thermal unimolecular isomerisations of 1,1-dicyclopropylethylene and 1-cyclopropylcyclopentene, 1342.
Optical rotatory power of co-ordination compounds. Part V, outer-sphere complexes of the tris-diamine–cobalt(III) complex ions, 301. Part VI, effects of ion-association on the circular dichroism spectra of trisdiamine complex metal ions, 307. Part VII, absolute configurations of tris-α-amino-carboxylato-cobalt(III) complexes, 313.
Optically active co-ordination compounds. Part III, acid-catalysed aquations of resolved complexes of cobalt(III), 201. Part IV, aquations of resolved halogeno-complexes, 204. Part V, method of less-soluble diastereoisomers and relative configurations, 802. Part VI, stereoselective effects in alkaline tartrato-complexes of transition metals, 1260. Part VII, tris-complexes of (+)-hydroxymethylenecamphor, 1540.
Organometallic compounds. Part I, a pentaco-ordinate complex of silicon, 887.
molecular-orbital theory of. Part VI, substitution reactions of some tricarbonylarenechromiums, 40. Part VII, a comparison of the 3*d* radial wave functions of the first transition series, 941.
Adducts formed between some halogenosilanes and the organic bases pyridine, trimethylamine, and tetramethylethylenediamine. Part I, stoicheiometry, 1508.
A molybdenum phthalocyanine, 1476.
Aluminosiloxane compounds. Part II, compounds of formula $C_8H_{24}Al_2X_5O_6Si_4$ (X = Cl or Br): structure, and reaction with sodium acetylacetonate, 606. Part III, polyaluminium-organosiloxanes: synthesis, and investigation of structure, 608.
Amino-derivatives of metals and metalloids. Part IV, aminosilylation and aminophosphination of some unsaturated substrates, 82.
Borazoles. Part III, some reactions of tri-*N*-alkylborazoles with Grignard reagents, 673. Part IV, proton magnetic resonance spectra of some alkyl- and aryl-substituted borazoles, 1468.
Crystal and molecular structure of a triclinic form of phosphobenzene, $(PC_6H_5)_6$, referred to as B, 428.
Crystal and molecular structure of 1,2,3-triphenyl-1,2,3-triphosphaindane, 1020.
Crystal structure of dimethylaminoboron difluoride, 1392.
Cyclic boron compounds. Part VIII, amino- and hydrazino-boranes and their cyclic dimers, 1590.
Derivatives of cyclotetrazenoborane. Part I, molecular-orbital calculations on derivatives of cyclotetrazenoborane, 576. Part II, preparation and properties of dimethyl- and methylphenyl-cyclotetrazenoborane, 580.
Dimeric vanadium carboxylates, 320.
Dimethylberyllium. Part IV. Spectroscopic properties of some methylberyllium compounds, 49.
Electrolyte conductance of halogen adducts of the triphenyl derivatives of Group VB elements, 520.
Electronic structure of the diphenylboron cation and the 9-borafluorenes, 1026.
Formation of sulphur-bridged manganese and rhenium clusters *via* organotin intermediates, 1141.
Heat of formation and bond energies. Part XV, chlorotrimethylsilane and hexamethyldisilazane, 514.
Heat of formation of aluminium acetylacetonate, 971.
Hydrogen-abstraction reactions from silanes. Part I, reactions of methyl radicals with trichlorosilane, methyldichlorosilane, and methyltrichlorosilane, 104.
Isopropylgermanes, 623.
Kinetics and mechanisms of solvolysis of amine–trichloroborane adducts. Part I, pyridine and picoline adducts, 952.
Mechanism of substitution at a boron atom. Part II, kinetics of reaction of *o*-nitroamines with boron halides, 809.
Metal oxide trialkylsilyloxide polymers. Part III, tantalum oxide trimethylsilyloxide polymers, 1139.
New aspects of organocadmium chemistry. Part I, true reactivity of organocadmium compounds, 453. Part II, selective activation of organocadmium reactions: synthesis of 1,2-diketones and α-oxo-esters, 456.
Organogermanium compounds. Part VIII, preparation of optically active asymmetric germanium compounds, 1133.
Phosphorus–nitrogen compounds. Part XX, reaction of piperidine with hexachlorocyclotriphosphazatriene: the replacement pattern and the structure of the products: the "*cis*-effect", 908. Part XXI, alkylthio- and phenylthiocyclotriphosphazatrienes, 914.
Physical properties and chemical constitution. Part XLVII, ultraviolet spectra of some compounds with bonds between oxygen or sulphur atoms and the Group IV elements C, Si, Ge, or Sn, 242. Part XLVIII, electric dipole moments of R_3XOMe, $(R_3X)_2O$, R_3XSMe, and $(R_3X)_2S$ where X is C, Si, Ge, or Sn, 246. Part XLIX, refractivities, densities, and surface tensions of some organophosphorus compounds, 249.
Preparation and properties of bistrifluoromethylaminomercurials and iodobistrifluoromethylamine, 367.
Proton magnetic resonance spectra of some alkylberyllium hydrides: evidence for *cis–trans*-isomerism about the BeH_2Be bridge, 1360.
Pyrolysis of di(isobutylamino)phenylboron, 191.

Organometallic (*contd.*)
Reaction of decaborane with trimethylamine–alane to give a mixed boron–aluminium hydride derivative, 1090.
Reaction of primary amines with boron halides. Part II, arylamines: the effect of *ortho*-substitution: formation of di-*B*-halogenoborazoles, 479.
Reaction of silver(I) ions with organic compounds containing the HN–C=S grouping. Part II, some thiourea derivatives, 166.
Reactions between bis(trifluoromethyl)amine and the boron halides: bis(trifluoromethyl)aminoboron dihalides, 751.
Reactions between some organozinc compounds and 2-dimethylaminoethanol, acetoxime, phenylisocyanate, and benzophenone: some observations on the methylzinc methoxide tetramer, 1064.
Reactions between tris(primary amino)boranes and boron trifluoride: alkylaminoboron difluorides and primary amine–boron trifluoride adducts, 21.
Selenocyanation reactions of organometallic compounds of lead, tin, and thallium, 1344.
Self-consistent molecular-orbital calculations on aminoboranes, 1207.
Self-consistent molecular-orbital calculations on borazines, 235.
Some alkoxy- and alkylthio-derivatives of methylcadmium, 264.
Some pentafluorophenyltin compounds, 150.
Structure of some dithiolatotin compounds, 954.
Structure of triphenylphosphoranylideneketen, 1703.
Synthesis and properties of linear polyborazoles. Part I, condensation of *B*-dichloro-*N*-tri-(2,6-dimethylphenyl)-borazole and aliphatic diamines, 401. Part II, condensation of *B*-dichloro-*N*-tri-(2,6-dimethylphenyl)borazole and aromatic and heterocyclic diamines, 410. Part III, transamination of *B*-bisdiethylamino- and *B*-diamino-*N*-tri-(2,6-dimethylphenyl)borazole by diamines, 415.
Vibrational spectra and thermodynamic properties of phenylboron dichloride, 1552.
Osmium. Spectral study of bis-2,2′-bipyridyl complexes of iron, ruthenium, and osmium, 1293.
Osmotic behaviour of aqueous salt solutions at elevated temperatures. Part IV, 1825.
Oxalates, thermal decomposition of. Part V, thermal decomposition of nickel oxalate dihydrate, 278. Part VI, decomposition and surface properties of ferric oxalate, 281. Part VII, effect of prior dehydration conditions upon the subsequent decomposition of cobalt oxalate, 1491.
Oxidation by peroxydisulphate of iron(II) complexes of substituted 1,10-phenanthrolines and related compounds, 1772.
of α-olefins by mercuric salts in acid solutions, 1627.
of some ruthenium(II) complexes by ceric ion, 1370.
of some ruthenium(II) complexes of *o*-phenanthroline and bipyridyl by thallic ion in perchloric acid, 1048.
Ceric ion oxidation of mandelic acid and α-hydroxybutyric acid, 960.
Kinetics of the oxidation of europium(II) with vanadium(III) and chromium(III) in aqueous perchloric acid solutions, 1230.
Mechanism of the oxidation of hydroxylamine by ceric sulphate, 534.
Ozone. Molecular photoelectron spectroscopy. Part V, 85.

P

Palladium, triphenylgermyl-, complexes, 1241.
Carbonylation of platinum and palladium organo-complexes, 634.
Circular dichroism of complexes of palladium containing an optically active unidentate ligand, 1394.
Metal–sulphinate complexes. Part I, benzenesulphinatopalladium(II) complexes, 1246.
Molecular complexes. Part V, crystal structure of the 1 : 1 complex of bis-8-hydroxyquinolinatopalladium(II) and 1,2,4,5-tetracyanobenzene, 661. Part VI, crystal and molecular structure of 8-hydroxyquinolinatopalladium(II), 1286.
Nuclear magnetic resonance studies on metal complexes. Part I, dimethylphenylphosphine complexes of platinum(II) and palladium(II), 770.
Pentafluorophenyl derivatives of transition metals. Part VI, nuclear magnetic resonance spectra of some nickel, palladium, and platinum complexes, 1326.
Some anionic π-allyl derivatives of palladium(II), 784.
Transition metal–carbon bonds. Part VII, formation of π-allylic–palladium complexes from allenes and palladium halides and the reversed reactions, 1687.
–chlorine stretching frequencies of bridged chloro-π-allylic palladium(II) complexes, 1410.
Phase diagrams and volumes of mixing in binary systems of molten bismuth(III) chloride with alkali-metal chlorides, 1236.
Phase equilibria. Compound formation and solubility of some aromatic hydrocarbon and fluorocarbon systems, 1106.
Phase studies. Proton magnetic resonance of 1 : 1 electrolyte–ammonia systems, 778.
Phosphorus halide–boron halide complexes. Part I, infrared spectrum of PI_3,BI_3, 896.
organo-, chemistry. Part VIII, four-membered phosphorus–nitrogen ring compounds, 1766.
trichloride, reaction with *NN*-dimethylformamide, 841.
Actions of halogens on phosphine-substituted Group VI metal carbonyls. Part III, spectral and magnetic properties of phosphine oxide adducts, 630.
Beryllium borohydride: complexes with trimethylphosphine and some other bases, 274.
Bistrifluoromethylamino-derivatives of phosphorus(V), 1291.
Crystal and molecular structure of a triclinic form of phospho-benzene, $(PC_6H_5)_6$, referred to as B, 428.
Crystal and molecular structure of 1,2,3-triphenyl-1,2,3-triphosphaindane, 1020.
Electron spin resonance spectrum of a phosphorane radical-cation trapped in a crystalline matrix, 1074.
Electron spin resonance spectra of free radicals arising from the action of Fenton's reagent on the methyl and ethyl esters of phosphoric and phosphonic acid, 1354.
Electron spin resonance spectra of species resulting from the action of hydroxyl radicals on trishydroxymethylphosphine and related compounds, 1357.
Hydrogen elimination from secondary amine and phosphine adducts of gallium hydride, 706.
Hydrolysis of peroxophosphates, 1302.

Phosphorus (*contd.*)
Infrared solvent shifts and molecular interactions. Part IX, P–H and P=O dipoles and the hydrogen-bonding ability of the P–H group, 1103.
Metal halide complexes of hexamethylcyclotriphosphazatriene, 210.
Metal halide complexes of 1,2,5-triphenylphosphole, 365.
Nuclear magnetic resonance spectra of some monosubstituted triphosphonitrilic chlorides, 1152.
Phosphine oxide complexes of protactinium, niobium, and tantalum pentachlorides, 258.
Physical properties and chemical constitution. Part XLIX, refractivities, densities, and surface tensions of some organophosphorus compounds, 249.
Preparation and properties of some novel diaminotetra(fluoroalkoxy)triphosphonitriles, 665.
Preparation of dialkylaminofluorophosphoranes by the thermal decomposition of dialkylamine–phosphorus pentafluoride adducts, 171.
Products from the reaction of *trans*-oxotrihalogenobis(triphenylphosphine)rhenium(v) with carboxylic acids, and related compounds, 465.
Reaction between difluorotrichloromethylphosphine and secondary amines: new synthesis of aminodifluorophosphines, 228.
Reaction of halogens with triphenylphosphine in moist methyl cyanide, 726.
Some manganese(I) complexes with multidentate substituted phosphine ligands, 417.
Structure and basicity. Part IV, aminochlorocyclotriphosphazatrienes, 1831.
Structure of *N*-methyltrichlorophosphinimine dimer, 1203.
Structure of triphenylphosphoranylideneketen, 1703.
Thermochemistry of some phosphoryl halide–boron halide complexes, 1367.
–nitrogen compounds. Part XIX, ^{1}H nuclear magnetic resonance spectra of some geminal ethoxycyclotriphosphazatrienes: virtual coupling with two and three phosphorus atoms, 56. Part XX, reaction of piperidine with hexachlorocyclotriphosphazatriene: the replacement pattern and the structure of the products: the "*cis*-effect", 908. Part XXI, alkylthio- and phenylthio-cyclotriphosphazatrienes, 914. Part XXII, reactions of hexachlorocyclotriphosphazatriene with isopropylamine, 1677. Part XXIII, dimethylaminophenoxycyclotriphosphazatrienes, 1680.
Photochemistry. Photochemical production of trapped electrons in solutions of polyhalogenomethanes in hydrocarbon glasses, 854.
Photolysis of carbon suboxide in the presence of olefins, 975.
Hydrogen-abstraction reactions by methyl radicals from nitrogen-containing compounds, 621.
Photolysis. Unstable intermediates. Part XXXV, pairwise trapping of radicals in photolysed potassium persulphate, 66.
Physical properties and chemical constitution. Part XLVI, ultraviolet spectra of some diaryl and dialkyl sulphides, disulphides, sulphoxides, and sulphones, 239. Part XLVII, ultraviolet spectra of some compounds with bonds between oxygen or sulphur atoms and the Group IV elements, C, Si, Ge, and Sn, 242. Part XLVIII, electric dipole moments of R_3XOMe, $(R_3X)_2O$, R_3XSMe, and $(R_3X)_2S$, where X is C, Si, Ge, or Sn, 246. Part XLIX, refractivities, densities, and surface tensions of some organophosphorus compounds, 247. Part L. Electric dipole moments of alkoxy-, alkylthio-, and related compounds of carbon, silicon, and germanium, 323.
Piperidines. Electric dipole moments of *N*-alkylnipecotamides from measurements in benzene solution, 1431.
Platinum. Carbonylation of platinum and palladium organo-complexes, 634.
Crystal structures of *cis*- and *trans*-dichlorodiammineplatinum(II), 1609.
Metal–β-diketone complexes. Part II, carbon-bonded platinum(II) complexes of trifluoroacetylacetone and benzoylacetone, 1453. Part III, metal derivatives of some platinum–carbon bonded acetylacetone complexes, 1456.
Nuclear magnetic resonance spectra and structure of some trimethylplatinum(IV) compounds, 1744.
Nuclear magnetic resonance studies on metal complexes. Part I, dimethylphenylphosphine complexes of platinum(II) and palladium(II), 770.
Nucleophilic square planar substitutions. Part I, ionic-strength effects on the substitution of chloro- and bromodiethylenetriamineplatinum(II) complexes by iodide ions, 1000.
Pentafluorophenyl derivatives of transition metals. Part VI, nuclear magnetic resonance spectra of some nickel, palladium and platinum complexes, 1326.
Preparation and structure of trimethyl-(8-quinolinolato)-platinum(IV), 207.
^{195}Pt–^{31}P nuclear spin coupling constants and the nature of the *trans*-effect in platinum complexes, 1707.
Trichlorotrifluoroplatinates(IV), 1244.
Polarography of inorganic compounds in acetic acid–acetic anhydride solution, 757.
Polymerisation. Preparation and properties of some novel diaminotetra(fluoroalkoxy)triphosphonitriles, 665.
Preparation and pyrolysis of tetramethyltetrazene–beryllium dialkyl complexes, 711.
Synthesis and properties of linear polyborazoles. Part I, condensation of *B*-dichloro-*N*-tri-(2,6-dimethylphenyl)-borazole and aliphatic diamines, 401. Part II, condensation of *B*-dichloro-*N*-tri-(2,6-dimethylphenyl)-borazole and aromatic and heterocyclic diamines, 410. Part III, transamination of *B*-bisdiethylamino- and *B*-diamino-*N*-tri-(2,6-dimethylphenyl)borazole by diamines, 415.
Polymers, metal oxide trialkylsilyloxide. Part III, tantalum oxide trimethylsilyloxide polymers, 1139.
Polynuclear compounds, chemistry of. Part V, vibrational spectra of some phosphine derivatives of manganese carbonyl, 845. Part VI, magnetic properties of trimeric chromium and iron carboxylates, 1656. Part VII, mass spectra of some polynuclear metal carbonyl complexes, 1663.
Potassium difluorophosphate, structure of, 1775.
Precipitation of nitrate ion, organic reagents for. Part I, *N*-substituted 1-naphthylmethylamines, 1573.
Protactinium(V) bromides, 262.
chlorides 874
fluoro-complexes of, 254.
niobium, and tantalum nitrates, and nitrato-complexes, 733.
Phosphine oxide complexes of protactinium, niobium, and tantalum pentachlorides, 258.

Pyridine and 2,2′-bipyridyl derivatives of nitratopentacarbonylmanganese(I), 1249.
Pyridine, γ-picolines, and quinoline complexes of transition-metal perchlorates and tetrafluoroborates, 892.
Pyridines. Adducts formed between some halogenosilanes and the organic bases pyridine, trimethylamine, and tetramethylethylenediamine. Part I, stoicheiometry, 1508.
Co-ordination number of transition-metal ions. Part V, relative stabilities of alkylpyridines, and the effect of substituent position on metal–pyridine π-bonding, 1348.
Infrared spectra (1650—400 cm.$^{-1}$) of γ-picoline–metal co-ordination complexes, 632.
Pyridine and picoline adducts. Kinetics and mechanism of solvolysis of amine–trichloroborane adducts. Part I, 952.
Pyridine complexes of iron(II), copper(II), zinc(II), and cadmium(II) halides, 1031.
Pyrimidines. Crystal and molecular structure of the disodium salt of 2,4,6,8-tetrahydroxypyrimido[5,4-*d*]-pyrimidine (2,6,8,10-tetrahydroxyhomopurine), 639.
Pyrolysis. Formation of nitrogen in the nitric oxide-inhibited pyrolysis of ethane, 1757.
of di(isobutylamino)phenylboron, 191.
Pyrroles. Properties of transition-metal complexes of dipyrromethenes. Part I, spectra and magnetic moments of some nickel(II) complexes, 1565. Part II, dipyrromethenes as unidentate ligands, 1569.

R

Radicals, difluoroamino-, reactions of. Part II, addition to propene, *cis*-but-2-ene, and *trans*-but-2-ene, 582.
Electron spin resonance spectrum of a phosphorane radical-cation trapped in a crystalline matrix, 1074.
Electron spin resonance spectrum of the diphenylacetylene free-radical anion, 351.
Electron spin resonance spectra of species resulting from the action of hydroxyl radicals on trishydroxymethylphosphine and related compounds, 1357.
Electron spin resonance spectra of the electrolytically generated radical anions of the nitrothiophens, 991.
Electron spin resonance spectra of the free radicals arising from the action of Fenton's reagent on the methyl and ethyl esters of phosphoric and phosphonic acid, 1354.
Energy transport in carbohydrates. Part I, molecular aggregation effects, 370. Part II, radiation decomposition of D-glucose, 377. Part III, chemical effects of γ-radiation on cycloamyloses, 383. Part IV, energy transfer in cyclohepta-amylose complexes, 387. Part V, mechanism of intermolecular energy transfer in cycloamylose complexes, 393.
Formation of nitrogen in the nitric oxide-inhibited pyrolysis of ethane, 1757.
Hydrogen-abstraction reactions by ethyl radicals from methylamine and hydrazine, 1500.
Hydrogen-abstraction reactions from silanes. Part I, reactions of methyl radicals with trichlorosilane, methyldichlorosilane, and methyltrichlorosilane, 104.
Hydrogen-abstraction reactions by methyl radicals from nitrogen-containing compounds, 621.
Isotopic exchange of hydrogen in free alkyl radicals, 806.
Novel valence states of thallium as studied by pulse radiolysis, 612.
Photochemical production of trapped electrons in solutions of polyhalogenomethanes in hydrocarbon glasses, 854.
Photolysis of carbon suboxide in the presence of olefins, 975.
γ-Radiolysis of carbon suboxide, 533.
Reaction of methylene with 1,1-difluoroethane, 1621.
Reactivities of aliphatic compounds toward bromine and hydrogen atoms in aqueous solution, 572.
Scrambling of fluoro-, dimethylamino- and methyl groups with chlorine atoms and of methoxyl with dimethylamino-groups on germanium, 586.
Solute effects in the radiolysis of cyclohexane solutions. Part II, electron scavenging by nitrous oxide and aromatic compounds, 599.
Unstable intermediates. Part XXXIV, solvated electrons: a model for the spin-paired species in liquid ammonia, 13. Part XXXV, pairwise trapping of radicals in photolysed potassium persulphate, 66. Part XXXVI, the hexamethylbenzyl cation-radical, 446. Part XXXVII, electron spin resonance spectra of nitro-radical anions in fluid and rigid media, 448. Part XXXVIII, electron resonance spectra of aromatic nitro-anions: sigma–pi parameters for nitro–oxygen bonds, 451. Part XXXIX, structure of iminoxy-radicals deduced from their electron-spin resonance spectra in rigid media, 1503. Part XL, solvated electrons: electron–cation interactions in potassium–amine solutions, 1529.
Radiolysis. Novel valence states of thallium as studied by pulse radiolysis, 612.
γ-Radiolysis of carbon suboxide, 533.
Solute effects in the radiolysis of cyclohexane solutions. Part II, electron scavenging by nitrous oxide and aromatic compounds, 599.
Resins. Infrared study of the co-ordination of pyridine and water to exchangeable cations in montmorillonite and saponite, 344.
Rhenium. Alkyls and aryls of transition metals. Part VI, 1834.
Chemistry of the metal carbonyls. Part XXXVI, carbonyl(organothio)-manganese and -rhenium complexes, 1143.
Formation of sulphur-bridged manganese and rhenium clusters *via* organotin intermediates, 1141.
Oxo-complexes of rhenium(V), 1224.
Preparation of oxytetrachlorides of molybdenum, rhenium, and tungsten by the reaction of sulphuryl chloride with the metals, 91.
Products from the reaction of *trans*-oxotrihalogenobis(triphenylphosphine)rhenium(V) with carboxylic acids, and related compounds, 465.
Rhodium, cyano- and cyanohydrido-complexes of, 52.
trans-Effect in octahedral complexes. Part I, kinetic studies of some *trans*-dihalogenobisethylenediaminerhodium(III) complexes, 1275.
Hydrido-complexes of transition metals. Part II, hydrido-complexes of rhodium(III) with tertiary phosphines, 1670.
Interaction of tris(triphenylphosphine)chlororhodium(I) with iodomethane, methylallyl, and allyl chloride, 1733.
Kinetic studies on 4*d* and 5*d* transition-metal complexes. Part I, kinetics of the reactions of chloro-, bromo-,

Rhodium (*contd.*)
and iodo-pentamminerhodium(III) perchlorates with sodium hydroxide in aqueous solutions, 719.
Preparation and properties of tris(triphenylphosphine)-halogenorhodium(I) and some reactions thereof including catalytic homogeneous hydrogenation of olefins and acetylenes and their derivatives, 1711.
Rhodium(I) and rhodium(III) carbonyl complexes containing tertiary phosphines or tertiary arsines and halogen formed by the decarbonylation of alcohols and by the direct use of carbon monoxide, 1437.
Tris(triphenylarsine)- and tris(triphenylstibine)-chlororhodium(I) complexes and their reactions with hydrogen, olefins, and other reagents, 1736.
Rubidium. Properties of trirubidium pentanitronickelate(II), 1485.
Ruthenium nitrosyl trihalides, complexes of, 475.
Magnetic properties of some iron(III) and ruthenium(III) low-spin complexes, 422.
New diene and carbonyl complexes of ruthenium(II), 300.
Nuclear magnetic resonance studies on metal complexes. Part III, dimethylphenylphosphine complexes of ruthenium(II), 1787.
Oxidation of some ruthenium(II) complexes by ceric ion, 1370.
Oxidation of some ruthenium(II) complexes of *o*-phenanthroline and bipyridyl by thallic ion in perchloric acid, 1048.
Some derivatives of ruthenium nitrosyl di-iodide, 161.
Some nitrosylruthenium trichloride complexes containing tertiary phosphines, arsines, and stibines, 1811.
Spectral study of bis-2,2′-bipyridyl complexes of iron, ruthenium, and osmium, 1293.
Transition-metal–carbon bonds. Part VI, formation of dichloro(dodeca-2,6,10-triene-1,12-diyl)ruthenium(IV) from butadiene and ruthenium trichloride, 807.

S

Scandium. Hydrolysis of scandium(III): ultracentrifugation and acidity measurements, 1599.
Selenium. Metal–halogen vibrations of simple octahedral ions containing tin, selenium, and tellurium, 962.
Selenocyanation reactions of organometallic compounds of lead, tin, and thallium, 1344.
Silicon–germanium hydrides, further studies on, 46.
Aluminosiloxane compounds. Part I, dichloro- and dibromo-trimethylsiloxyaluminium: structure, and reaction with sodium acetylacetonate, 603. Part II, compounds of formula $C_8H_{24}Al_3X_5O_6Si_4$ (X = Cl or Br): structure and reaction with sodium acetylacetonate, 606, Part III, polyaluminium-organosiloxanes: synthesis and investigation of structure, 608.
Amino-derivatives of metals and metalloids. Part IV, aminosilylation and aminophosphination of some unsaturated substances, 82.
Adducts formed between some halogenosilanes and the organic bases pyridine, trimethylamine, and tetramethylethylenediamine. Part I, stoicheiometry, 1508.
Cations containing silicon(IV) co-ordinated by oxygen or nitrogen donors, 1784.
Heats of formation and bond energies. Part XV, chlorotrimethylsilane and hexamethyldisilazane, 514.
Hydrogen-abstraction reactions from silanes. Part I, reactions of methyl radicals with trichlorosilane, methyldichlorosilane, and methyltrichlorosilane, 104.
Metal oxide trialkylsilyloxide polymers, Part III, tantalum oxide trimethylsilyoxide polymers, 1139.
Organosilicon chemistry. Part I, a pentaco-ordinate complex of silicon, 887.
Silver nitrate, *X*-ray investigation of: a unique metal nitrate structure, 123.
Addition compounds of 1,3,5-trithian with mercury(II), and silver(I) salts, 233.
Reaction of silver(I) ions with organic compounds containing the HN–C=S grouping. Part II, some thiourea derivatives, 166.
Stabilities of the silver complexes of imidazole and tri(hydroxymethyl)methylamine, 1059.
Sodium nitrate, thermal decomposition of, 1265.
nitroprusside, γ-irradiated, electron spin resonance spectra of. Structure and reactivity of transition-metal complexes with polyatomic ligands. Part IV, 1547.
Soil minerals, chemistry of. Part III, synthetic micas with substitutions of NH_4 for K, Ga for Al, and Ge for Si, 1379.
Solubility. Molecular complexity of water in organic solvents. Part II, 77.
Soret effect, optical studies of. Part III, entropies and heat capacities of transfer of norvaline, ε-aminocaproic acid, L-proline, DL-hydroxyproline, and glycylglycine in aqueous solution, 1041.
Spectra. absorption, of copper(II) and nickel(II) complexes of substituted 8-hydroxyquinolines, 73.
of copper complexes of intermediate stereochemistry, 694.
electronic, analysis of the electronic spectra of bis-amine cobalt halides: a novel effect of steric hindrance, 859.
of some fluoride complexes of second- and third-row transition metals, 18.
electron spin resonance, electronic properties of monohalogenobisbipyridyl copper(II) complexes, 1443.
and structure of $[Cr(CN)_5NO]^{3-}$. Structure and reactivity of transition-metal complexes with polyatomic ligands. Part II, 994. Part III, nitric oxide complexes of cobalt and other transition metals with ν(NO) 1195—1040 cm.$^{-1}$, 997.
of a phosphorane radical-cation trapped in a crystalline matrix, 1074.
of $[Cr(CN)_5(NO)]^{3-}$, $[Cr(NO)(NH_3)_5]^{2+}$, and $[Cr(NO)(H_2O)_5]^{2+}$, 1488.
of γ-irradiated sodium nitroprusside. Structure and reactivity of transition-metal complexes with polyatomic ligands. Part IV, 1547.
of species resulting from the action of hydroxyl radicals on trishydroxymethylphosphine and related compounds, 1357.
of the diphenylacetylene free-radical anion, 351.
of the electrolytically generated radical-anions of the nitrothiophens, 991.
of the free radicals arising from the action of Fenton's reagent on the methyl and ethyl esters of phosphoric and phosphonic acid, 1354.
of the *trans*-stilbene and *trans*-azobenzene anion radicals, 109.
Unstable intermediates. Part XXXV, pairwise trapping of radicals in photolysed potassium persulphate, 66. Part XXXVI, the hexamethylbenzyl cation-radical, 446. Part XXXVII, electron-spin resonance spectra of nitro-radical anions in fluid and rigid

Spectra (*contd.*)
media, 448. Part XXXVIII, electron resonance spectra of aromatic nitro-anions: sigma–pi parameters of nitro–oxygen bonds, 451. Part XXXIX, structure of iminoxy-radicals deduced from their electron spin resonance spectra in rigid media, 1503. Part XL, solvated electrons: electron–cation interactions in potassium–amine solutions, 1529.
electron transfer, of some solid lanthanide(III) complexes, 842.
infrared, and electronic study of metal–ammonia complexes, 1425.
and proton magnetic resonance, of π-complexes of substituted condensed hydrocarbons, 1617.
and Raman, of Group VIII ammine complexes, 899.
and structure of aluminium chloride complexes. Part I, 1448.
of binuclear complexes, 472.
of dimethyltin dihalide complexes, 871.
of liquid adducts of carboxylic acids with sulphoxides, phosphine oxides, and other bases. Hydrogen bonding in some adducts of oxygen bases with acids. Part II, 439.
(1650—400 cm.$^{-1}$) of γ-picoline–metal co-ordination complexes, 633.
of PI_3,BI_3. Phosphorus halide–boron halide complexes. Part I, 896.
(400—135 cm.$^{-1}$) of some thiourea co-ordination complexes, 744.
of tetrahedral oxyanions of the transition metals, 1467.
of the anions $HClNO_3^-$, $DClNO_3^-$, $DBrCl^-$, $DClI^-$, DCl_2^-, and DI_2^-, 28.
of the co-ordination of pyridine and water to exchangeable cations in montmorillonite and saponite, 344.
solvent shifts and molecular interactions. Part IX, P–H and P=O dipoles and the hydrogen bonding ability of the P–H group, 1103.
Far-infrared spectra and structure of solid tellurium(IV) chloride, bromide, and iodide, 1479.
Far-infrared spectra and structure of some complexes of the gallium trihalides, 699.
Far-infrared spectra and thermodynamic properties of vanadium and titanium tetrachlorides, 208.
Far-infrared spectra of some co-ordination compounds of the thallium(III) halides, 889.
Far-infrared spectra (20—450 cm.$^{-1}$) of some halide cluster compounds of niobium and tantalum, 1514.
Metal–halogen vibrations of simple octahedral ions containing tin, selenium, and tellurium, 962.
Relative intensities of C–O stretching absorptions in the infrared spectra of some pentacarbonylmanganese(I) derivatives, 1521.
mass, of isopropylgermanes, 623.
of some polynuclear metal carbonyl complexes. Chemistry of polynuclear compounds. Part VII, 1663.
microwave, of dichlorine oxide. Molecular structure, centrifugal distortion coefficients, and force field, 336.
Mössbauer, chemical applications of the Mössbauer effect. Part IV, compounds containing tin–metal bonds, 43.
nuclear magnetic resonance, and structure of some trimethylplatinum(IV) compounds, 1744.
coupling constants in *p*-benzoquinones, 1421.
of hydrogen bonding in hydroxylic compounds, 1148.
of metal complexes. Part I, dimethylphenylphosphine complexes of platinum(II) and palladium(II), 770. Part II, dimethylphenylphosphine complexes of iridium(III), 1407. Part III, dimethylphenylphosphine complexes of ruthenium(II), 1787. Part IV, arylnickel(II)–dimethylphenylphosphine complexes, 1793.
of some β-diketone complexes of Group III and IV elements, 1749.
of some gallium trihalide complexes, 703.
of some geminal ethoxyphosphazatrienes: virtual coupling with two and three phosphorus atoms. Phosphorus–nitrogen compounds. Part XIX, 56.
of some monosubstituted triphosphonitrilic chlorides, 1152.
of some nickel, palladium, and platinum complexes. Pentafluorophenyl derivatives of transition metals. Part VI, 1326.
Determination of the relative signs of the ^{14}N–^{1}H spin coupling constants in ethyl isonitrile by nuclear magnetic resonance double irradiation, 1855.
^{195}Pt–^{31}P nuclear spin coupling constants and the nature of the *trans*-effect in platinum complexes, 1707.
proton magnetic resonance, hydrogen dinitrate ion, 1185.
of 1 : 1 electrolyte–ammonia systems, 778.
of some alkyl- and aryl-substituted borazoles. Borazoles. Part IV, 1468.
of some alkylberyllium hydrides: evidence for *cis–trans* isomerism about the BeH_2Be bridge, 1360.
Raman, studies on species in aqueous solutions. Part I, the vanadates, 1087.
ultraviolet, of anhydrous metal nitrates, 1524.
of some dialkyl and diaryl sulphides, disulphides, sulphoxides, and sulphones. Physical properties and chemical constitution. Part XLVI, 239. Part XLVII, ultraviolet spectra of some compounds with bonds between oxygen or sulphur atoms and the Group IV elements, C, Si, Ge, and Sn, 242.
of transition-metal derivatives of iron group cyanide complex anions. Charge transfer phenomena in some inorganic complexes. Part III, 1471.
vibration, and electronic, of transition-metal carbonyl complexes. Part I, infrared spectra of decacarbonyldimanganese and its derivatives, 695.
and structure of some pentafluorotellurate(IV) complexes, 1446.
and thermodynamic properties of phenylboron dichloride, 1552.
of some phosphine derivatives of manganese carbonyl. Chemistry of polynuclear compounds. Part V, 845.
Spectroscopy, infrared, identification of the stereochemistry of square planar bis-triethylphosphine complexes by, 1462.
molecular photoelectron. Part V, ozone, 85.
Artifacts and trivial effects in the measurement of delayed fluorescence, 821.
Circular dichroism of complexes of palladium containing an optically active unidentate ligand, 1394.
Dinitrogen trioxide. Part V, spectrophotometric study of liquid mixtures of nitrogen dioxide and nitric oxide: the stability of liquid dinitrogen trioxide, 1759.
Magnetic and spectral studies of some Schiff-base complexes derived from bis(salicylaldehydato)copper(II), 1559.

Spectroscopy (*contd.*)
Mass spectrometric investigation of field ionisation with a sharp edge, **1843**.
Mössbauer effect in tin(II) compounds. Part I, interpretation of the chemical shifts of normal tin(II) compounds, **1796**. Part II, spectra of complex tin(II) fluorides, **1798**.
Mössbauer study of iron(II)–1,10-phenanthroline complexes, **1493**.
Nephelauxetic parameters in the spectra of lanthanide(III) complexes, **667**.
Orbital splittings of some tetragonal nickel(II) complexes with heterocyclic amine ligands, **1769**.
Palladium–chlorine stretching frequencies of bridged chloro-π-allylic palladium(II) complexes, **1410**.
Preparation and spectral properties of complex oxochlorovanadates(IV), **1175**.
Spectra and magnetic moments of some nickel(II) complexes. Properties of transition-metal complexes of dipyrromethenes, **1565**.
Spectra of chloroferrate(III) compounds, **723**.
Spectral and magnetic properties of phosphine oxide adducts. Action of halogens on phosphine-substituted Group VI metal carbonyls. Part III, **630**.
Spectral study of bis-2,2′-bipyridyl complexes of iron, ruthenium, and osmium, **1293**.
Spectroscopic properties of some methylberyllium compounds. Dimethylberyllium. Part IV, **49**.
Spectroscopic studies of borohydride derivatives of zirconium and hafnium, **182**.
Spectroscopic studies. Part VII, rotational isomerism in 2-chloro-, 2-bromo-, and 2-iodo-ethyl cyanide, **101**.
Spectrofluorescence of the magnesium complexes of some quadridentate azomethines, **1595**.
Spin–lattice relaxation times of protons in some organic compounds, **1009**.
Stability constants and absorption spectra of the ions Br_2Cl^- and $BrCl_2^-$, **1607**.
Analogues of nitrilotriacetic acid, and the stabilities of their proton and metal complexes, **1268**.
Acyl derivatives of nitrilotriacetic acid, and the stability of their proton and metal complexes, **727**.
Relative stabilities of halogeno-complexes. Part V, *trans*-$Rhen_2Cl_2^+$–I^- and *trans*-$Rhen_2Br_2^+$–I^- systems, **286**.
Stabilities of the silver complexes of imidazole and tri(hydroxymethyl)methylamine, **1059**.
Sulphur dichloride, salt-like behaviour in acetone solution. Part II, **1018**.
Bistrifluoromethylaminosulphur pentafluoride, **1555**.
Cyclic hexameric mercaptides of nickel, **1377**.
Liquid hydrogen sulphide as an ionising solvent. Part I, base analogues and their neutralisation with hydrogen halides, **785**. Part II, reactions of Lewis acids of boron with base analogues, **789**. Part III, reactions of compounds of Groups IV, V, and VI, **793**.
Physical properties and chemical constitution. Part XLVI, ultraviolet spectra of some dialkyl and diaryl sulphides, disulphides, sulphoxide, and sulphones, **239**. Part XLVII, ultraviolet spectra of some compounds with bonds between oxygen or sulphur atoms and the Group IV elements C, Si, Ge, and Sn, **242**.
Synthesis of methyliminosulphur difluoride and bis(methylimino)sulphur by the reaction of pentafluorosulphur chloride sulphur tetrafluoride with methylamines, **1780**.
Sugars, crystalline structure of the. Part V, three-dimensional analysis of methyl β-xyloside, **922**. Part VI, a three-dimensional analysis of β-cellobiose, **927**.
Surface energy. Estimation of free surface energies of low-energy solids from contact-angle measurements, **978**.
Surface properties. Determination of surface areas of solids (*ca.* 1 $cm.^2$) by a manometric gas adsorption method, **1195**.
Surface tension of liquid bismuth in pure and impure hydrogen, in other gases, and *in vacuo*. Liquid metals. Part XII, **965**.
Surface tensions, refractivities, and densities of some organophosphorus compounds. Physical properties and chemical constitution. Part XLIX, **249**.

T

Tantalum oxide trimethylsilyloxide polymers. Metal oxide trialkylsilyloxide polymers. Part III, **1139**.
quinquevalent-, protactinium, and niobium nitrates and nitrato-complexes, **733**.
Far-infrared spectra (20—450 $cm.^{-1}$) of some halide cluster compounds of niobium and tantalum, **1514**.
Phosphine oxide complexes of protactinium, niobium, and tantalum, **258**.
Technetium. Some quinquevalent fluorotechnetates, **1339**.
Tellurium. Far-infrared spectra and structure of solid tellurium(IV) chloride, bromide, and iodide, **1479**.
Metal–halogen vibrations of simple octahedral ions containing tin, selenium, and tellurium, **962**.
Vibration spectra and structure of some pentafluorotellurate(IV) complexes, **1446**.
Thallium. Far-infrared spectra of some co-ordination compounds of the thallium(III) halides, **889**.
Novel valence states of thallium as studied by pulse radiolysis, **612**.
Selenocyanation reactions of organometallic compounds of lead, tin, and thallium, **1344**.
Thermal decomposition of the diazirines. Part II, 3,3-tetramethylenediazirine, 3,3-pentamethylenediazirine, and 3,3-diethyldiazirine, **968**.
Thermochemistry of some phosphoryl halide–boron halide complexes, **1367**.
of some reactions of aqueous hydrazine with halogens, hydrogen halides, and *N*-halogenosuccinimides, **1536**.
Heat of formation of aluminium acetylacetonate, **971**.
Heats of formation and bond energies. Part XIV, heat of combustion of arsenic, **330**. Part XV, chlorotrimethylsilane and hexamethyldisilazane, **514**.
Optical studies of the Soret effect. Part III, entropies and heat capacities of transfer of norvaline, ε-aminocaproic acid, L-proline, DL-hydroxyproline, and glycylglycine in aqueous solution, **1041**.
Relative acceptor strength of gallium trihalides towards oxygen and sulphur donors, **270**.
Relative acceptor strengths of the gallium trihalides towards pyridine and triethylamine as donors, **267**.
Studies in ion-solvation in non-aqueous solvents and their aqueous mixtures. Part IV, enthalpies of transfer of the alkali-metal halides from water to a 20% mixture of dioxan and water, **714**.
Thermal behaviour of germanium dioxide, **954**.
Thermochemical studies. Part XVII, heats and entropies of reaction of 3,3′-diaminodipropylamine with protons and bivalent transition-metal ions, **1385**.

Thermodynamic properties and far-infrared spectra of vanadium and titanium tetrachlorides, 208.
Thermodynamics. Frictional coefficients of aqueous solutions of choline chloride at 25°, 946.
Partial molal volumes of alkali chlorides in aqueous solution to 200°, 1579.
Ultrasonic studies of electrolyte solutions. Part II, compressibilities of electrolytes, 5.
Variations in the thermal stabilities of the trichlorides, tribromides, and tri-iodides of the metals of the first transition series at 25°, 501.
Thiophens. Electron spin resonance spectra of the electrolytically generated radical-anions of the nitrothiophens, 991.
Thorium. Anhydrous hexachloro- and hexabromo-complexes of quadrivalent thorium, uranium, and neptunium, 766.
Complexes of uranium and thorium tetrahalides with oxygen-donor ligands, 737.
Complexes of uranyl chloride and thorium and uranium tetrachlorides with dicarboxylic acid amides, 741.
Methyl cyanide and *NN*-dimethylacetamide complexes of thorium and uranium tetrahalides, uranyl chloride, and uranyl bromide, 1763.
Tin and titanium tetrachlorides. Reactions of 8-quinolinol with covalent halides. Part I, 544.
Adduct of tin(IV) chloride with dinitrogen tetroxide, 775.
Adducts of bis(dithiolato)tin compounds with Lewis bases, 1024.
Chemical applications of the Mössbauer effect. Part IV, compounds containing tin–metal bonds, 43.
Complex tin(II) acetates, 332.
Dimethyltin dihalide complexes and their infrared spectra, 871.
Formation of sulphur-bridged manganese and rhenium clusters *via* organotin intermediates, 1141.
Metal–halogen vibrations of simple octahedral ions containing tin, selenium, and tellurium, 962.
Mössbauer effect in tin(II) compounds. Part I, interpretation of the chemical shifts of normal tin(II) compounds, 1796. Part II, spectra of complex tin(II) fluorides, 1798.
New synthesis of compounds with cobalt-to-tin bonds, 1052.
Selenocyanation reactions of organometallic compounds of lead, tin, and thallium, 1344.
Some pentafluorophenyltin compounds, 150.
Structure of some dithiolatotin compounds, 958.
Titanium and tin tetrachlorides. Reactions of 8-quinolinol with covalent halides. Part I, 544.
tervalent, oxalate complexes of, 1183.
Co-ordination compound of titanium(IV) chloride and nitromethane, 1814.
Crystal structure of anhydrous nitrates and their complexes. Part III, titanium(IV) nitrate, 1496.
Far-infrared spectra and thermodynamic properties of vanadium and titanium tetrachlorides, 208.
1,3,5-Trithian, compounds of, with mercury(II) and silver(I) salts, 233.
Tungsten, polyanions of. Studies of the polyanions by Glauber-salt cryoscopy. Part I, 284.
2,2′-Bipyridyl derivatives of molybdenum-(IV), -(V), and -(VI) and tungsten-(IV), -(V), and -(VI), 1633.
Oxypentahalogenotungstates(VI), 1631.
Preparation of oxytetrachlorides of molybdenum, rhenium, and tungsten by the reaction of sulphuryl chloride with the metals, 91.
Reaction of iodine with Group VI hexacarbonyls: triiodides of molybdenum and tungsten and their derivatives, 16.

U

Ultrasonic studies in electrolyte solutions. Part III, hydration numbers of some acids, alkalis, and tetraalkylammonium salts, 426.
Unstable intermediates. Part XXXIV, solvated electrons: a model for the spin-paired species in liquid ammonia, 13. Part XXXV, pairwise trapping of radicals in photolysed potassium persulphate, 66. Part XXXVI, the hexamethylbenzyl cation-radical, 446. Part XXXVII, electron-spin resonance spectra of nitro-radical anions in fluid and rigid media, 448. Part XXXVIII, electron resonance spectra of aromatic nitro-anions: sigma–pi parameters for nitro–oxygen bonds, 451. Part XXXIX, structure of iminoxy-radicals deduced from their electron spin resonance spectra in rigid media, 1503. Part XL, solvated electrons: electron–cation interactions in potassium–amine solutions, 1529.
Uranium. Anhydrous hexachloro- and hexabromo-complexes of quadrivalent thorium, uranium, and neptunium, 766.
Complexes of uranium and thorium tetrahalides with oxygen-donor ligands, 737.
Complexes of uranyl chloride and thorium and uranium tetrachlorides with dicarboxylic acid amides, 741.
Methyl cyanide and *NN*-dimethylacetamide complexes of thorium and uranium tetrahalides, uranyl chloride, and uranyl bromide, 1763.
Some octahedral complexes of uranium(IV), 197.
Some six-co-ordinate complexes of uranium(VI), 1363.

V

Vanadium. Dimeric vanadium(III) carboxylates, 320.
Far-infrared spectra and thermodynamic properties of vanadium and titanium tetrachlorides, 208.
Kinetics of the oxidation of europium(II) with vanadium(III) and chromium(III) in aqueous perchloric acid solutions, 1230.
Optically active co-ordination compounds. Part VI, stereoselective effects in alkaline tartrato-complexes of transition metals, 1260.
Orthophosphato-complexes of the vanadyl(IV) ion in aqueous acidic solution. Part I, ion-exchange studies, 980.
Preparation and spectral properties of complex oxochlorovanadates(IV), 1175.
Raman studies on species in aqueous solutions. Part I, the vanadates, 1087.
Tetrahedral and octahedral complexes of vanadium, 1296.
Viscosities, relative, of solutions of sodium and potassium chlorides and bromides in *N*-methylformamide at 25°, 35°, and 45°, 212.

Viscosity and molecular association. Part VI, association of dihydric alcohols and phenols, **92**.

Vitamin B_{12}, chemistry of. Part V, class (*b*) character of the cobaltic ion, **187**.

W

Water, adsorbed, dielectric relaxation on ionic crystals, **36**.

X

Xyloses. Crystalline structure of the sugars. Part V, a three-dimensional analysis of methyl β-xyloside, **922**.

Y

Ytterbium. Dissociation constants of some ytterbium ion-pairs from cation-exchange resin studies, **1374**.

Z

Zinc. Pyridine complexes of iron(II), copper(II), zinc(II), and cadmium(II) halides, **1031**.

Reactions between some organozinc compounds and 2-dimethylaminoethanol, acetoxime, phenylisocyanate, and benzophenone: some observations on the methyl, zinc methoxide tetramer, **1064**,

Tetraethylammonium tetrahalogenozincate(II) complexes with mixed halide ligands, **463**.

Vulcanisation accelerator–activator complexes. Part I, amine complexes of zinc and cadmium benzothiazole-2-thiolate, **34**.

Zirconium. Pentafluorophenyl derivatives of transition metals. Part V, bis-(π-cyclopentadienyl)bis-(σ-pentafluorophenyl)zirconium and related studies, **838**.

Reactions of a bidentate arsine with quadrivalent halides of Group IV A: separation of zirconium and hafnium, **989**.

Spectroscopic studies of borohydride derivatives of zirconium and hafnium, **182**.

JOURNAL
OF
THE CHEMICAL SOCIETY

SECTION A
Inorganic, Physical, and Theoretical Chemistry

Part I, pp. 1—964

LONDON: THE CHEMICAL SOCIETY
1966

COPYRIGHT RESERVED

JOURNAL
OF
THE CHEMICAL SOCIETY

SECTION A
Inorganic, Physical, and Theoretical Chemistry

Part II, pp. 965—1856 and indexes

LONDON: THE CHEMICAL SOCIETY
1966

COPYRIGHT RESERVED

ERRATA prior to 1 January 1966

Vol. 1948, page 239, line 10*. *For* m. p. 223—224°, $[\alpha]_D^{18}$ −16·4° *read* m. p. 223—224°, $[\alpha]_D^{18}$ +16·4°.

Vol. 1965, page 4513, Table, line 3*. *For* *N*-methyl groups at C-3 and C-20 *read* *N*-methyl groups at C-20 and C-3.

Vol. 1965, page 4521. Formula (XXX) should be shown as



Vol. 1965, page 6548, line 23. *For* 72% of 4-hydroxycyclohexyl phosphate and, *read* 72% of cyclohexane diphosphate and

---

Vol. 1965, page 6777, Paper 1255, Title line 2. *For* Synthesis of Poly-β-L- and, *read* Synthesis of Poly-γ-L- and.

Vol. 1965, page 7009. Formula (II) should be shown as



Vol. 1965, page 7174, Table 5, compound 36. *For* $C_{13}H_{18}ClN_2$ *read* $C_{13}H_{19}ClN_2$.

Vol. 1965, page 7180, Table footnote* line 3. (*a*) A neutral by-product was indol-3-ylacetaldoxime (VI), *delete* (VI).

Vol. 1965, page 7425, Summary line 4. *For* a 3,4-cyclic product *read* a 2,4-cyclic product.

---

* From foot of main text.

ERRATA. Section A

1966, page 178, Table 4 and right hand column, line 5*, also page 181, left hand column, line 33. *For* 4-pyridiomethylchromium ion *read* 2-pyridiomethylchromium ion.

1966, page 178, Table 4, column 2. *For* 0·20 *read* 0·28.
column 3. *For* 0·28 *read* 0·20.

1966, page 179, Table 5, column 2. *For* 0·20 *read* 0·28. The last two lines of figures in this table refer to the 2-pyridiomethylchromium(III) ion.

1966, page 231, right hand column. This line reading "*values are approximately* 20 *cm.*$^{-1}$ *higher than those for* " immediately below the table is misplaced. It should be the first line of the right hand column beneath the Summary.

1966, page 320. Names of authors. *For* P. V. Parish *read* R. V. Parish.

1966, page 501, SECOND STAGE. The second and third sentences should *read* " This can be done by means of thermodynamics, for thermodynamics is capable of restating the problem in innumerable different but equivalent ways. Though the choice between these is arbitrary, some re-statements are more helpful than others because our understanding of chemical processes varies from one process to another."

1966, page 502, right hand column, line 2 below Table 1. *For* is going across *read* in going across.

1966, page 503. Footnote *u* under Table 2 should *read*

relation $(H^\circ_{298} - H^\circ_0)_z M^{3+}(g) \simeq (H^\circ_{298} - H^\circ_0)_{z-1} M^{3+}(g)$.

1966, page 505, Figure 1, Caption line 3. *For* C,MI *read* C,MI_2.

1966, page 507. Figure 6, left hand vertical scale should *read* $-\lambda_2$ and the right hand $-\lambda_3$.

1966, page 508, Table 6, column headed $S^\circ_{298}MCl_2(s)$, first line. *For* 27·3 [a] *read* 27·2 [a].

1966, page 511, left hand column, line 9*. *For* (Mn^{2+} and Fe^{2+} *read* (Mn^{2+} and Fe^{3+}.

1966, page 511, line 7*. This line should *read* require ΔG°_{298} to be in exactly the opposite order, *viz.*,

---

* From foot of main text.

PUBLICATIONS BOARD

Chairman

Sir Ewart Jones, M.A., D.Sc., F.R.I.C., F.R.S.

K. W. Bagnall, D.Sc., F.R.I.C.
W. Baker, M.A., Ph.D., D.Sc., F.R.I.C., F.R.S.
J. W. Barrett, Ph.D., A.R.C.S., F.R.I.C.
R. P. Bell, M.A., F.R.S.
C. Eaborn, Ph.D., D.Sc., F.R.I.C.
H. B. Henbest, Ph.D., D.Sc., F.R.I.C.
W. Klyne, M.A., D.Sc., F.R.I.C.
S. F. Mason, M.A., D.Phil.
Sir Harry Melville, K.C.B., Ph.D., D.Sc., F.R.S.
R. S. Nyholm, D.Sc., F.R.I.C., F.R.S.
R. A. Raphael, D.Sc., F.R.I.C., F.R.S.
J. R. Ruck Keene, M.B.E., T.D., M.A.
H. N. Rydon, Ph.D., D.Sc., F.R.I.C.
D. H. Whiffen, M.A., D.Phil., F.R.S.

Editor and Secretary

L. C. Cross, T.D., Ph.D., A.R.C.S., F.R.I.C.

PRIMARY JOURNALS COMMITTEE

Chairman

R. P. Bell, M.A., F.R.S.

G. E. Coates, M.A., D.Sc., F.R.I.C.
R. C. Cookson, M.A., Ph.D., F.R.I.C.
D. P. Craig, Ph.D., D.Sc., F.R.I.C.
L. Crombie, D.Sc., F.R.I.C.
D. F. Elliott, D.Sc., A.R.C.S., A.R.I.C.
V. Gold, D.Sc., Ph.D.
C. H. Hassall, M.Sc., Ph.D., F.R.I.C.
J. Lewis, Ph.D., D.Sc., F.R.I.C.
J. D. Loudon, Ph.D., D.Sc., A.R.I.C.
A. Maccoll, M.Sc., Ph.D.
M. L. McGlashan, D.Sc., Ph.D.
J. F. W. McOmie, M.A., D.Phil., D.Sc.
L. N. Owen, Ph.D., D.Sc., F.R.I.C.
G. Porter, M.A., Sc.D., F.R.I.C., F.R.S.
C. W. Rees, Ph.D., D.Sc., F.R.I.C.
N. Sheppard, M.A., Ph.D.
F. G. A. Stone, M.A., Ph.D., Sc.D.
J. C. Tatlow, B.Sc., Ph.D., F.R.I.C.
C. J. Timmons, Ph.D., A.R.C.S., F.R.I.C.
M. R. Truter, Ph.D., D.Sc., A.R.C.S.
H. J. V. Tyrrell, B.Sc., M.A.
W. Wild, Ph.D.

Editor and Secretary

L. C. Cross, T.D., Ph.D., A.R.C.S., F.R.I.C.

Assistant Editors

G. P. Pollard, M.A.
E. H. Hopkins, B.Sc., F.R.I.C.
I. J. Cantlon, Ph.D.
E. R. Smith, Ph.D., A.R.I.C.

Printed in Great Britain by Richard Clay (The Chaucer Press), Ltd.,
Bungay, Suffolk